




Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
 Data File : VX035321.D
 Acq On : 26 Apr 2023 18:16
 Operator : JC/MD
 Sample : 02419-10ME
 Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW925ME

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 04:43:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 25 03:03:54 2023
 Response via : Initial Calibration



TIC: VX035321.D\data.ms

(7) Chloroethane-d5 (S)

1.672min (-0.000) 19.92 ug/L

response 39337

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	31.70	30.02
51.00	25.70	21.35
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
 Data File : VX035321.D
 Acq On : 26 Apr 2023 18:16
 Operator : JC/MD
 Sample : 02419-10ME
 Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW925ME

Manual IntegrationsAPPROVED

Quant Time: Apr 27 04:43:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 25 03:03:54 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



TIC: VX035321.D\data.ms

(7) Chloroethane-d5 (S)

1.672min (-0.000) 42.22 ug/L m

response 83361

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	31.70	14.16#
51.00	25.70	10.08#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
 Data File : VX035321.D
 Acq On : 26 Apr 2023 18:16
 Operator : JC/MD
 Sample : 02419-10ME
 Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW925ME

Manual IntegrationsAPPROVED

Quant Time: Apr 27 04:43:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 25 03:03:54 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



TIC: VX035321.D\data.ms

(47) 2-Hexanone-d5 (S)

9.390min (+ 0.012) 26.60 ug/L

response 34550

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	171.60	166.65
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
 Data File : VX035321.D
 Acq On : 26 Apr 2023 18:16
 Operator : JC/MD
 Sample : 02419-10ME
 Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW925ME

Manual IntegrationsAPPROVED

Quant Time: Apr 27 04:43:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 25 03:03:54 2023
 Response via : Initial Calibration

Reviewed By :John Carlone 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023



TIC: VX035321.D\data.ms

(47) 2-Hexanone-d5 (S)

9.415min (+ 0.036) 96.79 ug/L m

response 125718

Ion	Exp%	Act%
63.00	100.00	100.00
46.00	171.60	45.80#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
 Data File : VX035321.D
 Acq On : 26 Apr 2023 18:16
 Operator : JC/MD
 Sample : 02419-10ME
 Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW925ME

Manual IntegrationsAPPROVED

Reviewed By :John Carlone 04/27/2023
 Supervised By :Mahesh Dadoda 05/01/2023

Quant Time: Apr 27 04:43:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 25 03:03:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	423765	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	368607	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	182919	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	125503	45.931	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	91.860%		
7) Chloroethane-d5	1.672	69	83361m	42.220	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	84.440%		
11) 1,1-Dichloroethene-d2	2.288	65	63527	48.590	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	97.180%		
21) 2-Butanone-d5	4.483	46	172442	94.702	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	94.700%		
24) Chloroform-d	5.056	84	253083	49.183	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.360%		
26) 1,2-Dichloroethane-d4	5.952	65	176581	53.438	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	106.880%		
32) Benzene-d6	5.970	84	585979	55.340	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	110.680%		
36) 1,2-Dichloropropane-d6	7.305	67	177394	54.845	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	109.680%		
41) Toluene-d8	8.647	98	544899	56.307	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	112.620%		
43) trans-1,3-Dichloroprop...	8.951	79	67594	47.820	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	95.640%		
47) 2-Hexanone-d5	9.415	63	125718m	96.790	ug/L	0.04
Spiked Amount 100.000	Range 45 - 130		Recovery =	96.790%		
56) 1,1,2,2-Tetrachloroeth...	11.201	84	202541	51.132	ug/L	0.01
Spiked Amount 50.000	Range 65 - 120		Recovery =	102.260%		
66) 1,2-Dichlorobenzene-d4	12.323	152	200908	56.678	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	113.360%		
Target Compounds						Qvalue
9) Trichlorofluoromethane	1.879	101	11446	2.818	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX042623\
Data File : VX035321.D
Acq On : 26 Apr 2023 18:16
Operator : JC/MD
Sample : 02419-10ME
Misc : 4.79g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
EW925ME

Manual IntegrationsAPPROVED

Quant Time: Apr 27 04:43:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML041823WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 25 03:03:54 2023
Response via : Initial Calibration

Reviewed By :John Carlone 04/27/2023
Supervised By :Mahesh Dadoda 05/01/2023

