

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX042723\  
 Data File : VX035339.D  
 Acq On : 27 Apr 2023 14:25  
 Operator : JC/MD  
 Sample : 02494-02 200X  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 LEA-7I

Quant Time: Apr 28 05:05:37 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X042523W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Apr 25 16:31:40 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 243204   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 401954   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 368850   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 173383   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952  | 65    | 143195   | 48.804   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =      | 97.600%  |
| 35) Dibromofluoromethane    | 5.385  | 113   | 119840   | 48.576   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 97.160%  |
| 50) Toluene-d8              | 8.647  | 98    | 471132   | 50.623   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =      | 101.240% |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 177927   | 50.822   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 101.640% |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 4) Vinyl Chloride           | 1.374  | 62    | 489      | 0.208    | ug/l   | 93       |
| 27) cis-1,2-Dichloroethene  | 4.489  | 96    | 10199    | 3.382    | ug/l   | 86       |
| 44) Trichloroethene         | 7.129  | 130   | 215970   | 70.944   | ug/l   | 96       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX042723\  
Data File : VX035339.D  
Acq On : 27 Apr 2023 14:25  
Operator : JC/MD  
Sample : 02494-02 200X  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
LEA-7I

Quant Time: Apr 28 05:05:37 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X042523W.M  
Quant Title : SW846 8260  
QLast Update : Tue Apr 25 16:31:40 2023  
Response via : Initial Calibration

