

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050120\
 Data File : VX016003.D
 Acq On : 01 May 2020 11:13
 Operator : JC/SP
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: May 02 07:14:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X043020W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu Apr 30 12:42:44 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	125	0.00
2 M	Dichlorodifluoromethane	2.066	2.031	1.7	122	0.00
3 M	Chloromethane	2.025	1.931	4.6	121	0.00
4 M	Vinyl Chloride	2.300	2.164	5.9	122	0.00
5 M	Bromomethane	1.410	1.473	-4.5	122	0.00
6 M	Chloroethane	1.508	1.387	8.0	119	0.00
7 M	Trichlorofluoromethane	3.295	2.980	9.6	118	0.00
8 T	Diethyl Ether	1.315	1.176	10.6	121	0.00
9	1,1,2-Trichlorotrifluoroeth	1.701	1.598	6.1	126	0.00
10 M	1,1-Dichloroethene	1.717	1.640	4.5	127	0.00
11	Methyl Iodide	2.344	2.134	9.0	128	0.00
12	Methyl Acetate	2.997	2.911	2.9	126	0.00
13 M	Acrolein	0.240	0.211	12.1	136	0.00
14 M	Acrylonitrile	1.107	1.038	6.2	127	0.00
15 M	Acetone	0.293	0.265	9.6	124	0.00
16 M	Carbon Disulfide	5.222	4.851	7.1	126	0.00
17	Allyl chloride	3.185	2.960	7.1	124	0.00
18 M	Methylene Chloride	1.923	1.789	7.0	126	0.00
19 M	trans-1,2-Dichloroethene	1.878	1.733	7.7	125	0.00
20 T	Diisopropyl ether	6.140	5.670	7.7	125	0.00
21 M	1,1-Dichloroethane	3.424	3.167	7.5	124	0.00
22 M	cis-1,2-Dichloroethene	2.131	1.953	8.4	126	0.00
23 M	tert-Butyl Alcohol	0.542	0.511	5.7	128	0.00
24 M	Methyl tert-Butyl Ether	6.165	5.712	7.3	125	0.00
25 M	Chloroform	3.477	3.169	8.9	123	-0.01
26	Cyclohexane	3.131	2.881	8.0	124	0.00
27 s	1,2-Dichloroethane-d4	2.306	2.282	1.0	121	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	126	0.00
29	1,1-Dichloropropene	0.472	0.426	9.7	124	0.00
30 M	2-Butanone	0.281	0.250	11.0	121	0.00
31	2,2-Dichloropropane	0.568	0.526	7.4	125	0.00
32 M	1,1,1-Trichloroethane	0.572	0.516	9.8	122	0.00
33 M	Carbon Tetrachloride	0.510	0.461	9.6	123	0.00
34 M	Benzene	1.378	1.268	8.0	125	0.00
35	Methacrylonitrile	0.299	0.276	7.7	126	0.00
36 M	1,2-Dichloroethane	0.526	0.472	10.3	121	0.00
37 M	Trichloroethene	0.490	0.466	4.9	123	0.00
38	Methylcyclohexane	0.577	0.523	9.4	125	0.00
39 M	1,2-Dichloropropane	0.354	0.318	10.2	123	0.00
40	Dibromomethane	0.246	0.220	10.6	120	0.00
41 M	Bromodichloromethane	0.506	0.456	9.9	126	0.00
42 M	Vinyl Acetate	0.930	0.840	9.7	125	0.00
43	Ethyl Acetate	0.555	0.510	8.1	124	0.00
44	Isopropyl Acetate	0.900	0.824	8.4	125	0.00
45 T	1,4-Dioxane	0.010	0.009#	10.0	127	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050120\
 Data File : VX016003.D
 Acq On : 01 May 2020 11:13
 Operator : JC/SP
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: May 02 07:14:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X043020W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu Apr 30 12:42:44 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46	Methyl methacrylate	0.427	0.385	9.8	125	0.00
47	n-amyl Acetate	0.787	0.691	12.2	123	0.00
48 M	t-1,3-Dichloropropene	0.588	0.527	10.4	126	0.00
49 T	cis-1,3-Dichloropropene	0.608	0.548	9.9	124	0.00
50 M	1,1,2-Trichloroethane	0.346	0.307	11.3	122	0.00
51	Ethyl methacrylate	0.572	0.511	10.7	127	0.00
52	1,3-Dichloropropane	0.598	0.546	8.7	124	0.00
53 M	Dibromochloromethane	0.394	0.341	13.5	122	0.00
54 M	1,2-Dibromoethane	0.380	0.337	11.3	124	0.00
55 M	2-Chloroethyl vinyl ether	0.311	0.275	11.6	126	0.00
56 M	Bromoform	0.297	0.249	16.2	123	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	124	0.00
58 M	4-Methyl-2-Pentanone	0.592	0.558	5.7	125	0.00
59 M	2-Hexanone	0.457	0.430	5.9	126	0.00
60 S	4-Bromofluorobenzene	0.503	0.493	2.0	122	0.00
61 M	Tetrachloroethene	0.593	0.565	4.7	121	0.00
62 M	Toluene	1.603	1.489	7.1	124	0.00
63 S	Toluene-d8	1.287	1.318	-2.4	124	0.00
64 M	Chlorobenzene	1.021	0.932	8.7	123	0.00
65	1,1,1,2-Tetrachloroethane	0.387	0.345	10.9	121	0.00
66 M	Ethyl Benzene	1.825	1.685	7.7	124	0.00
67 M	m/p-Xylenes	0.695	0.637	8.3	124	0.00
68 M	o-Xylene	0.670	0.611	8.8	125	0.00
69 M	Styrene	1.147	1.029	10.3	124	0.00
70	Isopropylbenzene	1.810	1.655	8.6	124	0.00
71 M	1,1,2,2-Tetrachloroethane	0.336	0.250	25.6	126	0.00
72	1,2,3-Trichloropropane	0.545	0.514	5.7	127	0.00
73	Bromobenzene	0.456	0.407	10.7	121	0.00
74	n-propylbenzene	2.102	1.909	9.2	124	0.00
75	2-Chlorotoluene	1.236	1.128	8.7	124	0.00
76	1,3,5-Trimethylbenzene	1.536	1.393	9.3	125	0.00
77	t-1,4-Dichloro-2-butene	0.234	0.212	9.4	127	0.00
78	4-Chlorotoluene	1.462	1.317	9.9	123	0.00
79	tert-butylbenzene	1.312	1.188	9.5	127	0.00
80	1,2,4-Trimethylbenzene	1.535	1.392	9.3	125	0.00
81	sec-Butylbenzene	1.770	1.614	8.8	126	0.00
82	p-Isopropyltoluene	1.640	1.480	9.8	125	0.00
83 M	1,3-Dichlorobenzene	0.822	0.746	9.2	126	0.00
84 M	1,4-Dichlorobenzene	0.817	0.735	10.0	125	0.00
85	n-Butylbenzene	1.498	1.330	11.2	125	0.00
86 T	Hexachloroethane	0.289	0.256	11.4	128	0.00
87 M	1,2-Dichlorobenzene	0.795	0.718	9.7	123	0.00
88	1,2-Dibromo-3-Chloropropane	0.141	0.125	11.3	125	0.00
89	1,2,4-Trichlorobenzene	0.586	0.512	12.6	121	0.00
90	Hexachlorobutadiene	0.252	0.239	5.2	127	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050120\
Data File : VX016003.D
Acq On : 01 May 2020 11:13
Operator : JC/SP
Sample : VSTDCCC020
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC020

Quant Time: May 02 07:14:47 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X043020W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Thu Apr 30 12:42:44 2020
Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
91 M	Naphthalene	1.865	1.682	9.8	123	0.00
92	1,2,3-Trichlorobenzene	0.563	0.496	11.9	122	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0