

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX050123\  
 Data File : VX035463.D  
 Acq On : 02 May 2023 01:12  
 Operator : JC/MD  
 Sample : 02521-05  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 39 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 GMW-10

Quant Time: May 02 02:45:12 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X042523W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Apr 25 16:31:40 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 5.550  | 168   | 223810   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 366697   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 331891   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 145325   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 130520   | 48.338   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =      | 96.680%  |
| 35) Dibromofluoromethane    | 5.385  | 113   | 112334   | 49.911   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 99.820%  |
| 50) Toluene-d8              | 8.646  | 98    | 436554   | 51.418   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =      | 102.840% |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 157996   | 49.468   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 98.940%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 2.385  | 43    | 7387     | 6.299    | ug/l # | 88       |
| 65) Chlorobenzene           | 10.079 | 112   | 3900     | 0.543    | ug/l   | 97       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX050123\  
Data File : VX035463.D  
Acq On : 02 May 2023 01:12  
Operator : JC/MD  
Sample : 02521-05  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 39 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
GMW-10

Quant Time: May 02 02:45:12 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X042523W.M  
Quant Title : SW846 8260  
QLast Update : Tue Apr 25 16:31:40 2023  
Response via : Initial Calibration

