

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050420\
 Data File : VX016035.D
 Acq On : 04 May 2020 14:39
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX050420

Quant Time: May 05 07:41:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Tue May 05 07:11:41 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	0.529	0.489	7.6	95	0.00
3 P	Chloromethane	0.615	0.552	10.2	95	0.00
4 C	Vinyl Chloride	0.656	0.597	9.0#	97	0.00
5 T	Bromomethane	0.331	0.325	1.8	106	0.00
6 T	Chloroethane	0.399	0.383	4.0	99	0.00
7 T	Trichlorofluoromethane	0.861	0.819	4.9	99	0.00
8 T	Diethyl Ether	0.363	0.344	5.2	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.497	0.464	6.6	98	0.00
10 T	Methyl Iodide	0.667	0.624	6.4	94	0.00
11 T	Tert butyl alcohol	0.166	0.157	5.4	99	0.00
12 CM	1,1-Dichloroethene	0.520	0.477	8.3#	97	0.00
13 T	Acrolein	0.104	0.096	7.7	99	0.00
14 T	Allyl chloride	0.953	0.876	8.1	97	0.00
15 T	Acrylonitrile	0.345	0.314	9.0	96	0.00
16 T	Acetone	0.294	0.270	8.2	98	0.00
17 T	Carbon Disulfide	1.769	1.467	17.1	98	0.00
18 T	Methyl Acetate	0.722	0.658	8.9	97	0.00
19 T	Methyl tert-butyl Ether	1.792	1.690	5.7	98	0.00
20 T	Methylene Chloride	0.605	0.530	12.4	96	0.00
21 T	trans-1,2-Dichloroethene	0.579	0.520	10.2	99	0.00
22 T	Diisopropyl ether	1.798	1.666	7.3	98	0.00
23 T	Vinyl Acetate	1.582	1.516	4.2	98	0.00
24 P	1,1-Dichloroethane	1.006	0.936	7.0	98	0.00
25 T	2-Butanone	0.473	0.445	5.9	97	0.00
26 T	2,2-Dichloropropane	0.918	0.864	5.9	101	0.00
27 T	cis-1,2-Dichloroethene	0.633	0.588	7.1	99	0.00
28 T	Bromochloromethane	0.459	0.411	10.5	97	0.00
29 T	Tetrahydrofuran	0.313	0.293	6.4	97	0.00
30 C	Chloroform	1.001	0.939	6.2#	98	0.00
31 T	Cyclohexane	0.914	0.856	6.3	97	0.00
32 T	1,1,1-Trichloroethane	0.910	0.848	6.8	98	0.00
33 S	1,2-Dichloroethane-d4	0.658	0.597	9.3	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	104	0.00
35 S	Dibromofluoromethane	0.317	0.289	8.8	101	0.00
36 T	1,1-Dichloropropene	0.492	0.453	7.9	99	0.00
37 T	Ethyl Acetate	0.570	0.536	6.0	97	0.00
38 T	Carbon Tetrachloride	0.500	0.475	5.0	100	0.00
39 T	Methylcyclohexane	0.593	0.551	7.1	98	0.00
40 TM	Benzene	1.440	1.333	7.4	98	0.00
41 T	Methacrylonitrile	0.308	0.292	5.2	98	0.00
42 TM	1,2-Dichloroethane	0.519	0.482	7.1	99	0.00
43 T	Isopropyl Acetate	0.910	0.862	5.3	99	0.00
44 TM	Trichloroethene	0.512	0.448	12.5	95	0.00
45 C	1,2-Dichloropropane	0.364	0.340	6.6#	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050420\
 Data File : VX016035.D
 Acq On : 04 May 2020 14:39
 Operator : JC/SP
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX050420

Quant Time: May 05 07:41:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Tue May 05 07:11:41 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.248	0.230	7.3	98	0.00
47 T	Bromodichloromethane	0.504	0.480	4.8	98	0.00
48 T	Methyl methacrylate	0.431	0.410	4.9	98	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	98	0.00
50 S	Toluene-d8	1.221	1.131	7.4	101	0.00
51 T	4-Methyl-2-Pentanone	0.557	0.532	4.5	97	0.00
52 CM	Toluene	0.898	0.848	5.6#	98	0.00
53 T	t-1,3-Dichloropropene	0.601	0.572	4.8	100	0.00
54 T	cis-1,3-Dichloropropene	0.628	0.596	5.1	99	0.00
55 T	1,1,2-Trichloroethane	0.353	0.334	5.4	98	0.00
56 T	Ethyl methacrylate	0.576	0.560	2.8	98	0.00
57 T	1,3-Dichloropropane	0.616	0.576	6.5	98	0.00
58 T	2-Chloroethyl Vinyl ether	0.307	0.297	3.3	100	0.00
59 T	2-Hexanone	0.437	0.418	4.3	97	0.00
60 T	Dibromochloromethane	0.389	0.380	2.3	99	0.00
61 T	1,2-Dibromoethane	0.383	0.366	4.4	98	0.00
62 S	4-Bromofluorobenzene	0.464	0.431	7.1	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	107	0.00
64 T	Tetrachloroethene	0.614	0.550	10.4	98	0.00
65 PM	Chlorobenzene	1.047	0.962	8.1	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.361	6.7	99	0.00
67 C	Ethyl Benzene	1.868	1.716	8.1#	98	0.00
68 T	m/p-Xylenes	0.700	0.660	5.7	99	0.00
69 T	o-Xylene	0.673	0.631	6.2	99	0.00
70 T	Styrene	1.141	1.077	5.6	98	0.00
71 P	Bromoform	0.315	0.303	3.8	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00
73 T	Isopropylbenzene	3.637	3.386	6.9	99	0.00
74 T	N-amyl acetate	1.696	1.570	7.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.641	0.705	-10.0	106	0.00
76 T	1,2,3-Trichloropropane	1.135	1.021	10.0	96	0.00
77 T	Bromobenzene	0.939	0.843	10.2	99	0.00
78 T	n-propylbenzene	4.231	3.883	8.2	99	0.00
79 T	2-Chlorotoluene	2.497	2.273	9.0	99	0.00
80 T	1,3,5-Trimethylbenzene	3.071	2.836	7.7	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.455	4.4	100	0.00
82 T	4-Chlorotoluene	2.949	2.677	9.2	99	0.00
83 T	tert-Butylbenzene	2.646	2.458	7.1	100	0.00
84 T	1,2,4-Trimethylbenzene	3.104	2.848	8.2	98	0.00
85 T	sec-Butylbenzene	3.573	3.276	8.3	98	0.00
86 T	p-Isopropyltoluene	3.317	3.058	7.8	98	0.00
87 T	1,3-Dichlorobenzene	1.685	1.487	11.8	98	0.00
88 T	1,4-Dichlorobenzene	1.711	1.496	12.6	97	0.00
89 T	n-Butylbenzene	3.030	2.767	8.7	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050420\
Data File : VX016035.D
Acq On : 04 May 2020 14:39
Operator : JC/SP
Sample : VSTDICV050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ICVVX050420

Quant Time: May 05 07:41:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
Quant Title : SW846 8260
QLast Update : Tue May 05 07:11:41 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.570	0.531	6.8	98	0.00
91 T	1,2-Dichlorobenzene	1.623	1.448	10.8	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.299	0.262	12.4	96	0.00
93 T	1,2,4-Trichlorobenzene	1.202	1.078	10.3	102	0.00
94 T	Hexachlorobutadiene	0.556	0.496	10.8	102	0.00
95 T	Naphthalene	3.891	3.485	10.4	97	0.00
96 T	1,2,3-Trichlorobenzene	1.174	1.045	11.0	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6