

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX050619\
 Data File : VX009343.D
 Acq On : 06 May 2019 12:21
 Operator : JC/SP
 Sample : K2685-03
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-4

Quant Time: May 07 09:50:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Sat May 04 07:18:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	198154	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	316074	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	271054	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	112930	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.06	65	127378	47.09	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.18%	
35) Dibromofluoromethane	5.50	113	96580	48.61	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.22%	
50) Toluene-d8	8.71	98	391302	48.78	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.56%	
62) 4-Bromofluorobenzene	11.13	95	128546	44.10	ug/l	0.00
Spiked Amount 50.000			Recovery	=	88.20%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX050619\
Data File : VX009343.D
Acq On : 06 May 2019 12:21
Operator : JC/SP
Sample : K2685-03
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-4

Quant Time: May 07 09:50:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
Quant Title : SW846 8260
QLast Update : Sat May 04 07:18:36 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-WATER-REF-4

Tot Ion:168 Resp: 198154

Ion Ratio Lower Upper

168 100

99 53.9 42.3 63.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 47.089 ug/l

RT: 6.06 min Scan# 805

Delta R.T. -0.00 min

Lab File: VX009343.D


Acq: 06 May 2019 12:21

Tgt Ion: 65 Resp: 127378

Ion Ratio Lower Upper

65 100

67 54.6 0.0 106.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.06

50000

40000


30000


20000

10000

0

Time--> 5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.86 min Scan# 936

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21

Instrument :

MSVOA_X

ClientSampleId :

STORAGE-BLANK-WATER-REF-4


Tot Ion:114 Resp: 316074

Ion Ratio Lower Upper

114 100

63 22.6 0.0 45.6




88 15.9 0.0 33.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 48.607 ug/l

RT: 5.50 min Scan# 713

Delta R.T. 0.01 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21


Tgt Ion:113 Resp: 96580

Ion Ratio Lower Upper

113 100

111 103.7 82.8 124.2



192 21.7 17.0 25.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.779 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-WATER-REF-4

Tot Ion: 98 Resp: 391302

Ion Ratio Lower Upper




98 100

100 64.6 51.2 76.8



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



#62

4-Bromofluorobenzene

Concen: 44.100 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21


Tgt Ion: 95 Resp: 128546

Ion Ratio Lower Upper

95 100

174 81.2 0.0 161.6



176 78.8 0.0 159.2




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.11 min Scan# 1469

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21

Instrument :

MSVOA_X

ClientSampleId :

STORAGE-BLANK-WATER-REF-4


Tot Ion:117 Resp: 271054

Ion Ratio Lower Upper

117 100

82 61.6 48.8 73.2




119 32.5 25.8 38.6



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VX0

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.08 min Scan# 1792

Delta R.T. -0.00 min

Lab File: VX009343.D

Acq: 06 May 2019 12:21


Tgt Ion:152 Resp: 112930

Ion Ratio Lower Upper

152 100

115 58.3 41.2 123.6

150 158.0 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

