

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX050619\
 Data File : VX009359.D
 Acq On : 06 May 2019 18:36
 Operator : JC/SP
 Sample : K2697-07
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW-4-20190502-A

Quant Time: May 07 08:00:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Sat May 04 07:18:36 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	181934	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	289561	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	256238	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	108326	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.07	65	120237	48.41	ug/l	0.00
Spiked Amount			Recovery	=	96.82%	
35) Dibromofluoromethane	5.50	113	90080	49.49	ug/l	0.00
Spiked Amount			Recovery	=	98.98%	
50) Toluene-d8	8.71	98	366299	49.84	ug/l	0.00
Spiked Amount			Recovery	=	99.68%	
62) 4-Bromofluorobenzene	11.13	95	119849	44.88	ug/l	0.00
Spiked Amount			Recovery	=	89.76%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX050619\
Data File : VX009359.D
Acq On : 06 May 2019 18:36
Operator : JC/SP
Sample : K2697-07
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-4-20190502-A

Quant Time: May 07 08:00:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
Quant Title : SW846 8260
QLast Update : Sat May 04 07:18:36 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. 0.00 min

Lab File: VX009359.D

Acq: 06 May 2019 18:36

Instrument :

MSVOA_X

ClientSampleId :


MW-4-20190502-A

Tot Ion:168 Resp: 181934

Ion Ratio Lower Upper

168 100

99 55.5 42.3 63.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

60000



40000

20000

0

Time-->

5.50 5.60 5.70 5.80 5.90



#33

1,2-Dichloroethane-d4

Concen: 48.412 ug/l

RT: 6.07 min Scan# 806

Delta R.T. 0.01 min

Lab File: VX009359.D


Acq: 06 May 2019 18:36

Tgt Ion: 65 Resp: 120237

Ion Ratio Lower Upper

65 100

67 53.7 0.0 106.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

50000

40000

30000


20000


10000

0

Time-->

5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.86 min Scan# 936

Delta R.T. 0.00 min

Lab File: VX009359.D

Acq: 06 May 2019 18:36

Instrument :

MSVOA_X

ClientSampleId :

MW-4-20190502-A


Tot Ion:114 Resp: 289561

Ion Ratio Lower Upper

114 100

63 22.9 0.0 45.6




88 16.5 0.0 33.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 49.486 ug/l

RT: 5.50 min Scan# 713

Delta R.T. 0.01 min

Lab File: VX009359.D

Acq: 06 May 2019 18:36


Tgt Ion:113 Resp: 90080

Ion Ratio Lower Upper

113 100

111 102.9 82.8 124.2



192 21.1 17.0 25.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 49.843 ug/l
RT: 8.71 min Scan# 1240
Delta R.T. 0.00 min
Lab File: VX009359.D
Acq: 06 May 2019 18:36




Instrument :
MSVOA_X
ClientSampleId :
MW-4-20190502-A


Tot Ion: 98 Resp: 366299
Ion Ratio Lower Upper
98 100
100 64.2 51.2 76.8



#62
4-Bromofluorobenzene
Concen: 44.882 ug/l
RT: 11.13 min Scan# 1637
Delta R.T. 0.00 min
Lab File: VX009359.D
Acq: 06 May 2019 18:36

Tgt Ion: 95 Resp: 119849
Ion Ratio Lower Upper
95 100
174 82.8 0.0 161.6
176 79.7 0.0 159.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.12 min Scan# 1470
Delta R.T. 0.01 min
Lab File: VX009359.D
Acq: 06 May 2019 18:36

Instrument :
MSVOA_X
ClientSampleId :
MW-4-20190502-A

Tot Ion:117 Resp: 256238
Ion Ratio Lower Upper
117 100
82 57.0 48.8 73.2
119 31.8 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.08 min Scan# 1792
Delta R.T. 0.00 min
Lab File: VX009359.D
Acq: 06 May 2019 18:36

Tgt Ion:152 Resp: 108326
Ion Ratio Lower Upper
152 100
115 57.7 41.2 123.6
150 157.2 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

