

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050719\
 Data File : VX009367.D
 Acq On : 07 May 2019 09:44
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 02:27:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 08:24:47 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	92	0.00
2 T	Dichlorodifluoromethane	0.461	0.411	10.8	83	0.00
3 P	Chloromethane	0.629	0.545	13.4	82	0.00
4 C	Vinyl Chloride	0.613	0.541	11.7#	82	0.00
5 T	Bromomethane	0.368	0.319	13.3	85	0.00
6 T	Chloroethane	0.394	0.339	14.0	82	0.00
7 T	Trichlorofluoromethane	0.746	0.680	8.8	86	0.00
8 T	Diethyl Ether	0.353	0.311	11.9	84	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.468	0.435	7.1	87	0.00
10 T	Methyl Iodide	0.483	0.436	9.7	79	0.00
11 T	Tert butyl alcohol	0.158	0.137	13.3	81	0.00
12 CM	1,1-Dichloroethene	0.469	0.418	10.9#	82	0.00
13 T	Acrolein	0.143	0.119	16.8	79	0.00
14 T	Allyl chloride	1.143	0.995	12.9	83	0.00
15 T	Acrylonitrile	0.386	0.339	12.2	84	0.00
16 T	Acetone	0.367	0.354	3.5	93	0.00
17 T	Carbon Disulfide	1.317	1.088	17.4	76	0.00
18 T	Methyl Acetate	0.872	0.763	12.5	86	0.00
19 T	Methyl tert-butyl Ether	1.822	1.652	9.3	85	0.00
20 T	Methylene Chloride	0.593	0.518	12.6	85	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.450	11.6	83	0.00
22 T	Diisopropyl ether	2.199	2.001	9.0	86	0.00
23 T	Vinyl Acetate	1.883	1.742	7.5	84	0.00
24 P	1,1-Dichloroethane	1.085	0.973	10.3	86	0.00
25 T	2-Butanone	0.570	0.535	6.1	88	0.00
26 T	2,2-Dichloropropane	0.807	0.742	8.1	86	0.00
27 T	cis-1,2-Dichloroethene	0.607	0.546	10.0	86	0.00
28 T	Bromochloromethane	0.487	0.403	17.2	75	0.00
29 T	Tetrahydrofuran	0.366	0.326	10.9	83	0.00
30 C	Chloroform	0.981	0.897	8.6#	87	0.00
31 T	Cyclohexane	1.009	0.912	9.6	83	0.00
32 T	1,1,1-Trichloroethane	0.817	0.742	9.2	86	0.00
33 S	1,2-Dichloroethane-d4	0.683	0.694	-1.6	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.314	0.335	-6.7	93	0.00
36 T	1,1-Dichloropropene	0.465	0.430	7.5	84	0.00
37 T	Ethyl Acetate	0.647	0.597	7.7	83	0.00
38 T	Carbon Tetrachloride	0.422	0.399	5.5	85	0.00
39 T	Methylcyclohexane	0.571	0.543	4.9	85	0.00
40 TM	Benzene	1.438	1.329	7.6	84	0.00
41 T	Methacrylonitrile	0.385	0.347	9.9	84	0.00
42 TM	1,2-Dichloroethane	0.516	0.483	6.4	87	0.00
43 T	Isopropyl Acetate	1.036	0.961	7.2	83	0.00
44 TM	Trichloroethene	0.348	0.323	7.2	85	0.00
45 C	1,2-Dichloropropane	0.407	0.383	5.9#	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050719\
 Data File : VX009367.D
 Acq On : 07 May 2019 09:44
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 02:27:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Tue May 07 08:24:47 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.236	0.217	8.1	85	0.00
47 T	Bromodichloromethane	0.472	0.451	4.4	86	0.00
48 T	Methyl methacrylate	0.514	0.485	5.6	85	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	85	0.00
50 S	Toluene-d8	1.269	1.364	-7.5	93	0.00
51 T	4-Methyl-2-Pentanone	0.677	0.648	4.3	86	0.00
52 CM	Toluene	0.874	0.822	5.9#	85	0.00
53 T	t-1,3-Dichloropropene	0.533	0.517	3.0	85	0.00
54 T	cis-1,3-Dichloropropene	0.589	0.568	3.6	84	0.00
55 T	1,1,2-Trichloroethane	0.357	0.336	5.9	85	0.00
56 T	Ethyl methacrylate	0.637	0.606	4.9	84	0.00
57 T	1,3-Dichloropropane	0.628	0.585	6.8	85	0.00
58 T	2-Chloroethyl Vinyl ether	0.338	0.326	3.6	83	0.00
59 T	2-Hexanone	0.532	0.520	2.3	87	0.00
60 T	Dibromochloromethane	0.348	0.337	3.2	85	0.00
61 T	1,2-Dibromoethane	0.360	0.338	6.1	84	0.00
62 S	4-Bromofluorobenzene	0.461	0.504	-9.3	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.343	0.334	2.6	88	0.00
65 PM	Chlorobenzene	1.000	0.965	3.5	86	0.00
66 T	1,1,1,2-Tetrachloroethane	0.363	0.355	2.2	87	0.00
67 C	Ethyl Benzene	1.841	1.777	3.5#	86	0.00
68 T	m/p-Xylenes	0.673	0.655	2.7	86	0.00
69 T	o-Xylene	0.664	0.640	3.6	86	0.00
70 T	Styrene	1.154	1.141	1.1	86	0.00
71 P	Bromoform	0.295	0.294	0.3	87	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.636	3.363	7.5	87	0.00
74 T	N-amyl acetate	2.120	1.961	7.5	85	0.00
75 P	1,1,2,2-Tetrachloroethane	1.355	1.230	9.2	86	0.00
76 T	1,2,3-Trichloropropane	1.160	1.081	6.8	88	0.00
77 T	Bromobenzene	0.902	0.831	7.9	88	0.00
78 T	n-propylbenzene	4.152	3.928	5.4	88	0.00
79 T	2-Chlorotoluene	2.562	2.330	9.1	89	0.00
80 T	1,3,5-Trimethylbenzene	3.061	2.868	6.3	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.453	0.420	7.3	84	0.00
82 T	4-Chlorotoluene	2.894	2.706	6.5	89	0.00
83 T	tert-Butylbenzene	2.978	2.797	6.1	89	0.00
84 T	1,2,4-Trimethylbenzene	3.073	2.899	5.7	88	0.00
85 T	sec-Butylbenzene	3.531	3.348	5.2	89	0.00
86 T	p-Isopropyltoluene	3.174	3.081	2.9	90	0.00
87 T	1,3-Dichlorobenzene	1.609	1.519	5.6	89	0.00
88 T	1,4-Dichlorobenzene	1.622	1.539	5.1	91	0.00
89 T	n-Butylbenzene	2.869	2.869	0.0	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX050719\
Data File : VX009367.D
Acq On : 07 May 2019 09:44
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: May 08 02:27:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
Quant Title : SW846 8260
QLast Update : Tue May 07 08:24:47 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.541	0.519	4.1	88	0.00
91 T	1,2-Dichlorobenzene	1.639	1.523	7.1	88	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.304	0.271	10.9	81	0.00
93 T	1,2,4-Trichlorobenzene	1.121	1.092	2.6	89	0.00
94 T	Hexachlorobutadiene	0.572	0.568	0.7	93	0.00
95 T	Naphthalene	3.646	3.433	5.8	86	0.00
96 T	1,2,3-Trichlorobenzene	1.136	1.090	4.0	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6