

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX050720\
 Data File : VX016101.D
 Acq On : 07 May 2020 17:57
 Operator : JC/SP
 Sample : L2532-03
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 SS052MW716-200506

Quant Time: May 08 04:28:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 06:43:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	281738	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.84	114	461814	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	453266	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.06	152	234895	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.04	65	176351	47.57	ug/l	0.00
Spiked Amount 50.000			Recovery	=	95.14%	
35) Dibromofluoromethane	5.47	113	138054	47.19	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.38%	
50) Toluene-d8	8.70	98	569541	50.52	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.04%	
62) 4-Bromofluorobenzene	11.12	95	231389	53.96	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.92%	
Target Compounds						
3) Chloromethane	1.31	50	1138	0.329	ug/l	97
16) Acetone	2.42	43	6690	4.044	ug/l	98
27) cis-1,2-Dichloroethene	4.56	96	1406	0.394	ug/l	67

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX050720\
Data File : VX016101.D
Acq On : 07 May 2020 17:57
Operator : JC/SP
Sample : L2532-03
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
SS052MW716-200506

Quant Time: May 08 04:28:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
Quant Title : SW846 8260
QLast Update : Wed May 06 06:43:32 2020
Response via : Initial Calibration

