

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX050819\
 Data File : VX009409.D
 Acq On : 08 May 2019 19:28
 Operator : JC/SP
 Sample : K2645-06
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 PL-02-050719-C

Quant Time: May 09 06:33:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 08 03:31:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	176630	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	283229	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	246585	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	101158	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.07	65	115749	48.00	ug/l	0.00
Spiked Amount			Recovery	=	96.00%	
35) Dibromofluoromethane	5.50	113	86897	48.81	ug/l	0.00
Spiked Amount			Recovery	=	97.62%	
50) Toluene-d8	8.71	98	356465	49.59	ug/l	0.00
Spiked Amount			Recovery	=	99.18%	
62) 4-Bromofluorobenzene	11.13	95	113776	43.56	ug/l	0.00
Spiked Amount			Recovery	=	87.12%	

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
5) Bromomethane	1.64	94	278	0.214	ug/l #	70
11) Tert butyl alcohol	3.04	59	437	0.783	ug/l #	87
13) Acrolein	2.28	56	138	0.273	ug/l #	1
16) Acetone	2.45	43	6893	5.324	ug/l	96
18) Methyl Acetate	2.78	43	5212	1.693	ug/l	95
20) Methylene Chloride	2.85	84	40557	19.347	ug/l	97
25) 2-Butanone	4.68	43	866	0.430	ug/l	92
28) Bromochloromethane	5.01	49	45	Below Cal	#	20
29) Tetrahydrofuran	5.14	42	347	0.268	ug/l #	29
30) Chloroform	5.21	83	1858	0.536	ug/l	86
36) 1,1-Dichloropropene	5.67	75	13566	5.154	ug/l #	51
38) Carbon Tetrachloride	5.67	117	16305	6.818	ug/l #	16
43) Isopropyl Acetate	6.45	43	11970	2.041	ug/l	97
47) Bromodichloromethane	7.90	83	621	0.232	ug/l #	91
48) Methyl methacrylate	7.68	41	8215	2.823	ug/l #	18
49) 1,4-Dioxane	7.87	88	185	3.135	ug/l #	1
51) 4-Methyl-2-Pentanone	8.61	43	85323	22.253	ug/l #	50
54) cis-1,3-Dichloropropene	8.62	75	37214	11.146	ug/l #	58
57) 1,3-Dichloropropane	9.54	76	8585	2.415	ug/l #	44
59) 2-Hexanone	9.44	43	11838	3.931	ug/l #	26
74) N-amyl acetate	10.69	43	12296	2.867	ug/l #	57
76) 1,2,3-Trichloropropane	11.13	75	57718	24.597	ug/l #	34
80) 1,3,5-Trimethylbenzene	11.51	105	1843	0.298	ug/l	97
81) trans-1,4-Dichloro-2-buten	11.13	75	57718	62.936	ug/l #	10
84) 1,2,4-Trimethylbenzene	11.80	105	1678	0.270	ug/l	96
95) Naphthalene	13.83	128	37343	5.063	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.00 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :


PL-02-050719-C

Tot Ion:168 Resp: 176630

Ion Ratio Lower Upper




168 100

99 53.3 42.3 63.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#5

Bromomethane

Concen: 0.214 ug/l

RT: 1.64 min Scan# 79

Delta R.T. -0.00 min

Lab File: VX009409.D


Acq: 08 May 2019 19:28

Tgt Ion: 94 Resp: 278

Ion Ratio Lower Upper



94 100


96 63.2 73.0 109.6#



Abundance Ion 93.90 (93.60 to 94.60): VX0

Ion 95.90 (95.60 to 96.60): VX0









#11

Tert butyl alcohol
 Concen: 0.783 ug/l
 RT: 3.04 min Scan# 310
 Delta R.T. -0.01 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Instrument :
 MSVOA_X
 ClientSampleId :
 PL-02-050719-C




Tot Ion: 59 Resp: 437
 Ion Ratio Lower Upper
 59 100
 57 5.5 8.2 12.2#



#13

Acrolein
 Concen: 0.273 ug/l
 RT: 2.28 min Scan# 185
 Delta R.T. -0.01 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Tgt Ion: 56 Resp: 138
 Ion Ratio Lower Upper
 56 100
 55 218.8 56.6 85.0#





#16

Acetone

Concen: 5.324 ug/l

RT: 2.45 min Scan# 212

Delta R.T. -0.00 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :


PL-02-050719-C

Tot Ion: 43 Resp: 6893

Ion Ratio Lower Upper




43 100

58 28.9 24.9 37.3



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 58.00 (57.70 to 58.70): VX0



#18

Methyl Acetate

Concen: 1.693 ug/l

RT: 2.78 min Scan# 266

Delta R.T. -0.00 min

Lab File: VX009409.D


Acq: 08 May 2019 19:28

Tgt Ion: 43 Resp: 5212

Ion Ratio Lower Upper



43 100


74 22.4 16.2 24.4



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 74.00 (73.70 to 74.70): VX0









#20
Methvlene Chloride
Concen: 19.347 ug/l
RT: 2.85 min Scan# 279
Delta R.T. -0.00 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28




Instrument :
MSVOA_X
ClientSampleId :
PL-02-050719-C


Tot Ion: 84 Resp: 40557
Ion Ratio Lower Upper
84 100
49 135.8 109.9 164.9
51 42.0 32.7 49.1
86 60.6 52.0 78.0



#25
2-Butanone
Concen: 0.430 ug/l
RT: 4.68 min Scan# 578
Delta R.T. 0.01 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28

Tgt Ion: 43 Resp: 866
Ion Ratio Lower Upper
43 100
72 18.9 18.2 27.2





#28

Bromochloromethane

Concen: Below Cal

RT: 5.01 min Scan# 632

Delta R.T. -0.01 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :

PL-02-050719-C


Tot Ion: 49 Resp: 45

Ion Ratio Lower Upper

49 100

129 0.0 0.0 3.8




130 0.0 51.2 76.8#



Abundance Ion 48.90 (48.60 to 49.60): VX0

Ion 128.80 (128.50 to 129.50): V

Ion 129.80 (129.50 to 130.50): V



#29

Tetrahydrofuran

Concen: 0.268 ug/l

RT: 5.14 min Scan# 654

Delta R.T. 0.01 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28


Tgt Ion: 42 Resp: 347

Ion Ratio Lower Upper

42 100

72 0.0 30.4 45.6#



71 82.7 28.6 43.0#




Abundance Ion 42.00 (41.70 to 42.70): VX0

Ion 72.00 (71.70 to 72.70): VX0

Ion 71.00 (70.70 to 71.70): VX0





#30

Chloroform

Concen: 0.536 ug/l

RT: 5.21 min Scan# 666

Delta R.T. 0.01 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :


PL-02-050719-C

Tot Ion: 83 Resp: 1858

Ion Ratio Lower Upper

83 100

85 53.2 51.5 77.3



Abundance Ion 82.90 (82.60 to 83.60): VX0

Ion 84.90 (84.60 to 85.60): VX0

5.21

600



400

200

0

5.15 5.20 5.25 5.30

Time-->



#33

1,2-Dichloroethane-d4

Concen: 48.005 ug/l

RT: 6.07 min Scan# 806

Delta R.T. 0.01 min

Lab File: VX009409.D


Acq: 08 May 2019 19:28

Tgt Ion: 65 Resp: 115749

Ion Ratio Lower Upper

65 100

67 53.0 0.0 106.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

50000

40000

30000


20000


10000

0

6.00 6.10 6.20

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.86 min Scan# 936
 Delta R.T. -0.00 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Instrument :
 MSVOA_X
 ClientSampleId :
 PL-02-050719-C

Tot Ion	Ratio	Lower	Upper
114	100		
63	22.8	0.0	45.6
88	15.8	0.0	33.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX0
 Ion 87.90 (87.60 to 88.60): VX0






#35
 Dibromofluoromethane
 Concen: 48.805 ug/l
 RT: 5.50 min Scan# 713
 Delta R.T. 0.01 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Tgt Ion	Ratio	Lower	Upper
113	100		
111	102.3	82.8	124.2
192	21.2	17.0	25.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#36

1,1-Dichloropropene

Concen: 5.154 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.13 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :

PL-02-050719-C


Tot Ion: 75 Resp: 13566

Ion Ratio Lower Upper

75 100

110 9.2 16.9 50.6#




77 0.4 24.8 37.2#



Abundance Ion 74.90 (74.60 to 75.60): VX009409.D (-713) (-)

Ion 109.90 (109.60 to 110.60): VX009409.D (-713) (-)

Ion 76.90 (76.60 to 77.60): VX009409.D (-713) (-)



#38

Carbon Tetrachloride

Concen: 6.818 ug/l

RT: 5.67 min Scan# 740

Delta R.T. -0.12 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28


Tgt Ion: 117 Resp: 16305

Ion Ratio Lower Upper

117 100

119 6.3 77.5 116.3#



121 0.0 24.7 37.1#




Abundance Ion 116.80 (116.50 to 117.50): VX009409.D (-710) (-)

Ion 118.80 (118.50 to 119.50): VX009409.D (-710) (-)

Ion 120.80 (120.50 to 121.50): VX009409.D (-710) (-)





#43

Isopropyl Acetate

Concen: 2.041 ug/l

RT: 6.45 min Scan# 868

Delta R.T. -0.00 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :

PL-02-050719-C


Tot Ion: 43 Resp: 11970

Ion Ratio Lower Upper

43 100

61 20.6 15.1 22.7




87 11.9 9.0 13.6



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 61.00 (60.70 to 61.70): VX0

Ion 87.00 (86.70 to 87.70): VX0



#47

Bromodichloromethane

Concen: 0.232 ug/l

RT: 7.90 min Scan# 1106

Delta R.T. -0.00 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28


Tgt Ion: 83 Resp: 621

Ion Ratio Lower Upper

83 100

85 71.6 52.4 78.6



127 0.0 6.6 10.0#




Abundance Ion 82.90 (82.60 to 83.60): VX0

Ion 84.90 (84.60 to 85.60): VX0

Ion 126.80 (126.50 to 127.50): V









#48
Methvl methacrylate
Concen: 2.823 ug/l
RT: 7.68 min Scan# 1070
Delta R.T. -0.09 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28




Instrument :
MSVOA_X
ClientSampleId :
PL-02-050719-C


Tot Ion: 41 Resp: 8215
Ion Ratio Lower Upper
41 100
69 0.0 59.1 88.7#
39 0.0 40.4 60.6#



#49
1,4-Dioxane
Concen: 3.135 ug/l
RT: 7.87 min Scan# 1101
Delta R.T. 0.13 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28

Tgt Ion: 88 Resp: 185
Ion Ratio Lower Upper
88 100
43 616150.8 28.6 42.8#
58 2460.5 61.7 92.5#





#50

Toluene-d8

Concen: 49.590 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. -0.00 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :


PL-02-050719-C

Tot Ion: 98 Resp: 356465

Ion Ratio Lower Upper




98 100

100 64.0 51.2 76.8



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



#51

4-Methyl-2-Pentanone

Concen: 22.253 ug/l

RT: 8.61 min Scan# 1223

Delta R.T. -0.03 min

Lab File: VX009409.D


Acq: 08 May 2019 19:28

Tgt Ion: 43 Resp: 85323

Ion Ratio Lower Upper



43 100


58 7.4 29.5 44.3#



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 58.00 (57.70 to 58.70): VX0





#54

cis-1,3-Dichloropropene

Concen: 11.146 ug/l

RT: 8.62 min Scan# 1224

Delta R.T. 0.18 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :

PL-02-050719-C





Tot Ion: 75 Resp: 37214

Ion Ratio Lower Upper

75 100

77 0.6 24.6 36.8#

39 27.1 40.6 60.8#



#57

1,3-Dichloropropane

Concen: 2.415 ug/l

RT: 9.54 min Scan# 1376

Delta R.T. 0.17 min

Lab File: VX009409.D




Acq: 08 May 2019 19:28


Tgt Ion: 76 Resp: 8585

Ion Ratio Lower Upper

76 100

78 0.5 25.5 38.3#









#59
2-Hexanone
Concen: 3.931 ug/l
RT: 9.44 min Scan# 1359
Delta R.T. -0.05 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28




Instrument :
MSVOA_X
ClientSampleId :
PL-02-050719-C


Tot Ion: 43 Resp: 11838
Ion Ratio Lower Upper
43 100
58 0.0 25.9 77.7#



#62
4-Bromofluorobenzene
Concen: 43.560 ug/l
RT: 11.13 min Scan# 1637
Delta R.T. -0.00 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28

Tgt Ion: 95 Resp: 113776
Ion Ratio Lower Upper
95 100
174 82.3 0.0 161.6
176 80.3 0.0 159.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1469
Delta R.T. -0.00 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28

Instrument :
MSVOA_X
ClientSampleId :
PL-02-050719-C

Tot Ion	Ratio	Lower	Upper
117	100		
82	61.8	48.8	73.2
119	31.7	25.8	38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.08 min Scan# 1792
Delta R.T. -0.00 min
Lab File: VX009409.D
Acq: 08 May 2019 19:28

Tgt Ion	Ratio	Lower	Upper
152	100		
115	58.1	41.2	123.6
150	159.0	0.0	346.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#74

N-amvl acetate

Concen: 2.867 ug/l

RT: 10.69 min Scan# 1565

Delta R.T. -0.20 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :

PL-02-050719-C

Tot Ion: 43 Resp: 12296


Ion Ratio Lower Upper

43 100

70 2.2 30.0 45.0#

55 5.6 17.9 26.9#

61 11.1 18.4 27.6#






Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 70.00 (69.70 to 70.70): VX0

Ion 55.00 (54.70 to 55.70): VX0

Ion 61.00 (60.70 to 61.70): VX0



#76

1,2,3-Trichloropropane

Concen: 24.597 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. -0.16 min

Lab File: VX009409.D


Acq: 08 May 2019 19:28

Tgt Ion: 75 Resp: 57718

Ion Ratio Lower Upper



75 100


77 1.4 22.1 66.1#



Abundance Ion 74.90 (74.60 to 75.60): VX0

Ion 77.00 (76.70 to 77.70): VX0





#80

1,3,5-Trimethylbenzene

Concen: 0.298 ug/l

RT: 11.51 min Scan# 1699

Delta R.T. 0.01 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28

Instrument :

MSVOA_X

ClientSampleId :





PL-02-050719-C

Tot Ion:105 Resp: 1843

Ion Ratio Lower Upper

105 100

120 50.4 24.3 72.9



#81

trans-1,4-Dichloro-2-butene

Concen: 62.936 ug/l

RT: 11.13 min Scan# 1637

Delta R.T. 0.06 min

Lab File: VX009409.D

Acq: 08 May 2019 19:28




Tgt Ion: 75 Resp: 57718


Ion Ratio Lower Upper

75 100

53 0.1 79.0 118.6#

89 0.0 34.7 52.1#









#84
 1,2,4-Trimethylbenzene
 Concen: 0.270 ug/l
 RT: 11.80 min Scan# 1747
 Delta R.T. -0.00 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Instrument :
 MSVOA_X
 ClientSampleId :
 PL-02-050719-C

Tot Ion:105 Resp: 1678
 Ion Ratio Lower Upper
 105 100
 120 41.7 22.0 66.0



#95
 Naphthalene
 Concen: 5.063 ug/l
 RT: 13.83 min Scan# 2080
 Delta R.T. -0.00 min
 Lab File: VX009409.D
 Acq: 08 May 2019 19:28

Tgt Ion:128 Resp: 37343
 Ion Ratio Lower Upper
 128 100
 127 13.1 10.4 15.6
 129 10.8 8.6 13.0

