

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX050825\  
 Data File : VX046086.D  
 Acq On : 08 May 2025 13:18  
 Operator : JC/MD  
 Sample : PB167895TB  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 PB167895TB

Quant Time: May 09 01:56:44 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X050525W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue May 06 07:12:22 2025  
 Response via : Initial Calibration

Manual Integrations  
 APPROVED

Reviewed By : John Carlone 05/09/2025  
 Supervised By : Mahesh Dadoda 05/09/2025

| Compound                    | R.T.           | QIon | Response            | Conc   | Units  | Dev(Min) |
|-----------------------------|----------------|------|---------------------|--------|--------|----------|
| -----                       |                |      |                     |        |        |          |
| Internal Standards          |                |      |                     |        |        |          |
| 1) Pentafluorobenzene       | 5.550          | 168  | 63588               | 50.000 | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757          | 114  | 125967              | 50.000 | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.049         | 117  | 117113              | 50.000 | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.018         | 152  | 46772               | 50.000 | ug/l   | 0.00     |
|                             |                |      |                     |        |        |          |
| System Monitoring Compounds |                |      |                     |        |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952          | 65   | 62825               | 52.995 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = 106.000% |        |        |          |
| 35) Dibromofluoromethane    | 5.385          | 113  | 45822               | 50.515 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = 101.040% |        |        |          |
| 50) Toluene-d8              | 8.647          | 98   | 159277              | 50.732 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = 101.460% |        |        |          |
| 62) 4-Bromofluorobenzene    | 11.079         | 95   | 58671               | 48.718 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 77 - 121 |      | Recovery = 97.440%  |        |        |          |
|                             |                |      |                     |        |        |          |
| Target Compounds            |                |      |                     |        | Qvalue |          |
| 16) Acetone                 | 2.380          | 43   | 34819               | 73.253 | ug/l   | 96       |
| 18) Methyl Acetate          | 2.703          | 43   | 1549                | 1.404  | ug/l   | 100      |
| 20) Methylene Chloride      | 2.788          | 84   | 3988                | 4.378  | ug/l   | 88       |
| 25) 2-Butanone              | 4.593          | 43   | 3977m               | 5.763  | ug/l   |          |
| 43) Isopropyl Acetate       | 6.355          | 43   | 11952               | 5.203  | ug/l   | 98       |
| -----                       |                |      |                     |        |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX050825\  
Data File : VX046086.D  
Acq On : 08 May 2025 13:18  
Operator : JC/MD  
Sample : PB167895TB  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
PB167895TB

Manual Integrations  
APPROVED

Reviewed By : John Carlone 05/09/2025  
Supervised By : Mahesh Dadoda 05/09/2025

Quant Time: May 09 01:56:44 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X050525W.M  
Quant Title : SW846 8260  
QLast Update : Tue May 06 07:12:22 2025  
Response via : Initial Calibration

