

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX051221\
 Data File : VX021926.D
 Acq On : 12 May 2021 14:50
 Operator : JC/MD
 Sample : M2339-04DL 4X
 Misc : 25.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0AW3DL

Quant Time: May 13 01:13:10 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR051021WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu May 13 01:12:16 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	77886	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.061	117	69368	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	31601	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	29169	4.36	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.20%	
7) Chloroethane-d5	1.672	69	23037	4.30	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	86.00%	
11) 1,1-Dichloroethene-d2	2.306	63	39641	3.57	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	71.40%	
20) 2-Butanone-d5	4.476	46	64735	42.47	ug/L	0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	84.94%	
24) Chloroform-d	5.068	84	49710	4.32	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.40%	
26) 1,2-Dichloroethane-d4	5.964	65	26087	4.42	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	88.40%	
32) Benzene-d6	5.982	84	109572	4.77	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.40%	
36) 1,2-Dichloropropane-d6	7.311	67	32970	4.68	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.60%	
41) Toluene-d8	8.652	98	101898	4.88	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.60%	
43) trans-1,3-Dichloroprop...	8.951	79	13399	4.21	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.20%	
46) 2-Hexanone-d5	9.390	63	57311	42.35	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	84.70%	
56) 1,1,2,2-Tetrachloroeth...	11.195	84	22992	4.22	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	84.40%	
66) 1,2-Dichlorobenzene-d4	12.323	152	30877	4.66	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	93.20%	
Target Compounds						
					Qvalue	
9) Trichlorofluoromethane	1.891	101	31279	3.12	ug/L	100
22) cis-1,2-Dichloroethene	4.495	96	2061	0.32	ug/L	85
34) Trichloroethene	7.128	95	2119	0.34	ug/L	97
47) Tetrachloroethene	9.274	164	31631	7.59	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX051221\
Data File : VX021926.D
Acq On : 12 May 2021 14:50
Operator : JC/MD
Sample : M2339-04DL 4X
Misc : 25.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0AW3DL

Quant Time: May 13 01:13:10 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR051021WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu May 13 01:12:16 2021
Response via : Initial Calibration

