

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051321\  
 Data File : VX021947.D  
 Acq On : 12 May 2021 23:56  
 Operator : JC/MD  
 Sample : M2359-01 5X  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 14B-1

Integration Parameters: RTEINT3.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\624X051321W.M

Title : METHOD 624 VOLATILE ORGANIC ANALYSIS

Signal : TIC: VX021947.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 1.569       | 71            | 79          | 82           | rBV8     | 2488           | 4667          | 1.40%           | 0.354%        |
| 2         | 2.538       | 231           | 238         | 244          | rBV3     | 1741           | 3450          | 1.04%           | 0.262%        |
| 3         | 4.568       | 559           | 571         | 572          | rBV3     | 2444           | 4422          | 1.33%           | 0.335%        |
| 4         | 4.910       | 616           | 627         | 638          | rBV3     | 44789          | 127834        | 38.41%          | 9.694%        |
| 5         | 5.964       | 789           | 800         | 811          | rBV      | 48126          | 122221        | 36.72%          | 9.269%        |
| 6         | 6.769       | 923           | 932         | 942          | rBV      | 100021         | 238034        | 71.52%          | 18.052%       |
| 7         | 8.653       | 1234          | 1241        | 1256         | rBV      | 211322         | 332818        | 100.00%         | 25.240%       |
| 8         | 10.055      | 1466          | 1471        | 1481         | rBV      | 204442         | 282912        | 85.01%          | 21.455%       |
| 9         | 11.085      | 1635          | 1640        | 1649         | rVB      | 158579         | 202271        | 60.78%          | 15.339%       |


Sum of corrected areas: 1318629

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051321\  
Data File : VX021947.D  
Acq On : 12 May 2021 23:56  
Operator : JC/MD  
Sample : M2359-01 5X  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
14B-1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\624X051321W.M  
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS

TIC Library : C:\DATABASE\NIST02.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051321\  
Data File : VX021947.D  
Acq On : 12 May 2021 23:56  
Operator : JC/MD  
Sample : M2359-01 5X  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
14B-1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\624X051321W.M  
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS

TIC Library : C:\DATABASE\NIST02.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051321\  
Data File : VX021947.D  
Acq On : 12 May 2021 23:56  
Operator : JC/MD  
Sample : M2359-01 5X  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
14B-1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\624X051321W.M  
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS

TIC Library : C:\DATABASE\NIST02.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name | RT | EstConc | Units | Response | # | RT | Resp | Conc |
|------------------|----|---------|-------|----------|---|----|------|------|
|------------------|----|---------|-------|----------|---|----|------|------|