

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051325\  
 Data File : VX046169.D  
 Acq On : 13 May 2025 16:22  
 Operator : JC/MD  
 Sample : Q2007-18  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 18 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 OR-636-COMP-12

Quant Time: May 14 01:42:55 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X050525W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue May 06 07:12:22 2025  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response            | Conc   | Units  | Dev(Min) |
|-----------------------------|----------------|------|---------------------|--------|--------|----------|
| -----                       |                |      |                     |        |        |          |
| Internal Standards          |                |      |                     |        |        |          |
| 1) Pentafluorobenzene       | 5.550          | 168  | 64143               | 50.000 | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757          | 114  | 126541              | 50.000 | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 10.049         | 117  | 119647              | 50.000 | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.018         | 152  | 49746               | 50.000 | ug/l   | 0.00     |
|                             |                |      |                     |        |        |          |
| System Monitoring Compounds |                |      |                     |        |        |          |
| 33) 1,2-Dichloroethane-d4   | 5.952          | 65   | 62796               | 52.512 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = 105.020% |        |        |          |
| 35) Dibromofluoromethane    | 5.385          | 113  | 45566               | 50.005 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = 100.000% |        |        |          |
| 50) Toluene-d8              | 8.647          | 98   | 159039              | 50.426 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = 100.860% |        |        |          |
| 62) 4-Bromofluorobenzene    | 11.079         | 95   | 61431               | 50.778 | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 77 - 121 |      | Recovery = 101.560% |        |        |          |
|                             |                |      |                     |        |        |          |
| Target Compounds            |                |      |                     |        | Qvalue |          |
| 16) Acetone                 | 2.380          | 43   | 20004               | 41.721 | ug/l   | 94       |
| 18) Methyl Acetate          | 2.709          | 43   | 1565                | 1.407  | ug/l   | 97       |
| 20) Methylene Chloride      | 2.788          | 84   | 3768                | 4.101  | ug/l   | 96       |
| 43) Isopropyl Acetate       | 6.342          | 43   | 10896               | 4.722  | ug/l   | 98       |
| -----                       |                |      |                     |        |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX051325\  
Data File : VX046169.D  
Acq On : 13 May 2025 16:22  
Operator : JC/MD  
Sample : Q2007-18  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
OR-636-COMP-12

Quant Time: May 14 01:42:55 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X050525W.M  
Quant Title : SW846 8260  
QLast Update : Tue May 06 07:12:22 2025  
Response via : Initial Calibration

