

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX051420\
 Data File : VX016228.D
 Acq On : 14 May 2020 14:08
 Operator : JC/SP
 Sample : L2643-15
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 Z4-TB9-200513

Quant Time: May 15 02:07:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 06:43:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	257606	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.84	114	420091	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	416809	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.06	152	217609	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.04	65	158780	46.84	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.68%	
35) Dibromofluoromethane	5.47	113	124813	46.90	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.80%	
50) Toluene-d8	8.70	98	522196	50.92	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.84%	
62) 4-Bromofluorobenzene	11.12	95	210061	53.86	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.72%	
Target Compounds						
17) Carbon Disulfide	2.55	76	6643	0.622	ug/l	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX051420\
Data File : VX016228.D
Acq On : 14 May 2020 14:08
Operator : JC/SP
Sample : L2643-15
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
Z4-TB9-200513

Quant Time: May 15 02:07:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
Quant Title : SW846 8260
QLast Update : Wed May 06 06:43:32 2020
Response via : Initial Calibration

