

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX051420\
 Data File : VX016253.D
 Acq On : 15 May 2020 00:42
 Operator : JC/SP
 Sample : PB128866ZHE#01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 PB128866ZHE#01

Quant Time: May 15 05:21:57 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 06:43:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	251009	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.84	114	419073	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	415580	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	209846	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.04	65	151918	45.99	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.98%	
35) Dibromofluoromethane	5.47	113	125041	47.10	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.20%	
50) Toluene-d8	8.70	98	521568	50.98	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.96%	
62) 4-Bromofluorobenzene	11.12	95	208361	53.55	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.10%	
Target Compounds						
16) Acetone	2.42	43	14490	9.832	ug/l	95
20) Methylene Chloride	2.84	84	11024	3.628	ug/l	92
43) Isopropyl Acetate	6.42	43	75855	9.944	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX051420\
Data File : VX016253.D
Acq On : 15 May 2020 00:42
Operator : JC/SP
Sample : PB128866ZHE#01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
PB128866ZHE#01

Quant Time: May 15 05:21:57 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
Quant Title : SW846 8260
QLast Update : Wed May 06 06:43:32 2020
Response via : Initial Calibration

