

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX051420\
 Data File : VX016257.D
 Acq On : 15 May 2020 02:13
 Operator : JC/SP
 Sample : PB128866ZHE#05
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 PB128866ZHE#05

Quant Time: May 15 05:50:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 06 06:43:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	253936	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.84	114	426565	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	423203	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.06	152	213307	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.04	65	154217	46.15	ug/l	0.00
Spiked Amount 50.000			Recovery	=	92.30%	
35) Dibromofluoromethane	5.47	113	126755	46.90	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.80%	
50) Toluene-d8	8.70	98	528095	50.72	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.44%	
62) 4-Bromofluorobenzene	11.12	95	211116	53.30	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.60%	
Target Compounds						
16) Acetone	2.42	43	13880	9.309	ug/l	99
20) Methylene Chloride	2.84	84	13343	4.341	ug/l	97
43) Isopropyl Acetate	6.42	43	73170	9.423	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX051420\
Data File : VX016257.D
Acq On : 15 May 2020 02:13
Operator : JC/SP
Sample : PB128866ZHE#05
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
PB128866ZHE#05

Quant Time: May 15 05:50:00 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X050420W.M
Quant Title : SW846 8260
QLast Update : Wed May 06 06:43:32 2020
Response via : Initial Calibration

