

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX051619\  
 Data File : VX009632.D  
 Acq On : 17 May 2019 01:43  
 Operator : JC/SP  
 Sample : K2887-05  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 42 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 SS052MW750-190514

Quant Time: May 17 07:49:35 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X042919W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu May 09 07:31:15 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 173463   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 277406   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 243896   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 105364   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.06   | 65  | 115334   | 48.71 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 97.42% |      |
| 35) Dibromofluoromethane    | 5.50   | 113 | 84937    | 48.71 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 97.42% |      |
| 50) Toluene-d8              | 8.71   | 98  | 348114   | 49.44 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.88% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 114615   | 44.80 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 89.60% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX051619\  
Data File : VX009632.D  
Acq On : 17 May 2019 01:43  
Operator : JC/SP  
Sample : K2887-05  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 42 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
SS052MW750-190514

Quant Time: May 17 07:49:35 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X042919W.M  
Quant Title : SW846 8260  
QLast Update : Thu May 09 07:31:15 2019  
Response via : Initial Calibration

