

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX051625\
 Data File : VX046242.D
 Acq On : 16 May 2025 14:55
 Operator : JC/MD
 Sample : Q2061-01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Quant Time: May 16 23:06:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X050525W.M
 Quant Title : SW846 8260
 QLast Update : Tue May 06 07:12:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.550	168	60716	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.757	114	121030	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	116627	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	48381	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.952	65	63372	55.985	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	= 111.980%	
35) Dibromofluoromethane	5.385	113	45752	52.495	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	= 105.000%	
50) Toluene-d8	8.647	98	152904	50.689	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	= 101.380%	
62) 4-Bromofluorobenzene	11.079	95	59689	51.585	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	= 103.180%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX051625\
Data File : VX046242.D
Acq On : 16 May 2025 14:55
Operator : JC/MD
Sample : Q2061-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Quant Time: May 16 23:06:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X050525W.M
Quant Title : SW846 8260
QLast Update : Tue May 06 07:12:22 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.550 min Scan# 71
Delta R.T. 0.006 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion:168 Resp: 60716
Ion Ratio Lower Upper
168 100
99 74.9 54.9 82.3



#33
1,2-Dichloroethane-d4
Concen: 55.985 ug/l
RT: 5.952 min Scan# 798
Delta R.T. -0.000 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55

Tgt Ion: 65 Resp: 63372
Ion Ratio Lower Upper
65 100
67 48.3 0.0 99.0









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 6.757 min Scan# 91
Delta R.T. -0.000 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion:114 Resp: 121030
Ion Ratio Lower Upper
114 100
63 25.1 0.0 49.2
88 17.9 0.0 33.6



#35
Dibromofluoromethane
Concen: 52.495 ug/l
RT: 5.385 min Scan# 705
Delta R.T. 0.006 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55

Tgt Ion:113 Resp: 45752
Ion Ratio Lower Upper
113 100
111 100.5 83.1 124.7
192 16.5 13.3 19.9









#50
Toluene-d8
Concen: 50.689 ug/l
RT: 8.647 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion: 98 Resp: 152904
Ion Ratio Lower Upper
98 100
100 65.0 53.5 80.3



#62
4-Bromofluorobenzene
Concen: 51.585 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.000 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55

Tgt Ion: 95 Resp: 59689
Ion Ratio Lower Upper
95 100
174 67.9 0.0 135.8
176 62.8 0.0 131.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1470
Delta R.T. 0.006 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Tgt Ion:117 Resp: 116627
Ion Ratio Lower Upper
117 100
82 59.4 50.6 76.0
119 32.4 25.8 38.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.018 min Scan# 1793
Delta R.T. -0.000 min
Lab File: VX046242.D
Acq: 16 May 2025 14:55

Tgt Ion:152 Resp: 48381
Ion Ratio Lower Upper
152 100
115 65.8 46.9 140.7
150 157.9 0.0 351.0

