

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
 Data File : VX028881.D
 Acq On : 21 May 2022 04:11
 Operator : JC/MD
 Sample : N2970-10
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 28S-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

Signal : TIC: VX028881.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	26	32	45	rBV2	21619	90868	5.14%	0.439%
2	2.782	270	278	283	rBV	25711	56305	3.19%	0.272%
3	3.105	322	331	343	rVB	49143	108801	6.15%	0.526%
4	4.221	501	514	522	rBV2	8944	26370	1.49%	0.127%
5	4.495	544	559	572	rBV3	20352	65906	3.73%	0.319%
6	5.391	693	706	719	rBV	207841	606424	34.31%	2.932%
7	5.556	722	733	741	rBV	339533	964495	54.56%	4.663%
8	5.842	769	780	790	rBV6	24589	80626	4.56%	0.390%
9	5.958	790	799	818	rVB	222577	601592	34.03%	2.909%
10	6.171	823	834	843	rVV4	21986	91846	5.20%	0.444%
11	6.257	843	848	857	rVV3	25783	72013	4.07%	0.348%
12	6.763	920	931	950	rBV	547729	1305795	73.87%	6.313%
13	7.129	983	991	1002	rBV2	66869	151271	8.56%	0.731%
14	7.372	1020	1031	1041	rVB3	52047	129140	7.31%	0.624%
15	7.775	1089	1097	1106	rBV2	43880	92801	5.25%	0.449%
16	7.958	1119	1127	1139	rVB3	48912	108303	6.13%	0.524%
17	8.323	1179	1187	1193	rBV2	29594	54631	3.09%	0.264%
18	8.604	1226	1233	1235	rBV2	27196	44321	2.51%	0.214%
19	8.653	1235	1241	1255	rVB	1110865	1767711	100.00%	8.547%
20	8.775	1255	1261	1266	rBV	79810	134613	7.62%	0.651%
21	8.976	1289	1294	1301	rVB	154861	255775	14.47%	1.237%
22	9.104	1306	1315	1321	rBV	60514	97883	5.54%	0.473%
23	9.512	1375	1382	1387	rBV2	43134	71583	4.05%	0.346%
24	9.622	1394	1400	1404	rBV	78777	125289	7.09%	0.606%
25	9.835	1429	1435	1442	rBV	25885	41552	2.35%	0.201%
26	10.055	1465	1471	1478	rBV	1163698	1506061	85.20%	7.282%
27	10.128	1478	1483	1488	rVV	32554	52752	2.98%	0.255%
28	10.280	1503	1508	1517	rBV5	40402	103180	5.84%	0.499%
29	10.457	1532	1537	1543	rVB	29230	41663	2.36%	0.201%
30	10.597	1546	1560	1566	rBV3	49556	135068	7.64%	0.653%
31	10.756	1578	1586	1587	rBV2	27963	46005	2.60%	0.222%
32	10.780	1587	1590	1594	rVB	37129	48847	2.76%	0.236%
33	10.860	1598	1603	1610	rBV5	31419	58335	3.30%	0.282%
34	11.085	1634	1640	1644	rBV	863638	1147056	64.89%	5.546%
35	11.128	1644	1647	1651	rVB	36736	48768	2.76%	0.236%
36	11.225	1659	1663	1667	rVB2	45653	60986	3.45%	0.295%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
 Data File : VX028881.D
 Acq On : 21 May 2022 04:11
 Operator : JC/MD
 Sample : N2970-10
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 28S-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

37	11.390	1686	1690	1695	rVB3	18110	29839	1.69%	0.144%
38	11.616	1718	1727	1734	rBV3	36565	62049	3.51%	0.300%
39	11.713	1734	1743	1747	rBV	43141	65498	3.71%	0.317%
40	11.866	1760	1768	1770	rBV	128381	184072	10.41%	0.890%
41	11.890	1770	1772	1778	rVB	140724	167199	9.46%	0.808%
42	12.024	1789	1794	1799	rBV	1134133	1402831	79.36%	6.782%
43	12.176	1815	1819	1825	rVB	43442	58586	3.31%	0.283%
44	12.250	1825	1831	1835	rBV	63194	81979	4.64%	0.396%
45	12.311	1835	1841	1851	rVB3	104502	195282	11.05%	0.944%
46	12.408	1851	1857	1862	rBV	114360	151668	8.58%	0.733%
47	12.603	1882	1889	1893	rBV2	44919	76283	4.32%	0.369%
48	12.652	1893	1897	1902	rVV2	108956	189352	10.71%	0.915%
49	12.725	1902	1909	1912	rVV4	80203	148561	8.40%	0.718%
50	12.762	1912	1915	1920	rVV	68718	87092	4.93%	0.421%
51	12.841	1920	1928	1933	rVB2	248971	402329	22.76%	1.945%
52	12.902	1933	1938	1940	rBV2	157725	213829	12.10%	1.034%
53	12.932	1940	1943	1947	rVB2	86226	110988	6.28%	0.537%
54	13.030	1955	1959	1965	rVB2	82716	121127	6.85%	0.586%
55	13.140	1967	1977	1983	rBV2	220338	347127	19.64%	1.678%
56	13.195	1983	1986	1990	rVB	91841	103701	5.87%	0.501%
57	13.249	1990	1995	1998	rBV2	52349	74499	4.21%	0.360%
58	13.292	1998	2002	2007	rVB2	80662	112266	6.35%	0.543%
59	13.347	2007	2011	2015	rBV2	53893	64695	3.66%	0.313%
60	13.396	2015	2019	2030	rVB4	83337	155207	8.78%	0.750%
61	13.518	2034	2039	2045	rBV4	61442	127586	7.22%	0.617%
62	13.585	2045	2050	2053	rBV3	173786	251318	14.22%	1.215%
63	13.621	2053	2056	2057	rVV2	170694	206539	11.68%	0.999%
64	13.640	2057	2059	2061	rVV2	230292	309993	17.54%	1.499%
65	13.664	2061	2063	2068	rVB	334334	368891	20.87%	1.784%
66	13.749	2073	2077	2081	rBV	230813	281841	15.94%	1.363%
67	13.798	2081	2085	2090	rVB2	64543	101413	5.74%	0.490%
68	13.853	2090	2094	2098	rVB3	99926	135144	7.65%	0.653%
69	13.926	2098	2106	2110	rBV4	182833	356428	20.16%	1.723%
70	13.975	2110	2114	2117	rVV2	112098	150749	8.53%	0.729%
71	14.005	2117	2119	2122	rVB	51090	50653	2.87%	0.245%
72	14.066	2126	2129	2132	rBV3	60169	73575	4.16%	0.356%
73	14.103	2132	2135	2139	rVB	100792	113694	6.43%	0.550%
74	14.182	2142	2148	2150	rBV2	58896	91806	5.19%	0.444%
75	14.213	2150	2153	2157	rVB	99157	106840	6.04%	0.517%
76	14.322	2167	2171	2174	rVB	168928	210728	11.92%	1.019%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
 Data File : VX028881.D
 Acq On : 21 May 2022 04:11
 Operator : JC/MD
 Sample : N2970-10
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 28S-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

77	14.371	2174	2179	2184	rVB3	116671	185696	10.50%	0.898%
78	14.420	2184	2187	2192	rVB	66484	80541	4.56%	0.389%
79	14.481	2192	2197	2206	rBV2	237618	418403	23.67%	2.023%
80	14.585	2210	2214	2215	rBV2	35326	49937	2.82%	0.241%
81	14.670	2224	2228	2233	rBV2	216924	287553	16.27%	1.390%
82	14.725	2233	2237	2240	rVV	83788	104594	5.92%	0.506%
83	14.786	2243	2247	2252	rVV	199292	331346	18.74%	1.602%
84	14.853	2256	2258	2261	rVV2	32198	33149	1.88%	0.160%
85	14.883	2261	2263	2273	rVV5	40389	112487	6.36%	0.544%
86	14.981	2275	2279	2283	rVB3	37619	61785	3.50%	0.299%
87	15.048	2286	2290	2294	rBV4	27608	47067	2.66%	0.228%
88	15.182	2307	2312	2319	rVB3	79184	154344	8.73%	0.746%
89	15.261	2319	2325	2330	rVB4	51058	82947	4.69%	0.401%
90	15.408	2346	2349	2353	rVB2	44268	58439	3.31%	0.283%
91	15.530	2364	2369	2375	rVB7	25519	61225	3.46%	0.296%
92	15.597	2375	2380	2386	rBV2	150623	239447	13.55%	1.158%
93	15.651	2386	2389	2396	rVB3	24793	40890	2.31%	0.198%
94	15.731	2396	2402	2408	rBV2	77492	138483	7.83%	0.670%
95	15.810	2409	2415	2418	rBV2	36487	56307	3.19%	0.272%
96	15.847	2418	2421	2427	rVB2	28499	39800	2.25%	0.192%
97	15.987	2440	2444	2456	rVB	25917	48833	2.76%	0.236%
98	16.090	2456	2461	2470	rVB2	20356	39336	2.23%	0.190%
99	16.304	2491	2496	2503	rVB4	21948	44860	2.54%	0.217%
100	16.596	2541	2544	2553	rVB4	12550	27752	1.57%	0.134%


Sum of corrected areas: 20683113

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
Data File : VX028881.D
Acq On : 21 May 2022 04:11
Operator : JC/MD
Sample : N2970-10
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
28S-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
Data File : VX028881.D
Acq On : 21 May 2022 04:11
Operator : JC/MD
Sample : N2970-10
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
28S-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052022\
Data File : VX028881.D
Acq On : 21 May 2022 04:11
Operator : JC/MD
Sample : N2970-10
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
28S-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------