

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
 Data File : VX028899.D
 Acq On : 23 May 2022 17:09
 Operator : JC/MD
 Sample : N2970-13
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DUP01-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

Signal : TIC: VX028899.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.391	694	706	714	rBV2	210876	624261	9.19%	0.617%
2	5.495	714	723	725	rVV2	126400	349841	5.15%	0.346%
3	5.549	725	732	754	rVB	377109	1207905	17.78%	1.193%
4	5.812	763	775	789	rBV	183356	535666	7.89%	0.529%
5	5.958	789	799	817	rVB	228390	619338	9.12%	0.612%
6	6.159	817	832	841	rBV4	24951	100606	1.48%	0.099%
7	6.354	854	864	884	rVB5	39510	127946	1.88%	0.126%
8	6.604	889	905	921	rBV	278097	679035	10.00%	0.671%
9	6.763	921	931	950	rVB	571818	1387524	20.43%	1.371%
10	7.372	1021	1031	1043	rVB	442052	996530	14.67%	0.985%
11	8.653	1234	1241	1246	rBV	1156286	1823084	26.84%	1.801%
12	8.720	1246	1252	1265	rVB	3128026	4698062	69.16%	4.641%
13	9.902	1441	1446	1451	rVB	46993	70433	1.04%	0.070%
14	10.006	1457	1463	1466	rBV	47841	70815	1.04%	0.070%
15	10.055	1466	1471	1478	rVB	1192444	1632655	24.03%	1.613%
16	10.311	1509	1513	1517	rVV2	68912	138824	2.04%	0.137%
17	10.360	1517	1521	1532	rVB	223971	298440	4.39%	0.295%
18	10.585	1551	1558	1562	rBV3	66852	113508	1.67%	0.112%
19	10.646	1562	1568	1571	rBV	53703	77198	1.14%	0.076%
20	10.780	1582	1590	1594	rBV3	100325	159663	2.35%	0.158%
21	10.859	1594	1603	1607	rBV3	109409	207695	3.06%	0.205%
22	11.085	1634	1640	1651	rVB	1090534	1569310	23.10%	1.550%
23	11.195	1651	1658	1660	rBV2	101773	152168	2.24%	0.150%
24	11.219	1660	1662	1666	rVB4	61248	70969	1.04%	0.070%
25	11.384	1685	1689	1694	rBV	161145	291340	4.29%	0.288%
26	11.433	1694	1697	1699	rVV	111937	159651	2.35%	0.158%
27	11.475	1701	1704	1710	rVB	507955	648189	9.54%	0.640%
28	11.615	1722	1727	1734	rVB3	143672	263931	3.89%	0.261%
29	11.719	1740	1744	1746	rBV	104829	119712	1.76%	0.118%
30	11.756	1746	1750	1759	rVB	278262	464093	6.83%	0.458%
31	11.841	1759	1764	1766	rBV2	43982	70898	1.04%	0.070%
32	11.890	1766	1772	1777	rVB5	82803	138216	2.03%	0.137%
33	11.945	1777	1781	1784	rBV2	145475	191918	2.83%	0.190%
34	11.975	1784	1786	1789	rVB2	72168	70313	1.04%	0.069%
35	12.024	1789	1794	1800	rBV	1335655	1759758	25.91%	1.739%
36	12.097	1800	1806	1810	rBV3	145348	321307	4.73%	0.317%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
 Data File : VX028899.D
 Acq On : 23 May 2022 17:09
 Operator : JC/MD
 Sample : N2970-13
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DUP01-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

37	12.176	1816	1819	1826	rVB3	114301	187054	2.75%	0.185%
38	12.249	1826	1831	1832	rBV2	133936	176592	2.60%	0.174%
39	12.268	1832	1834	1838	rVB	133880	152156	2.24%	0.150%
40	12.317	1838	1842	1848	rVB4	306918	554690	8.17%	0.548%
41	12.426	1848	1860	1864	rBV	612141	926303	13.64%	0.915%
42	12.469	1864	1867	1873	rVB4	207537	326104	4.80%	0.322%
43	12.554	1874	1881	1883	rBV4	246748	504542	7.43%	0.498%
44	12.585	1883	1886	1893	rVB3	257812	396196	5.83%	0.391%
45	12.640	1893	1895	1899	rVB5	126567	142353	2.10%	0.141%
46	12.688	1899	1903	1906	rBV2	416028	550609	8.11%	0.544%
47	12.737	1906	1911	1913	rBV4	142778	220146	3.24%	0.217%
48	12.823	1920	1925	1930	rVB2	1303634	1864555	27.45%	1.842%
49	12.890	1930	1936	1938	rBV	1488501	2390218	35.19%	2.361%
50	12.944	1943	1945	1947	rBV2	842176	835963	12.31%	0.826%
51	12.981	1947	1951	1958	rVB2	2652759	3626473	53.39%	3.583%
52	13.042	1958	1961	1965	rVB	2045547	2247853	33.09%	2.221%
53	13.091	1965	1969	1975	rBV5	447529	984406	14.49%	0.973%
54	13.182	1976	1984	1986	rBV4	504040	1096962	16.15%	1.084%
55	13.213	1986	1989	1991	rBV2	361415	446983	6.58%	0.442%
56	13.274	1995	1999	2000	rBV	1332072	1707020	25.13%	1.686%
57	13.298	2000	2003	2008	rVB2	3069490	4211139	61.99%	4.160%
58	13.347	2008	2011	2014	rBV2	1170501	1582124	23.29%	1.563%
59	13.389	2014	2018	2020	rBV	4475876	5220523	76.85%	5.158%
60	13.420	2020	2023	2025	rVB3	1254616	1367807	20.14%	1.351%
61	13.499	2033	2036	2042	rVB5	940077	1524879	22.45%	1.506%
62	13.554	2042	2045	2048	rVB2	400409	414892	6.11%	0.410%
63	13.597	2048	2052	2056	rBV6	685995	1495536	22.02%	1.478%
64	13.682	2061	2066	2067	rVV2	1669913	2229923	32.83%	2.203%
65	13.700	2067	2069	2072	rVV3	2077508	2838091	41.78%	2.804%
66	13.737	2072	2075	2078	rVV2	3157341	4414501	64.99%	4.361%
67	13.767	2078	2080	2083	rVV	2511703	2882358	42.43%	2.848%
68	13.804	2083	2086	2088	rVV	1909723	2398444	35.31%	2.370%
69	13.847	2088	2093	2096	rVV2	4324098	6793032	100.00%	6.711%
70	13.908	2100	2103	2111	rVV6	1429459	2758684	40.61%	2.725%
71	13.999	2115	2118	2119	rVV2	487070	600492	8.84%	0.593%
72	14.042	2122	2125	2127	rVV	1055506	1275090	18.77%	1.260%
73	14.072	2127	2130	2132	rVV2	729354	998924	14.71%	0.987%
74	14.103	2132	2135	2138	rVV	1116847	1625756	23.93%	1.606%
75	14.139	2138	2141	2144	rVV2	770959	1095174	16.12%	1.082%
76	14.188	2147	2149	2152	rVV	731023	900252	13.25%	0.889%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
 Data File : VX028899.D
 Acq On : 23 May 2022 17:09
 Operator : JC/MD
 Sample : N2970-13
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DUP01-20220519

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
 Title : SW846 8260

77	14.219	2152	2154	2160	rVB3	513318	678603	9.99%	0.670%
78	14.414	2183	2186	2187	rBV2	285678	343240	5.05%	0.339%
79	14.438	2187	2190	2194	rVV2	806908	1105243	16.27%	1.092%
80	14.475	2194	2196	2198	rVV2	336865	361183	5.32%	0.357%
81	14.505	2198	2201	2207	rVB3	681831	1229593	18.10%	1.215%
82	14.566	2207	2211	2216	rVB4	389034	658003	9.69%	0.650%
83	14.615	2216	2219	2226	rVV2	942202	1172546	17.26%	1.158%
84	14.670	2226	2228	2233	rVB4	188586	233898	3.44%	0.231%
85	14.755	2239	2242	2245	rBV	1372435	1364152	20.08%	1.348%
86	14.792	2245	2248	2251	rVV3	261057	283018	4.17%	0.280%
87	14.847	2254	2257	2260	rVB3	182094	218240	3.21%	0.216%
88	15.103	2294	2299	2303	rBV6	176798	371993	5.48%	0.368%
89	15.182	2308	2312	2314	rVV2	375442	525667	7.74%	0.519%
90	15.212	2314	2317	2321	rVV	639031	856808	12.61%	0.846%
91	15.279	2324	2328	2332	rVB2	296567	394513	5.81%	0.390%
92	15.377	2340	2344	2349	rBV5	174804	278114	4.09%	0.275%
93	15.493	2357	2363	2368	rBV	1278963	1780567	26.21%	1.759%
94	15.889	2424	2428	2434	rVB3	127483	258500	3.81%	0.255%
95	16.090	2457	2461	2468	rBV8	105925	292597	4.31%	0.289%
96	16.377	2503	2508	2514	rVB	369973	638283	9.40%	0.631%


Sum of corrected areas: 101220362

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
Data File : VX028899.D
Acq On : 23 May 2022 17:09
Operator : JC/MD
Sample : N2970-13
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DUP01-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
Data File : VX028899.D
Acq On : 23 May 2022 17:09
Operator : JC/MD
Sample : N2970-13
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DUP01-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052322\
Data File : VX028899.D
Acq On : 23 May 2022 17:09
Operator : JC/MD
Sample : N2970-13
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DUP01-20220519

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X051222W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc