

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052324\
 Data File : VX041639.D
 Acq On : 23 May 2024 19:15
 Operator : JC/MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: May 24 06:47:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X051524W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu May 16 05:13:13 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	101	0.00
2 M	Dichlorodifluoromethane	1.569	1.336	14.9	93	0.00
3 M	Chloromethane	1.718	1.461	15.0	87	0.00
4 M	Vinyl Chloride	1.809	1.595	11.8	91	0.00
5 M	Bromomethane	1.151	1.070	7.0	100	0.00
6 M	Chloroethane	0.915	1.180	-29.0#	135	0.00
7 M	Trichlorofluoromethane	2.746	2.648	3.6	99	0.00
8 T	Diethyl Ether	1.025	1.103	-7.6	115	0.00
9	1,1,2-Trichlorotrifluoroeth	1.592	1.412	11.3	85	0.00
10 M	1,1-Dichloroethene	1.535	1.473	4.0	91	0.00
11	Methyl Iodide	1.828	2.079	-13.7	117	0.00
12	Methyl Acetate	2.312	2.523	-9.1	111	0.00
13 M	Acrolein	0.281	0.248	11.7	87	0.00
14 M	Acrylonitrile	1.016	1.022	-0.6	106	0.00
15 M	Acetone	0.272	0.265	2.6	94	0.00
16 M	Carbon Disulfide	3.465	2.923	15.6	91	0.00
17	Allyl chloride	2.724	2.544	6.6	95	0.00
18 M	Methylene Chloride	1.826	1.757	3.8	96	0.00
19 M	trans-1,2-Dichloroethene	1.760	1.516	13.9	90	0.00
20 T	Diisopropyl ether	5.723	5.313	7.2	96	0.00
21 M	1,1-Dichloroethane	3.212	2.960	7.8	97	0.00
22 M	cis-1,2-Dichloroethene	2.139	1.908	10.8	95	0.00
23 M	tert-Butyl Alcohol	0.431	0.472	-9.5	115	-0.02
24 M	Methyl tert-Butyl Ether	5.730	5.376	6.2	99	0.00
25 M	Chloroform	3.422	3.169	7.4	96	0.00
26	Cyclohexane	2.678	2.092	21.9	81	0.00
27 s	1,2-Dichloroethane-d4	2.362	2.254	4.6	96	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
29	1,1-Dichloropropene	0.397	0.363	8.6	89	0.00
30 M	2-Butanone	0.263	0.284	-8.0	104	0.00
31	2,2-Dichloropropane	0.466	0.402	13.7	83	0.00
32 M	1,1,1-Trichloroethane	0.532	0.521	2.1	95	0.00
33 M	Carbon Tetrachloride	0.456	0.428	6.1	92	0.00
34 M	Benzene	1.253	1.201	4.2	91	0.00
35	Methacrylonitrile	0.266	0.285	-7.1	103	0.00
36 M	1,2-Dichloroethane	0.468	0.477	-1.9	97	0.00
37 M	Trichloroethene	0.349	0.326	6.6	90	0.00
38	Methylcyclohexane	0.504	0.418	17.1	80	0.00
39 M	1,2-Dichloropropane	0.296	0.298	-0.7	95	0.00
40	Dibromomethane	0.233	0.239	-2.6	101	0.00
41 M	Bromodichloromethane	0.438	0.443	-1.1	101	0.00
42 M	Vinyl Acetate	0.914	0.922	-0.9	97	0.00
43	Ethyl Acetate	0.508	0.509	-0.2	97	0.00
44	Isopropyl Acetate	0.768	0.797	-3.8	101	0.00
45 T	1,4-Dioxane	0.009	0.009	0.0	95	0.00
46	Methyl methacrylate	0.382	0.401	-5.0	103	0.00
47	n-amyl Acetate	0.697	0.688	1.3	98	0.00
48 M	t-1,3-Dichloropropene	0.440	0.416	5.5	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX052324\
 Data File : VX041639.D
 Acq On : 23 May 2024 19:15
 Operator : JC/MD
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: May 24 06:47:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X051524W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu May 16 05:13:13 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	cis-1,3-Dichloropropene	0.476	0.457	4.0	96	0.00
50 M	1,1,2-Trichloroethane	0.324	0.329	-1.5	98	0.00
51	Ethyl methacrylate	0.522	0.520	0.4	99	0.00
52	1,3-Dichloropropane	0.536	0.544	-1.5	97	0.00
53 M	Dibromochloromethane	0.369	0.367	0.5	101	0.00
54 M	1,2-Dibromoethane	0.344	0.349	-1.5	97	0.00
55 M	2-Chloroethyl vinyl ether	0.255	0.283	-11.0	105	0.00
56 M	Bromoform	0.296	0.284	4.1	103	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
58 M	4-Methyl-2-Pentanone	0.548	0.602	-9.9	104	0.00
59 M	2-Hexanone	0.437	0.464	-6.2	103	0.00
60 S	4-Bromofluorobenzene	0.468	0.466	0.4	93	0.00
61 M	Tetrachloroethene	0.367	0.325	11.4	86	0.00
62 M	Toluene	1.493	1.427	4.4	92	0.00
63 S	Toluene-d8	1.286	1.279	0.5	93	0.00
64 M	Chlorobenzene	1.014	0.974	3.9	94	0.00
65	1,1,1,2-Tetrachloroethane	0.359	0.349	2.8	96	0.00
66 M	Ethyl Benzene	1.658	1.578	4.8	92	0.00
67 M	m/p-Xylenes	0.648	0.616	4.9	90	0.00
68 M	o-Xylene	0.652	0.616	5.5	92	0.00
69 M	Styrene	1.094	1.047	4.3	94	0.00
70	Isopropylbenzene	1.649	1.568	4.9	90	0.00
71 M	1,1,2,2-Tetrachloroethane	0.566	0.590	-4.2	101	0.00
72	1,2,3-Trichloropropane	0.511	0.480	6.1	90	0.00
73	Bromobenzene	0.484	0.466	3.7	95	0.00
74	n-propylbenzene	1.859	1.690	9.1	88	0.00
75	2-Chlorotoluene	1.167	1.095	6.2	90	0.00
76	1,3,5-Trimethylbenzene	1.407	1.281	9.0	89	0.00
77	t-1,4-Dichloro-2-butene	0.161	0.146	9.3	96	0.00
78	4-Chlorotoluene	1.330	1.221	8.2	89	0.00
79	tert-butylbenzene	1.498	1.374	8.3	89	0.00
80	1,2,4-Trimethylbenzene	1.411	1.302	7.7	89	0.00
81	sec-Butylbenzene	1.750	1.564	10.6	87	0.00
82	p-Isopropyltoluene	1.532	1.353	11.7	87	0.00
83 M	1,3-Dichlorobenzene	0.869	0.797	8.3	91	0.00
84 M	1,4-Dichlorobenzene	0.878	0.806	8.2	91	0.00
85	n-Butylbenzene	1.233	1.026	16.8	85	0.00
86 T	Hexachloroethane	0.258	0.227	12.0	93	0.00
87 M	1,2-Dichlorobenzene	0.887	0.817	7.9	91	0.00
88	1,2-Dibromo-3-Chloropropane	0.124	0.128	-3.2	104	0.00
89	1,2,4-Trichlorobenzene	0.596	0.527	11.6	90	0.00
90	Hexachlorobutadiene	0.291	0.250	14.1	85	0.00
91 M	Naphthalene	1.781	1.784	-0.2	100	0.00
92	1,2,3-Trichlorobenzene	0.609	0.568	6.7	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0