

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX060721\
 Data File : VX022551.D
 Acq On : 07 Jun 2021 21:58
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 08 04:24:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X060721W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 07 14:27:50 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	50.000	54.986	-10.0	92	0.00
3 P	Chloromethane	50.000	50.996	-2.0	95	0.00
4 C	Vinyl Chloride	50.000	51.817	-3.6#	95	0.00
5 T	Bromomethane	50.000	53.817	-7.6	100	0.00
6 T	Chloroethane	50.000	51.953	-3.9	96	0.00
7 T	Trichlorofluoromethane	50.000	51.224	-2.4	93	0.00
8 T	Diethyl Ether	50.000	51.812	-3.6	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.243	-0.5	92	0.00
10 T	Methyl Iodide	50.000	46.946	6.1	86	0.00
11 T	Tert butyl alcohol	250.000	253.667	-1.5	97	0.00
12 CM	1,1-Dichloroethene	50.000	48.590	2.8#	92	0.00
13 T	Acrolein	250.000	241.869	3.3	97	0.00
14 T	Allyl chloride	50.000	50.818	-1.6	92	0.00
15 T	Acrylonitrile	250.000	254.936	-2.0	95	0.00
16 T	Acetone	250.000	244.796	2.1	96	0.00
17 T	Carbon Disulfide	50.000	45.719	8.6	93	0.00
18 T	Methyl Acetate	50.000	50.855	-1.7	95	0.00
19 T	Methyl tert-butyl Ether	50.000	51.274	-2.5	94	0.00
20 T	Methylene Chloride	50.000	46.432	7.1	95	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.667	2.7	92	0.00
22 T	Diisopropyl ether	50.000	50.718	-1.4	95	0.00
23 T	Vinyl Acetate	250.000	259.810	-3.9	94	0.00
24 P	1,1-Dichloroethane	50.000	50.597	-1.2	94	0.00
25 T	2-Butanone	250.000	256.363	-2.5	97	0.00
26 T	2,2-Dichloropropane	50.000	42.993	14.0	76	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.570	2.9	92	0.00
28 T	Bromochloromethane	50.000	47.509	5.0	95	0.00
29 T	Tetrahydrofuran	250.000	258.071	-3.2	96	0.00
30 C	Chloroform	50.000	50.503	-1.0#	94	0.00
31 T	Cyclohexane	50.000	52.242	-4.5	93	0.00
32 T	1,1,1-Trichloroethane	50.000	52.536	-5.1	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.636	2.7	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	94	0.00
35 S	Dibromofluoromethane	50.000	49.308	1.4	96	0.00
36 T	1,1-Dichloropropene	50.000	51.016	-2.0	93	0.00
37 T	Ethyl Acetate	50.000	50.797	-1.6	95	0.00
38 T	Carbon Tetrachloride	50.000	48.889	2.2	94	0.00
39 T	Methylcyclohexane	50.000	49.160	1.7	92	0.00
40 TM	Benzene	50.000	51.289	-2.6	95	0.00
41 T	Methacrylonitrile	50.000	50.386	-0.8	97	0.00
42 TM	1,2-Dichloroethane	50.000	49.969	0.1	93	0.00
43 T	Isopropyl Acetate	50.000	51.682	-3.4	95	0.00
44 TM	Trichloroethene	50.000	51.686	-3.4	96	0.00
45 C	1,2-Dichloropropane	50.000	52.928	-5.9#	97	0.00
46 T	Dibromomethane	50.000	50.430	-0.9	96	0.00
47 T	Bromodichloromethane	50.000	48.153	3.7	95	0.00
48 T	Methyl methacrylate	50.000	52.602	-5.2	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX060721\
 Data File : VX022551.D
 Acq On : 07 Jun 2021 21:58
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 08 04:24:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X060721W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 07 14:27:50 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1040.922	-4.1	97	0.00
50 S	Toluene-d8	50.000	49.580	0.8	97	0.00
51 T	4-Methyl-2-Pentanone	250.000	267.026	-6.8	97	0.00
52 CM	Toluene	50.000	50.743	-1.5#	96	0.00
53 T	t-1,3-Dichloropropene	50.000	45.013	10.0	92	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.560	6.9	93	0.00
55 T	1,1,2-Trichloroethane	50.000	54.168	-8.3	98	0.00
56 T	Ethyl methacrylate	50.000	48.518	3.0	98	0.00
57 T	1,3-Dichloropropane	50.000	52.222	-4.4	96	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	240.430	3.8	94	0.00
59 T	2-Hexanone	250.000	269.835	-7.9	98	0.00
60 T	Dibromochloromethane	50.000	47.045	5.9	97	0.00
61 T	1,2-Dibromoethane	50.000	51.223	-2.4	95	0.00
62 S	4-Bromofluorobenzene	50.000	50.435	-0.9	103	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	97	0.00
64 T	Tetrachloroethene	50.000	50.909	-1.8	94	0.00
65 PM	Chlorobenzene	50.000	51.205	-2.4	97	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.928	2.1	97	0.00
67 C	Ethyl Benzene	50.000	52.315	-4.6#	97	0.00
68 T	m/p-Xylenes	100.000	104.526	-4.5	96	0.00
69 T	o-Xylene	50.000	53.902	-7.8	99	0.00
70 T	Styrene	50.000	53.613	-7.2	98	0.00
71 P	Bromoform	50.000	46.475	7.0	99	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	93	0.00
73 T	Isopropylbenzene	50.000	54.266	-8.5	96	0.00
74 T	N-ethyl acetate	50.000	54.596	-9.2	97	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	53.673	-7.3	97	0.00
76 T	1,2,3-Trichloropropane	50.000	54.386	-8.8	96	0.00
77 T	Bromobenzene	50.000	53.503	-7.0	98	0.00
78 T	n-propylbenzene	50.000	53.882	-7.8	97	0.00
79 T	2-Chlorotoluene	50.000	53.333	-6.7	98	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.291	-6.6	96	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	46.427	7.1	92	0.00
82 T	4-Chlorotoluene	50.000	53.387	-6.8	97	0.00
83 T	tert-Butylbenzene	50.000	55.142	-10.3	96	0.00
84 T	1,2,4-Trimethylbenzene	50.000	54.386	-8.8	97	0.00
85 T	sec-Butylbenzene	50.000	54.662	-9.3	96	0.00
86 T	p-Isopropyltoluene	50.000	54.791	-9.6	97	0.00
87 T	1,3-Dichlorobenzene	50.000	52.635	-5.3	97	0.00
88 T	1,4-Dichlorobenzene	50.000	50.646	-1.3	97	0.00
89 T	n-Butylbenzene	50.000	53.793	-7.6	94	0.00
90 T	Hexachloroethane	50.000	48.505	3.0	96	0.00
91 T	1,2-Dichlorobenzene	50.000	54.578	-9.2	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.454	-0.9	100	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.689	-5.4	98	0.00
94 T	Hexachlorobutadiene	50.000	51.198	-2.4	94	0.00
95 T	Naphthalene	50.000	56.055	-12.1	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX060721\
Data File : VX022551.D
Acq On : 07 Jun 2021 21:58
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 08 04:24:07 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X060721W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 07 14:27:50 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.589	-7.2	96	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6