

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX060823\
 Data File : VX036087.D
 Acq On : 08 Jun 2023 21:45
 Operator : JC/MD
 Sample : 03097-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EZERO

Quant Time: Jun 09 02:25:12 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML060623WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 07 05:37:48 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	295262	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	273556	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	125456	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	94058	46.887	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	93.780%		
7) Chloroethane-d5	1.672	69	77810	50.575	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	101.160%		
11) 1,1-Dichloroethene-d2	2.306	65	49363	48.533	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	97.060%		
21) 2-Butanone-d5	4.477	46	157236	95.625	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.630%		
24) Chloroform-d	5.056	84	201464	48.161	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.320%		
26) 1,2-Dichloroethane-d4	5.958	65	153100	50.157	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.320%		
32) Benzene-d6	5.970	84	405323	49.254	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.500%		
36) 1,2-Dichloropropane-d6	7.306	67	126794	49.571	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	99.140%		
41) Toluene-d8	8.647	98	366204	48.350	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.700%		
43) trans-1,3-Dichloroprop...	8.952	79	51886	42.259	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	84.520%		
47) 2-Hexanone-d5	9.384	63	110703	97.196	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	97.200%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	166175	47.564	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	95.120%		
66) 1,2-Dichlorobenzene-d4	12.317	152	125014	51.325	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	102.640%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX060823\
Data File : VX036087.D
Acq On : 08 Jun 2023 21:45
Operator : JC/MD
Sample : 03097-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
EZER0

Quant Time: Jun 09 02:25:12 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML060623WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 07 05:37:48 2023
Response via : Initial Calibration

