

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
 Data File : VX029431.D
 Acq On : 13 Jun 2022 22:25
 Operator : JC/MD
 Sample : N3226-09ME
 Misc : 5.37g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 EW4M9ME

Quant Time: Jun 14 04:27:54 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 14 04:22:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	490872	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	427675	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	201186	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	128158	33.720	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	67.440%
7) Chloroethane-d5	1.666	69	54840	23.218	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	46.440%#
11) 1,1-Dichloroethene-d2	2.282	63	180156	26.309	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	52.620%#
21) 2-Butanone-d5	4.495	46	206444	71.642	ug/L	0.04
Spiked Amount	100.000	Range	40 - 130	Recovery	=	71.640%
24) Chloroform-d	5.062	84	257659	35.507	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	71.020%
26) 1,2-Dichloroethane-d4	5.964	65	173064	36.888	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.780%
32) Benzene-d6	5.970	84	529502	39.637	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.280%
36) 1,2-Dichloropropane-d6	7.311	67	157619	40.284	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	80.560%
41) Toluene-d8	8.653	98	471666	37.451	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	74.900%#
43) trans-1,3-Dichloroprop...	8.951	79	57280	29.689	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	59.380%#
47) 2-Hexanone-d5	9.396	63	151747	71.705	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	71.700%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	201624	35.143	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	70.280%
66) 1,2-Dichlorobenzene-d4	12.323	152	161452	38.600	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	77.200%#
Target Compounds						
					Qvalue	
22) 2-Butanone	4.611	43	17463	6.040	ug/L	95
35) Methylcyclohexane	7.311	83	41768	6.712	ug/L	# 19


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
Data File : VX029431.D
Acq On : 13 Jun 2022 22:25
Operator : JC/MD
Sample : N3226-09ME
Misc : 5.37g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
EW4M9ME

Quant Time: Jun 14 04:27:54 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 14 04:22:00 2022
Response via : Initial Calibration









#22
2-Butanone
Concen: 6.040 ug/L
RT: 4.611 min Scan# 51
Delta R.T. 0.049 min
Lab File: VX029431.D
Acq: 13 Jun 2022 22:25

Instrument :
MSVOA_X
ClientSampleId :
EW4M9ME

Tgt Ion: 43 Resp: 17463
Ion Ratio Lower Upper
43 100
72 29.0 13.2 39.5



#35
Methylcyclohexane
Concen: 6.712 ug/L
RT: 7.311 min Scan# 1021
Delta R.T. -0.073 min
Lab File: VX029431.D
Acq: 13 Jun 2022 22:25

Tgt Ion: 83 Resp: 41768
Ion Ratio Lower Upper
83 100
55 0.5 60.6 90.8#
98 1.6 39.8 59.8#

