

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
 Data File : VX029424.D
 Acq On : 13 Jun 2022 19:43
 Operator : JC/MD
 Sample : N3291-19
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 CODY6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M

Title : VOC Analysis

Signal : TIC: VX029424.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.367	42	46	55	rVB	193659	193149	13.70%	1.752%
2	1.666	91	95	103	rVB	142706	172520	12.23%	1.565%
3	2.306	194	200	210	rBV	304053	485502	34.43%	4.405%
4	2.550	238	240	241	rBV	616	476	0.03%	0.004%
5	2.855	289	290	293	rBV2	463	440	0.03%	0.004%
6	3.001	312	314	317	rBV	384	320	0.02%	0.003%
7	3.056	320	323	326	rVB3	323	397	0.03%	0.004%
8	3.087	326	328	331	rVB3	309	356	0.03%	0.003%
9	3.147	334	338	340	rBV2	503	693	0.05%	0.006%
10	3.227	349	351	353	rBV	352	259	0.02%	0.002%
11	3.458	388	389	392	rBV2	328	284	0.02%	0.003%
12	3.599	410	412	416	rBV3	371	544	0.04%	0.005%
13	3.940	467	468	472	rBV2	391	343	0.02%	0.003%
14	4.056	485	487	492	rBV3	319	546	0.04%	0.005%
15	4.318	526	530	532	rBV2	399	519	0.04%	0.005%
16	4.458	545	553	580	rVV	123697	372954	26.45%	3.384%
17	4.794	606	608	610	rBV2	371	269	0.02%	0.002%
18	4.836	614	615	617	rBV2	499	371	0.03%	0.003%
19	4.928	627	630	632	rBV2	442	503	0.04%	0.005%
20	5.062	639	652	669	rBV	184646	571707	40.54%	5.187%
21	5.367	698	702	703	rBV3	954	1206	0.09%	0.011%
22	5.562	730	734	739	rVV3	922	1748	0.12%	0.016%
23	5.635	744	746	749	rVB2	440	388	0.03%	0.004%
24	5.684	749	754	755	rBV3	275	343	0.02%	0.003%
25	5.745	762	764	766	rBB3	306	263	0.02%	0.002%
26	5.793	769	772	774	rBV2	207	270	0.02%	0.002%
27	5.885	785	787	789	rVB2	448	321	0.02%	0.003%
28	5.976	789	802	822	rBV2	475736	1410293	100.00%	12.795%
29	6.141	827	829	830	rVV2	532	320	0.02%	0.003%
30	6.348	861	863	865	rBV2	398	323	0.02%	0.003%
31	6.433	874	877	879	rVB	499	379	0.03%	0.003%
32	6.458	879	881	887	rVB3	277	500	0.04%	0.005%
33	6.610	904	906	908	rVB2	334	250	0.02%	0.002%
34	6.769	922	932	954	rBV	346947	829566	58.82%	7.526%
35	7.128	982	991	1006	rBV	124938	278382	19.74%	2.526%
36	7.311	1012	1021	1037	rBV	287087	625098	44.32%	5.671%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
 Data File : VX029424.D
 Acq On : 13 Jun 2022 19:43
 Operator : JC/MD
 Sample : N3291-19
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 CODY6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
 Title : VOC Analysis

37	7.476	1046	1048	1049	rBV2	800	612	0.04%	0.006%
38	7.744	1089	1092	1095	rBV3	248	308	0.02%	0.003%
39	7.811	1100	1103	1104	rBV2	381	401	0.03%	0.004%
40	7.878	1112	1114	1116	rBV2	285	252	0.02%	0.002%
41	7.939	1120	1124	1126	rVV3	1244	1755	0.12%	0.016%
42	8.061	1141	1144	1146	rBV3	288	322	0.02%	0.003%
43	8.329	1181	1188	1198	rBV	187971	304054	21.56%	2.758%
44	8.488	1210	1214	1217	rBV4	653	1172	0.08%	0.011%
45	8.653	1234	1241	1248	rBV	723949	1138079	80.70%	10.325%
46	8.720	1250	1252	1260	rVB	10520	16299	1.16%	0.148%
47	8.951	1284	1290	1298	rBV	126613	189262	13.42%	1.717%
48	9.073	1309	1310	1312	rBV2	486	251	0.02%	0.002%
49	9.159	1322	1324	1326	rBV2	286	301	0.02%	0.003%
50	9.281	1339	1344	1348	rBV3	3460	4735	0.34%	0.043%
51	9.384	1356	1361	1380	rBV	543125	803481	56.97%	7.289%
52	9.896	1443	1445	1447	rBV2	331	281	0.02%	0.003%
53	10.055	1465	1471	1486	rBV	700403	954658	67.69%	8.661%
54	10.305	1508	1512	1517	rVB3	1643	2318	0.16%	0.021%
55	10.408	1526	1529	1532	rBV2	229	359	0.03%	0.003%
56	10.475	1537	1540	1542	rBV3	234	263	0.02%	0.002%
57	10.646	1566	1568	1575	rVB4	956	1384	0.10%	0.013%
58	10.719	1577	1580	1582	rBV2	262	333	0.02%	0.003%
59	10.738	1582	1583	1585	rVV	332	281	0.02%	0.003%
60	10.805	1592	1594	1596	rBV	288	328	0.02%	0.003%
61	10.908	1607	1611	1614	rVB3	356	501	0.04%	0.005%
62	10.963	1618	1620	1624	rBV3	333	544	0.04%	0.005%
63	11.061	1633	1636	1638	rBV	240	271	0.02%	0.002%
64	11.091	1638	1641	1642	rVV2	524	410	0.03%	0.004%
65	11.122	1642	1646	1650	rVB3	3187	3800	0.27%	0.034%
66	11.195	1652	1658	1668	rBV	573716	713210	50.57%	6.470%
67	11.384	1685	1689	1690	rBV	565	495	0.04%	0.004%
68	11.542	1713	1715	1719	rBV3	283	408	0.03%	0.004%
69	11.670	1735	1736	1739	rVB2	465	444	0.03%	0.004%
70	11.713	1742	1743	1744	rBV	687	347	0.02%	0.003%
71	11.750	1745	1749	1756	rVB2	3638	4378	0.31%	0.040%
72	11.939	1775	1780	1784	rBV5	1118	1887	0.13%	0.017%
73	11.975	1784	1786	1789	rBV3	404	488	0.03%	0.004%
74	12.024	1789	1794	1807	rVV	776507	935897	66.36%	8.491%
75	12.323	1837	1843	1855	rVV	794300	974530	69.10%	8.841%
76	12.426	1858	1860	1864	rVV3	819	866	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
 Data File : VX029424.D
 Acq On : 13 Jun 2022 19:43
 Operator : JC/MD
 Sample : N3291-19
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0DY6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
 Title : VOC Analysis

77	12.487	1867	1870	1872	rVB3	727	949	0.07%	0.009%
78	12.530	1874	1877	1881	rBV3	310	526	0.04%	0.005%
79	12.749	1911	1913	1915	rBV	455	432	0.03%	0.004%
80	12.896	1935	1937	1939	rVB2	381	322	0.02%	0.003%
81	12.920	1939	1941	1942	rBV	284	272	0.02%	0.002%
82	12.993	1951	1953	1954	rVV	464	331	0.02%	0.003%
83	13.048	1957	1962	1964	rVV4	569	806	0.06%	0.007%
84	13.091	1967	1969	1972	rVV	353	376	0.03%	0.003%
85	13.121	1972	1974	1976	rVV2	448	433	0.03%	0.004%
86	13.164	1979	1981	1985	rVV2	330	451	0.03%	0.004%
87	13.536	2039	2042	2044	rBV2	398	344	0.02%	0.003%
88	13.572	2044	2048	2049	rBV2	335	345	0.02%	0.003%
89	13.676	2062	2065	2067	rVB2	309	363	0.03%	0.003%
90	13.725	2072	2073	2076	rVB2	458	345	0.02%	0.003%
91	13.761	2076	2079	2080	rBV2	410	408	0.03%	0.004%
92	13.786	2080	2083	2085	rVB3	417	459	0.03%	0.004%
93	13.932	2106	2107	2110	rBV2	305	279	0.02%	0.003%
94	14.133	2138	2140	2142	rVB2	510	376	0.03%	0.003%
95	14.286	2163	2165	2168	rBV2	296	275	0.02%	0.002%
96	14.645	2221	2224	2225	rBV	446	403	0.03%	0.004%
97	14.780	2243	2246	2248	rVB2	602	687	0.05%	0.006%
98	15.286	2327	2329	2330	rBV2	503	290	0.02%	0.003%
99	15.694	2394	2396	2399	rBV2	1169	937	0.07%	0.009%
100	16.206	2479	2480	2482	rBV2	734	440	0.03%	0.004%


Sum of corrected areas: 11022616

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
Data File : VX029424.D
Acq On : 13 Jun 2022 19:43
Operator : JC/MD
Sample : N3291-19
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0DY6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
Data File : VX029424.D
Acq On : 13 Jun 2022 19:43
Operator : JC/MD
Sample : N3291-19
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0DY6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061322\
Data File : VX029424.D
Acq On : 13 Jun 2022 19:43
Operator : JC/MD
Sample : N3291-19
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0DY6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML061322WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------