

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061621\
 Data File : VX022716.D
 Acq On : 16 Jun 2021 12:36
 Operator : JC/MD
 Sample : VV0616WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0616WBSD01

Quant Time: Jun 17 02:21:21 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.556	168	74414	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	144719	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	134784	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	59592	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.958	65	68842	51.44	ug/l	0.00
Spiked Amount	50.000	Range	78 - 117	Recovery	= 102.88%	
35) Dibromofluoromethane	5.391	113	47950	51.93	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	= 103.86%	
50) Toluene-d8	8.653	98	187030	51.38	ug/l	0.00
Spiked Amount	50.000	Range	92 - 112	Recovery	= 102.76%	
62) 4-Bromofluorobenzene	11.085	95	70167	50.97	ug/l	0.00
Spiked Amount	50.000	Range	83 - 123	Recovery	= 101.94%	

Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.172	85	16095	18.43	ug/l	98
3) Chloromethane	1.294	50	18628	17.65	ug/l	98
4) Vinyl Chloride	1.374	62	17611	16.99	ug/l	100
5) Bromomethane	1.599	94	10151	18.00	ug/l	97
6) Chloroethane	1.685	64	11722	18.67	ug/l	95
7) Trichlorofluoromethane	1.886	101	29279	19.61	ug/l	92
8) Diethyl Ether	2.136	74	12924	21.43	ug/l	86
9) 1,1,2-Trichlorotrifluo...	2.331	101	18262	20.05	ug/l	92
10) Methyl Iodide	2.453	142	16544	16.20	ug/l	93
11) Tert butyl alcohol	2.971	59	32100	103.59	ug/l	99
12) 1,1-Dichloroethene	2.319	96	16580	18.35	ug/l	91
13) Acrolein	2.239	56	10441	80.40	ug/l	100
14) Allyl chloride	2.666	41	33558	19.21	ug/l	95
15) Acrylonitrile	3.068	53	66961	110.03	ug/l	100
16) Acetone	2.386	43	61839	103.19	ug/l	96
17) Carbon Disulfide	2.514	76	34813	17.12	ug/l	96
18) Methyl Acetate	2.709	43	37246	20.65	ug/l	90
19) Methyl tert-butyl Ether	3.117	73	67083	21.40	ug/l	99
20) Methylene Chloride	2.794	84	23007	19.71	ug/l	91
21) trans-1,2-Dichloroethene	3.093	96	19350	19.33	ug/l	91
22) Diisopropyl ether	3.770	45	71725	20.75	ug/l #	96
23) Vinyl Acetate	3.727	43	342678	107.57	ug/l	96
24) 1,1-Dichloroethane	3.617	63	38321	19.10	ug/l	96
25) 2-Butanone	4.562	43	104301	107.32	ug/l	91
26) 2,2-Dichloropropane	4.483	77	29466	19.26	ug/l	99
27) cis-1,2-Dichloroethene	4.495	96	23916	19.61	ug/l	95
28) Bromochloromethane	4.903	49	21695	22.37	ug/l #	78
29) Tetrahydrofuran	5.013	42	60560	107.02	ug/l	88
30) Chloroform	5.099	83	40090	20.05	ug/l	99
31) Cyclohexane	5.477	56	29109	18.03	ug/l	92
32) 1,1,1-Trichloroethane	5.385	97	30870	18.77	ug/l	96
36) 1,1-Dichloropropene	5.696	75	29043	20.14	ug/l	97
37) Ethyl Acetate	4.721	43	39959	21.80	ug/l #	93
38) Carbon Tetrachloride	5.684	117	25037	20.30	ug/l	95
39) Methylcyclohexane	7.385	83	30500	20.28	ug/l	98
40) Benzene	6.043	78	87789	20.46	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061621\
 Data File : VX022716.D
 Acq On : 16 Jun 2021 12:36
 Operator : JC/MD
 Sample : VV0616WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0616WBSD01

Quant Time: Jun 17 02:21:21 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	21272	21.66	ug/l	91
42) 1,2-Dichloroethane	6.092	62	34508	21.87	ug/l	97
43) Isopropyl Acetate	6.348	43	65186	22.52	ug/l #	92
44) Trichloroethene	7.129	130	20789	20.64	ug/l	98
45) 1,2-Dichloropropane	7.433	63	24503	21.17	ug/l	94
46) Dibromomethane	7.586	93	16219	21.59	ug/l #	84
47) Bromodichloromethane	7.824	83	28790	20.67	ug/l #	99
48) Methyl methacrylate	7.696	41	30990	22.30	ug/l	89
49) 1,4-Dioxane	7.665	88	12254	463.37	ug/l #	96
51) 4-Methyl-2-Pentanone	8.580	43	210286	114.46	ug/l	90
52) Toluene	8.720	92	54116	20.27	ug/l	99
53) t-1,3-Dichloropropene	8.982	75	33194	20.49	ug/l	99
54) cis-1,3-Dichloropropene	8.366	75	35725	20.10	ug/l #	91
55) 1,1,2-Trichloroethane	9.153	97	24172	22.13	ug/l	96
56) Ethyl methacrylate	9.116	69	39383	21.31	ug/l #	85
57) 1,3-Dichloropropane	9.311	76	40952	21.55	ug/l	97
58) 2-Chloroethyl Vinyl ether	8.244	63	104635	106.24	ug/l	94
59) 2-Hexanone	9.433	43	158911	113.21	ug/l	88
60) Dibromochloromethane	9.525	129	19362	20.07	ug/l	99
61) 1,2-Dibromoethane	9.610	107	23588	21.63	ug/l	97
64) Tetrachloroethene	9.275	164	17049	20.00	ug/l	89
65) Chlorobenzene	10.079	112	56987	20.29	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.165	131	19576	20.37	ug/l	98
67) Ethyl Benzene	10.195	91	105463	20.39	ug/l	100
68) m/p-Xylenes	10.305	106	77580	41.42	ug/l	95
69) o-Xylene	10.646	106	38403	21.16	ug/l	99
70) Styrene	10.659	104	64697	20.19	ug/l	98
71) Bromoform	10.805	173	11597	20.48	ug/l #	97
73) Isopropylbenzene	10.963	105	101496	20.74	ug/l	98
74) N-amyl acetate	10.848	43	56207	21.36	ug/l #	89
75) 1,1,2,2-Tetrachloroethane	11.213	83	38564	22.16	ug/l	98
76) 1,2,3-Trichloropropane	11.244	75	42738	27.05	ug/l	89
77) Bromobenzene	11.201	156	20942	20.03	ug/l	82
78) n-propylbenzene	11.305	91	121131	20.50	ug/l	98
79) 2-Chlorotoluene	11.366	91	71040	19.86	ug/l	98
80) 1,3,5-Trimethylbenzene	11.457	105	84789	20.80	ug/l	98
81) trans-1,4-Dichloro-2-b...	11.018	75	10239	20.76	ug/l #	85
82) 4-Chlorotoluene	11.457	91	83465	20.39	ug/l	95
83) tert-Butylbenzene	11.719	119	79674	20.81	ug/l	92
84) 1,2,4-Trimethylbenzene	11.756	105	87314	21.12	ug/l	96
85) sec-Butylbenzene	11.896	105	104014	20.80	ug/l	97
86) p-Isopropyltoluene	12.012	119	86589	20.98	ug/l	96
87) 1,3-Dichlorobenzene	11.969	146	40238	20.28	ug/l	95
88) 1,4-Dichlorobenzene	12.042	146	42282	20.70	ug/l	95
89) n-Butylbenzene	12.335	91	83355	21.09	ug/l	97
90) Hexachloroethane	12.542	117	11954	19.82	ug/l	75
91) 1,2-Dichlorobenzene	12.335	146	40884	21.15	ug/l	96
92) 1,2-Dibromo-3-Chloropr...	12.945	75	7373	20.48	ug/l	78
93) 1,2,4-Trichlorobenzene	13.591	180	23579	20.33	ug/l	96
94) Hexachlorobutadiene	13.731	225	8814	21.19	ug/l	97
95) Naphthalene	13.780	128	97691	20.19	ug/l	99
96) 1,2,3-Trichlorobenzene	13.963	180	23595	20.87	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061621\
Data File : VX022716.D
Acq On : 16 Jun 2021 12:36
Operator : JC/MD
Sample : VV0616WBSD01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Quant Time: Jun 17 02:21:21 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
Quant Title : SW846 8260
QLast Update : Thu Jun 10 12:20:00 2021
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jun 17 02:21:21 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
Quant Title : SW846 8260
QLast Update : Thu Jun 10 12:20:00 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 5.556 min Scan# 733
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:168 Resp: 74414
Ion Ratio Lower Upper
168 100
99 68.3 45.8 68.6



#2
Dichlorodifluoromethane
Concen: 18.43 ug/l
RT: 1.172 min Scan# 14
Delta R.T. 0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 85 Resp: 16095
Ion Ratio Lower Upper
85 100
87 34.0 16.4 49.2









#3
Chloromethane
Concen: 17.65 ug/l
RT: 1.294 min Scan# 34
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 50 Resp: 18628
Ion Ratio Lower Upper
50 100
52 31.6 26.4 39.6



#4
Vinyl Chloride
Concen: 16.99 ug/l
RT: 1.374 min Scan# 47
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 62 Resp: 17611
Ion Ratio Lower Upper
62 100
64 32.0 25.7 38.5









#5
Bromomethane
Concen: 18.00 ug/l
RT: 1.599 min Scan# 84
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 94 Resp: 10151
Ion Ratio Lower Upper
94 100
96 92.2 76.4 114.6



#6
Chloroethane
Concen: 18.67 ug/l
RT: 1.685 min Scan# 98
Delta R.T. 0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 64 Resp: 11722
Ion Ratio Lower Upper
64 100
66 34.5 25.4 38.0









#7
Trichlorofluoromethane
Concen: 19.61 ug/l
RT: 1.886 min Scan# 131
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:101 Resp: 29279
Ion Ratio Lower Upper
101 100
103 60.3 53.2 79.8



#8
Diethyl Ether
Concen: 21.43 ug/l
RT: 2.136 min Scan# 172
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 74 Resp: 12924
Ion Ratio Lower Upper
74 100
45 101.9 44.5 133.5









#9
1,1,2-Trichlorotrifluoroethane
Concen: 20.05 ug/l
RT: 2.331 min Scan# 204
Delta R.T. 0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	101	Resp:	18262
Ion	Ratio	Lower	Upper
101	100		
85	44.2	34.9	52.3
151	66.4	61.4	92.2



#10
Methyl Iodide
Concen: 16.20 ug/l
RT: 2.453 min Scan# 224
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	142	Resp:	16544
Ion	Ratio	Lower	Upper
142	100		
127	47.1	33.3	49.9
141	14.5	11.4	17.0









#11

Tert butyl alcohol
Concen: 103.59 ug/l
RT: 2.971 min Scan# 309
Delta R.T. -0.012 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01




Tgt Ion: 59 Resp: 32100
Ion Ratio Lower Upper
59 100
57 9.5 7.8 11.8




#12

1,1-Dichloroethene
Concen: 18.35 ug/l
RT: 2.319 min Scan# 202
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 96 Resp: 16580
Ion Ratio Lower Upper
96 100
61 168.7 124.6 187.0
98 68.3 50.6 76.0









#13
Acrolein
Concen: 80.40 ug/l
RT: 2.239 min Scan# 189
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 56 Resp: 10441
Ion Ratio Lower Upper
56 100
55 70.7 56.4 84.6



#14
Allyl chloride
Concen: 19.21 ug/l
RT: 2.666 min Scan# 259
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 41 Resp: 33558
Ion Ratio Lower Upper
41 100
39 65.4 51.6 77.4
76 31.4 30.5 45.7









#15
Acrylonitrile
Concen: 110.03 ug/l
RT: 3.068 min Scan# 325
Delta R.T. -0.007 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	53	Resp:	66961
Ion	Ratio	Lower	Upper
53	100		
52	81.7	65.3	97.9
51	35.0	28.2	42.2



#16
Acetone
Concen: 103.19 ug/l
RT: 2.386 min Scan# 213
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	43	Resp:	61839
Ion	Ratio	Lower	Upper
43	100		
58	32.7	27.8	41.8









#17
Carbon Disulfide
Concen: 17.12 ug/l
RT: 2.514 min Scan# 234
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 76 Resp: 34813
Ion Ratio Lower Upper
76 100
78 10.6 7.2 10.8



#18
Methyl Acetate
Concen: 20.65 ug/l
RT: 2.709 min Scan# 266
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 43 Resp: 37246
Ion Ratio Lower Upper
43 100
74 22.4 21.9 32.9









#19
Methyl tert-butyl Ether
Concen: 21.40 ug/l
RT: 3.117 min Scan# 333
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 73 Resp: 67083
Ion Ratio Lower Upper
73 100
57 21.0 17.1 25.7



#20
Methylene Chloride
Concen: 19.71 ug/l
RT: 2.794 min Scan# 280
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 84 Resp: 23007
Ion Ratio Lower Upper
84 100
49 123.4 88.6 132.8
51 37.3 27.0 40.6
86 59.2 50.3 75.5









#21
trans-1,2-Dichloroethene
Concen: 19.33 ug/l
RT: 3.093 min Scan# 329
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	96	Resp:	19350
Ion	Ratio	Lower	Upper
96	100		
61	149.0	107.7	161.5
98	64.2	50.4	75.6



#22
Diisopropyl ether
Concen: 20.75 ug/l
RT: 3.770 min Scan# 440
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	45	Resp:	71725
Ion	Ratio	Lower	Upper
45	100		
43	72.8	58.0	87.0
87	24.4	25.4	38.0#
59	10.7	10.2	15.2









#23
 Vinyl Acetate
 Concen: 107.57 ug/l
 RT: 3.727 min Scan# 433
 Delta R.T. -0.000 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36




Instrument :
 MSVOA_X
 ClientSampleId :
 VX0616WBSD01


Tgt Ion: 43 Resp: 342678
 Ion Ratio Lower Upper
 43 100
 86 10.8 9.9 14.9



#24
 1,1-Dichloroethane
 Concen: 19.10 ug/l
 RT: 3.617 min Scan# 415
 Delta R.T. 0.006 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36

Tgt Ion: 63 Resp: 38321
 Ion Ratio Lower Upper
 63 100
 98 5.8 3.8 11.2
 100 4.3 2.5 7.5









#25
2-Butanone
Concen: 107.32 ug/l
RT: 4.562 min Scan# 570
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 43 Resp: 104301
Ion Ratio Lower Upper
43 100
72 24.6 23.7 35.5



#26
2,2-Dichloropropane
Concen: 19.26 ug/l
RT: 4.483 min Scan# 557
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 77 Resp: 29466
Ion Ratio Lower Upper
77 100
97 23.1 11.7 35.1





#27

cis-1,2-Dichloroethene

Concen: 19.61 ug/l

RT: 4.495 min Scan# 559





Delta R.T. 0.000 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion: 96 Resp: 23916

Ion	Ratio	Lower	Upper
96	100		
61	150.6	0.0	285.6
98	63.6	0.0	129.6



#28

Bromochloromethane

Concen: 22.37 ug/l

RT: 4.903 min Scan# 626




Delta R.T. -0.001 min


Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion: 49 Resp: 21695

Ion	Ratio	Lower	Upper
49	100		
129	1.6	0.0	4.0
130	65.1	68.2	102.2#





#29

Tetrahydrofuran

Concen: 107.02 ug/l

RT: 5.013 min Scan# 644





Delta R.T. 0.000 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion:	42	Resp:	60560
Ion	Ratio	Lower	Upper
42	100		
72	43.4	41.7	62.5
71	40.3	38.4	57.6

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01



#30

Chloroform

Concen: 20.05 ug/l




RT: 5.099 min Scan# 658


Delta R.T. -0.006 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion:	83	Resp:	40090
Ion	Ratio	Lower	Upper
83	100		
85	65.8	52.0	78.0









#31
Cyclohexane
Concen: 18.03 ug/l
RT: 5.477 min Scan# 720
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	56	Resp:	29109
Ion	Ratio	Lower	Upper
56	100		
69	30.5	25.3	37.9
84	79.4	71.4	107.0



#32
1,1,1-Trichloroethane
Concen: 18.77 ug/l
RT: 5.385 min Scan# 705
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	97	Resp:	30870
Ion	Ratio	Lower	Upper
97	100		
99	63.6	51.5	77.3
61	48.5	34.2	51.4









#33
 1,2-Dichloroethane-d4
 Concen: 51.44 ug/l
 RT: 5.958 min Scan# 799
 Delta R.T. -0.006 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36




Instrument :
 MSVOA_X
 ClientSampleId :
 VX0616WBSD01


Tgt Ion: 65 Resp: 68842
 Ion Ratio Lower Upper
 65 100
 67 52.4 0.0 105.4



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.763 min Scan# 931
 Delta R.T. -0.006 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36

Tgt Ion: 114 Resp: 144719
 Ion Ratio Lower Upper
 114 100
 63 22.5 0.0 40.8
 88 16.2 0.0 32.8









#35
Dibromofluoromethane
Concen: 51.93 ug/l
RT: 5.391 min Scan# 706
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:113 Resp: 47950
Ion Ratio Lower Upper
113 100
111 104.9 81.9 122.9
192 15.8 16.7 25.1#



#36
1,1-Dichloropropene
Concen: 20.14 ug/l
RT: 5.696 min Scan# 756
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 75 Resp: 29043
Ion Ratio Lower Upper
75 100
110 33.8 18.1 54.4
77 30.2 25.3 37.9





#37

Ethyl Acetate

Concen: 21.80 ug/l

RT: 4.721 min Scan# 596





Delta R.T. -0.006 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion:	43	Resp:	39959
Ion Ratio	Lower	Upper	
43	100		
61	13.6	12.8	19.2
70	10.1	10.5	15.7#

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01



#38

Carbon Tetrachloride

Concen: 20.30 ug/l




RT: 5.684 min Scan# 754


Delta R.T. 0.006 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion:	117	Resp:	25037
Ion Ratio	Lower	Upper	
117	100		
119	100.0	76.2	114.2
121	27.9	24.8	37.2









#39
Methylcyclohexane
Concen: 20.28 ug/l
RT: 7.385 min Scan# 1033
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 83 Resp: 30500
Ion Ratio Lower Upper
83 100
55 76.1 58.9 88.3
98 46.8 38.1 57.1



#40
Benzene
Concen: 20.46 ug/l
RT: 6.043 min Scan# 813
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 78 Resp: 87789
Ion Ratio Lower Upper
78 100
77 22.5 18.9 28.3









#41
Methacrylonitrile
Concen: 21.66 ug/l
RT: 4.928 min Scan# 630
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	41	Resp:	21272
Ion	Ratio	Lower	Upper
41	100		
39	60.2	42.5	63.7
67	71.4	65.0	97.6
52	30.7	25.3	37.9



#42
1,2-Dichloroethane
Concen: 21.87 ug/l
RT: 6.092 min Scan# 821
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	62	Resp:	34508
Ion	Ratio	Lower	Upper
62	100		
98	8.9	0.0	20.2









#43
Isopropyl Acetate
Concen: 22.52 ug/l
RT: 6.348 min Scan# 863
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 43 Resp: 65186
Ion Ratio Lower Upper
43 100
61 18.8 18.2 27.4
87 12.3 12.5 18.7#



#44
Trichloroethene
Concen: 20.64 ug/l
RT: 7.129 min Scan# 991
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:130 Resp: 20789
Ion Ratio Lower Upper
130 100
95 97.5 0.0 198.0





#45

1,2-Dichloropropane

Concen: 21.17 ug/l

RT: 7.433 min Scan# 1041

Delta R.T. -0.007 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36

Tgt Ion: 63 Resp: 24503

Ion Ratio Lower Upper

63 100





65 28.5 25.7 38.5

Instrument :

MSVOA_X

ClientSampleId :

VX0616WBSD01



#46

Dibromomethane

Concen: 21.59 ug/l

RT: 7.586 min Scan# 1066

Delta R.T. -0.000 min

Lab File: VX022716.D

Acq: 16 Jun 2021 12:36




Tgt Ion: 93 Resp: 16219


Ion Ratio Lower Upper

93 100

95 79.5 66.8 100.2

174 77.2 83.1 124.7#









#47
Bromodichloromethane
Concen: 20.67 ug/l
RT: 7.824 min Scan# 1105
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 83 Resp: 28790
Ion Ratio Lower Upper
83 100
85 64.8 51.4 77.0
127 6.1 6.8 10.2#



#48
Methyl methacrylate
Concen: 22.30 ug/l
RT: 7.696 min Scan# 1084
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 41 Resp: 30990
Ion Ratio Lower Upper
41 100
69 81.5 76.0 114.0
39 60.8 44.6 67.0









#49
1,4-Dioxane
Concen: 463.37 ug/l
RT: 7.665 min Scan# 1079
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampled :
VX0616WBSD01


Tgt Ion: 88 Resp: 12254
Ion Ratio Lower Upper
88 100
43 35.2 23.2 34.8#
58 69.5 55.0 82.4



#50
Toluene-d8
Concen: 51.38 ug/l
RT: 8.653 min Scan# 1241
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 98 Resp: 187030
Ion Ratio Lower Upper
98 100
100 65.1 51.9 77.9









#51
4-Methyl-2-Pentanone
Concen: 114.46 ug/l
RT: 8.580 min Scan# 1229
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 43 Resp: 210286
Ion Ratio Lower Upper
43 100
58 37.8 35.4 53.0



#52
Toluene
Concen: 20.27 ug/l
RT: 8.720 min Scan# 1252
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 92 Resp: 54116
Ion Ratio Lower Upper
92 100
91 172.7 137.1 205.7









#53
t-1,3-Dichloropropene
Concen: 20.49 ug/l
RT: 8.982 min Scan# 1295
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 75 Resp: 33194
Ion Ratio Lower Upper
75 100
77 31.9 24.9 37.3



#54
cis-1,3-Dichloropropene
Concen: 20.10 ug/l
RT: 8.366 min Scan# 1194
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 75 Resp: 35725
Ion Ratio Lower Upper
75 100
77 32.2 25.7 38.5
39 54.2 35.1 52.7#









#55
1,1,2-Trichloroethane
Concen: 22.13 ug/l
RT: 9.153 min Scan# 1323
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 97	Resp: 24172
Ion Ratio	Lower Upper
97 100	
83 89.9	69.3 103.9
85 59.8	44.3 66.5
99 64.1	50.3 75.5



#56
Ethyl methacrylate
Concen: 21.31 ug/l
RT: 9.116 min Scan# 1317
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 69	Resp: 39383
Ion Ratio	Lower Upper
69 100	
41 68.3	46.8 70.2
39 41.4	24.7 37.1#









#57

1,3-Dichloropropane
Concen: 21.55 ug/l
RT: 9.311 min Scan# 1349
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01




Tgt Ion: 76 Resp: 40952
Ion Ratio Lower Upper
76 100
78 34.3 26.2 39.2




#58

2-Chloroethyl Vinyl ether
Concen: 106.24 ug/l
RT: 8.244 min Scan# 1174
Delta R.T. -0.007 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 63 Resp: 104635
Ion Ratio Lower Upper
63 100
106 26.1 23.5 35.3









#59
2-Hexanone
Concen: 113.21 ug/l
RT: 9.433 min Scan# 1369
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 43 Resp: 158911
Ion Ratio Lower Upper
43 100
58 52.7 30.9 92.8



#60
Dibromochloromethane
Concen: 20.07 ug/l
RT: 9.525 min Scan# 1384
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:129 Resp: 19362
Ion Ratio Lower Upper
129 100
127 78.0 38.4 115.2









#61
1,2-Dibromoethane
Concen: 21.63 ug/l
RT: 9.610 min Scan# 1398
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:107 Resp: 23588
Ion Ratio Lower Upper
107 100
109 98.1 75.8 113.6



#62
4-Bromofluorobenzene
Concen: 50.97 ug/l
RT: 11.085 min Scan# 1640
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 95 Resp: 70167
Ion Ratio Lower Upper
95 100
174 63.4 0.0 154.6
176 60.9 0.0 155.8









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:117 Resp: 134784
Ion Ratio Lower Upper
117 100
82 59.4 47.4 71.2
119 32.7 26.6 39.8



#64
Tetrachloroethene
Concen: 20.00 ug/l
RT: 9.275 min Scan# 1343
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:164 Resp: 17049
Ion Ratio Lower Upper
164 100
166 126.8 103.4 155.2
129 105.5 70.8 106.2
131 104.7 72.5 108.7









#65
Chlorobenzene
Concen: 20.29 ug/l
RT: 10.079 min Scan# 1475
Delta R.T. -0.007 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:112 Resp: 56987
Ion Ratio Lower Upper
112 100
114 31.2 25.8 38.6



#66
1,1,1,2-Tetrachloroethane
Concen: 20.37 ug/l
RT: 10.165 min Scan# 1489
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:131 Resp: 19576
Ion Ratio Lower Upper
131 100
133 94.7 47.7 143.1
119 67.4 32.1 96.5









#67
Ethyl Benzene
Concen: 20.39 ug/l
RT: 10.195 min Scan# 1494
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 91 Resp: 105463
Ion Ratio Lower Upper
91 100
106 30.7 24.6 37.0



#68
m/p-Xylenes
Concen: 41.42 ug/l
RT: 10.305 min Scan# 1512
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 106 Resp: 77580
Ion Ratio Lower Upper
106 100
91 210.6 162.8 244.2









#69
o-Xylene
Concen: 21.16 ug/l
RT: 10.646 min Scan# 1568
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:106 Resp: 38403
Ion Ratio Lower Upper
106 100
91 217.7 108.1 324.2



#70
Styrene
Concen: 20.19 ug/l
RT: 10.659 min Scan# 1570
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:104 Resp: 64697
Ion Ratio Lower Upper
104 100
78 52.3 40.0 60.0
103 54.3 43.4 65.0









#71
Bromoform
Concen: 20.48 ug/l
RT: 10.805 min Scan# 1594
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:173 Resp: 11597
Ion Ratio Lower Upper
173 100
175 49.9 23.9 71.8
254 0.0 0.1 0.1#



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.024 min Scan# 1794
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:152 Resp: 59592
Ion Ratio Lower Upper
152 100
115 79.3 41.1 123.3
150 164.9 0.0 349.0









#73
Isopropylbenzene
Concen: 20.74 ug/l
RT: 10.963 min Scan# 1620
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:105 Resp: 101496
Ion Ratio Lower Upper
105 100
120 25.5 13.2 39.6



#74
N-ethyl acetate
Concen: 21.36 ug/l
RT: 10.848 min Scan# 1601
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 43 Resp: 56207
Ion Ratio Lower Upper
43 100
70 38.9 39.0 58.6#
55 22.8 21.5 32.3
61 23.9 22.1 33.1









#75
1,1,2,2-Tetrachloroethane
Concen: 22.16 ug/l
RT: 11.213 min Scan# 1661
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 83 Resp: 38564
Ion Ratio Lower Upper
83 100
131 8.3 5.1 15.2
85 64.9 31.8 95.4



#76
1,2,3-Trichloropropane
Concen: 27.05 ug/l
RT: 11.244 min Scan# 1666
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 75 Resp: 42738
Ion Ratio Lower Upper
75 100
77 31.4 19.1 57.5









#77
Bromobenzene
Concen: 20.03 ug/l
RT: 11.201 min Scan# 1659
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:156 Resp: 20942
Ion Ratio Lower Upper
156 100
77 203.1 82.8 248.6
158 97.9 49.1 147.4



#78
n-propylbenzene
Concen: 20.50 ug/l
RT: 11.305 min Scan# 1676
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 91 Resp: 121131
Ion Ratio Lower Upper
91 100
120 22.0 11.5 34.5









#79
2-Chlorotoluene
Concen: 19.86 ug/l
RT: 11.366 min Scan# 1686
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 91 Resp: 71040
Ion Ratio Lower Upper
91 100
126 32.1 16.6 49.8



#80
1,3,5-Trimethylbenzene
Concen: 20.80 ug/l
RT: 11.457 min Scan# 1701
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 105 Resp: 84789
Ion Ratio Lower Upper
105 100
120 46.2 23.8 71.5









#81
trans-1,4-Dichloro-2-butene
Concen: 20.76 ug/l
RT: 11.018 min Scan# 1629
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion: 75 Resp: 10239
Ion Ratio Lower Upper
75 100
53 114.1 74.5 111.7#
89 46.0 37.9 56.9



#82
4-Chlorotoluene
Concen: 20.39 ug/l
RT: 11.457 min Scan# 1701
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 91 Resp: 83465
Ion Ratio Lower Upper
91 100
126 26.9 14.9 44.5









#83
tert-Butylbenzene
Concen: 20.81 ug/l
RT: 11.719 min Scan# 1744
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:119 Resp: 79674
Ion Ratio Lower Upper
119 100
91 63.6 27.9 83.7
134 22.7 11.3 33.9



#84
1,2,4-Trimethylbenzene
Concen: 21.12 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:105 Resp: 87314
Ion Ratio Lower Upper
105 100
120 42.1 22.4 67.3









#85
 sec-Butylbenzene
 Concen: 20.80 ug/l
 RT: 11.896 min Scan# 1773
 Delta R.T. 0.000 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36




Instrument :
 MSVOA_X
 ClientSampleId :
 VX0616WBSD01


Tgt Ion:105 Resp: 104014
 Ion Ratio Lower Upper
 105 100
 134 18.5 10.0 29.8



#86
 p-Isopropyltoluene
 Concen: 20.98 ug/l
 RT: 12.012 min Scan# 1792
 Delta R.T. -0.000 min
 Lab File: VX022716.D
 Acq: 16 Jun 2021 12:36

Tgt Ion:119 Resp: 86589
 Ion Ratio Lower Upper
 119 100
 134 26.2 12.9 38.7
 91 26.5 11.7 35.0









#87
1,3-Dichlorobenzene
Concen: 20.28 ug/l
RT: 11.969 min Scan# 1785
Delta R.T. -0.006 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:146 Resp: 40238
Ion Ratio Lower Upper
146 100
111 46.4 20.2 60.5
148 65.3 31.9 95.7



#88
1,4-Dichlorobenzene
Concen: 20.70 ug/l
RT: 12.042 min Scan# 1797
Delta R.T. -0.001 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:146 Resp: 42282
Ion Ratio Lower Upper
146 100
111 45.1 19.6 58.8
148 61.7 31.6 95.0









#89
n-Butylbenzene
Concen: 21.09 ug/l
RT: 12.335 min Scan# 1845
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:	91	Resp:	83355
Ion	Ratio	Lower	Upper
91	100		
92	53.5	27.4	82.0
134	23.5	13.2	39.5



#90
Hexachloroethane
Concen: 19.82 ug/l
RT: 12.542 min Scan# 1879
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:	117	Resp:	11954
Ion	Ratio	Lower	Upper
117	100		
201	58.3	40.4	121.2









#91
1,2-Dichlorobenzene
Concen: 21.15 ug/l
RT: 12.335 min Scan# 1845
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:146 Resp: 40884
Ion Ratio Lower Upper
146 100
111 46.9 20.8 62.2
148 62.8 31.9 95.5



#92
1,2-Dibromo-3-Chloropropane
Concen: 20.48 ug/l
RT: 12.945 min Scan# 1945
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion: 75 Resp: 7373
Ion Ratio Lower Upper
75 100
155 72.6 45.3 135.9
157 89.5 57.7 173.1









#93
1,2,4-Trichlorobenzene
Concen: 20.33 ug/l
RT: 13.591 min Scan# 2051
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36




Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01


Tgt Ion:180 Resp: 23579
Ion Ratio Lower Upper
180 100
182 93.4 47.7 143.1
145 36.6 15.0 45.0



#94
Hexachlorobutadiene
Concen: 21.19 ug/l
RT: 13.731 min Scan# 2074
Delta R.T. 0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:225 Resp: 8814
Ion Ratio Lower Upper
225 100
223 64.7 31.1 93.2
227 65.0 31.6 95.0









#95
Naphthalene
Concen: 20.19 ug/l
RT: 13.780 min Scan# 2082
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Instrument :
MSVOA_X
ClientSampleId :
VX0616WBSD01

Tgt Ion:128	Resp:	97691
Ion Ratio	Lower	Upper
128	100	
127	12.4	10.3 15.5
129	11.3	8.8 13.2



#96
1,2,3-Trichlorobenzene
Concen: 20.87 ug/l
RT: 13.963 min Scan# 2112
Delta R.T. -0.000 min
Lab File: VX022716.D
Acq: 16 Jun 2021 12:36

Tgt Ion:180	Resp:	23595
Ion Ratio	Lower	Upper
180	100	
182	96.8	47.6 142.9
145	37.9	16.1 48.3

