

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
 Data File : VX022726.D
 Acq On : 17 Jun 2021 09:20
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 18 01:14:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	104	0.00
2 T	Dichlorodifluoromethane	50.000	49.799	0.4	99	0.00
3 P	Chloromethane	50.000	43.162	13.7	91	0.00
4 C	Vinyl Chloride	50.000	45.029	9.9#	96	0.00
5 T	Bromomethane	50.000	51.128	-2.3	111	0.00
6 T	Chloroethane	50.000	45.939	8.1	95	0.00
7 T	Trichlorofluoromethane	50.000	48.380	3.2	102	0.00
8 T	Diethyl Ether	50.000	48.523	3.0	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.835	-1.7	106	0.00
10 T	Methyl Iodide	50.000	41.739	16.5	84	0.00
11 T	Tert butyl alcohol	250.000	201.302	19.5	89	0.00
12 CM	1,1-Dichloroethene	50.000	48.882	2.2#	105	0.00
13 T	Acrolein	250.000	274.094	-9.6	125	0.00
14 T	Allyl chloride	50.000	48.489	3.0	98	0.00
15 T	Acrylonitrile	250.000	236.681	5.3	96	0.00
16 T	Acetone	250.000	204.561	18.2	88	0.00
17 T	Carbon Disulfide	50.000	46.604	6.8	97	0.00
18 T	Methyl Acetate	50.000	44.762	10.5	99	0.00
19 T	Methyl tert-butyl Ether	50.000	49.435	1.1	101	0.00
20 T	Methylene Chloride	50.000	47.009	6.0	99	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.684	2.6	101	0.00
22 T	Diisopropyl ether	50.000	48.967	2.1	100	0.00
23 T	Vinyl Acetate	250.000	245.068	2.0	97	0.00
24 P	1,1-Dichloroethane	50.000	48.224	3.6	101	0.00
25 T	2-Butanone	250.000	229.365	8.3	94	0.00
26 T	2,2-Dichloropropane	50.000	52.375	-4.8	106	-0.01
27 T	cis-1,2-Dichloroethene	50.000	47.335	5.3	99	0.00
28 T	Bromochloromethane	50.000	48.583	2.8	101	0.00
29 T	Tetrahydrofuran	250.000	232.304	7.1	96	0.00
30 C	Chloroform	50.000	49.297	1.4#	102	0.00
31 T	Cyclohexane	50.000	46.627	6.7	100	0.00
32 T	1,1,1-Trichloroethane	50.000	47.754	4.5	103	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.286	7.4	104	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	100	0.00
35 S	Dibromofluoromethane	50.000	49.327	1.3	105	0.00
36 T	1,1-Dichloropropene	50.000	49.629	0.7	101	0.00
37 T	Ethyl Acetate	50.000	47.895	4.2	96	0.00
38 T	Carbon Tetrachloride	50.000	54.856	-9.7	107	0.00
39 T	Methylcyclohexane	50.000	52.761	-5.5	105	0.00
40 TM	Benzene	50.000	51.061	-2.1	99	-0.01
41 T	Methacrylonitrile	50.000	49.172	1.7	94	0.00
42 TM	1,2-Dichloroethane	50.000	51.961	-3.9	103	0.00
43 T	Isopropyl Acetate	50.000	50.895	-1.8	98	0.00
44 TM	Trichloroethene	50.000	52.284	-4.6	103	0.00
45 C	1,2-Dichloropropane	50.000	51.460	-2.9#	102	0.00
46 T	Dibromomethane	50.000	48.798	2.4	100	0.00
47 T	Bromodichloromethane	50.000	49.456	1.1	104	0.00
48 T	Methyl methacrylate	50.000	50.459	-0.9	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
 Data File : VX022726.D
 Acq On : 17 Jun 2021 09:20
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 18 01:14:52 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	954.841	4.5	91	0.00
50 S	Toluene-d8	50.000	49.711	0.6	103	0.00
51 T	4-Methyl-2-Pentanone	250.000	256.690	-2.7	98	0.00
52 CM	Toluene	50.000	51.210	-2.4#	100	0.00
53 T	t-1,3-Dichloropropene	50.000	47.858	4.3	103	0.00
54 T	cis-1,3-Dichloropropene	50.000	47.984	4.0	101	0.00
55 T	1,1,2-Trichloroethane	50.000	51.182	-2.4	100	0.00
56 T	Ethyl methacrylate	50.000	46.751	6.5	99	0.00
57 T	1,3-Dichloropropane	50.000	52.777	-5.6	100	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	251.074	-0.4	98	0.00
59 T	2-Hexanone	250.000	271.111	-8.4	102	0.00
60 T	Dibromochloromethane	50.000	48.660	2.7	103	0.00
61 T	1,2-Dibromoethane	50.000	52.491	-5.0	99	0.00
62 S	4-Bromofluorobenzene	50.000	49.974	0.1	106	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	102	0.00
64 T	Tetrachloroethene	50.000	54.411	-8.8	108	0.00
65 PM	Chlorobenzene	50.000	51.011	-2.0	103	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.310	3.4	103	0.00
67 C	Ethyl Benzene	50.000	51.962	-3.9#	101	0.00
68 T	m/p-Xylenes	100.000	104.777	-4.8	101	0.00
69 T	o-Xylene	50.000	53.127	-6.3	102	0.00
70 T	Styrene	50.000	49.406	1.2	103	0.00
71 P	Bromoform	50.000	46.671	6.7	106	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	100	0.00
73 T	Isopropylbenzene	50.000	53.611	-7.2	105	0.00
74 T	N-ethyl acetate	50.000	50.715	-1.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.885	-1.8	98	0.00
76 T	1,2,3-Trichloropropane	50.000	51.915	-3.8	100	0.00
77 T	Bromobenzene	50.000	51.695	-3.4	103	0.00
78 T	n-propylbenzene	50.000	53.865	-7.7	105	0.00
79 T	2-Chlorotoluene	50.000	51.543	-3.1	103	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.370	-6.7	102	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	46.144	7.7	99	0.00
82 T	4-Chlorotoluene	50.000	52.505	-5.0	103	0.00
83 T	tert-Butylbenzene	50.000	52.166	-4.3	102	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.307	-6.6	103	0.00
85 T	sec-Butylbenzene	50.000	54.167	-8.3	105	0.00
86 T	p-Isopropyltoluene	50.000	53.595	-7.2	103	0.00
87 T	1,3-Dichlorobenzene	50.000	52.788	-5.6	105	0.00
88 T	1,4-Dichlorobenzene	50.000	50.395	-0.8	101	0.00
89 T	n-Butylbenzene	50.000	55.692	-11.4	105	0.00
90 T	Hexachloroethane	50.000	49.030	1.9	110	0.00
91 T	1,2-Dichlorobenzene	50.000	51.833	-3.7	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	45.211	9.6	101	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.942	-7.9	106	0.00
94 T	Hexachlorobutadiene	50.000	56.373	-12.7	112	0.00
95 T	Naphthalene	50.000	47.945	4.1	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
Data File : VX022726.D
Acq On : 17 Jun 2021 09:20
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 18 01:14:52 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
Quant Title : SW846 8260
QLast Update : Thu Jun 10 12:20:00 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.433	-6.9	101	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6