

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
 Data File : VX022753.D
 Acq On : 17 Jun 2021 20:11
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 18 01:19:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	50.000	42.948	14.1	72	0.00
3 P	Chloromethane	50.000	44.985	10.0	80	0.00
4 C	Vinyl Chloride	50.000	43.723	12.6#	79	0.00
5 T	Bromomethane	50.000	59.017	-18.0	109	0.00
6 T	Chloroethane	50.000	48.478	3.0	85	0.00
7 T	Trichlorofluoromethane	50.000	45.371	9.3	81	0.00
8 T	Diethyl Ether	50.000	51.308	-2.6	92	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	45.460	9.1	80	0.00
10 T	Methyl Iodide	50.000	48.179	3.6	82	0.00
11 T	Tert butyl alcohol	250.000	249.908	0.0	93	0.00
12 CM	1,1-Dichloroethene	50.000	47.597	4.8#	87	0.00
13 T	Acrolein	250.000	232.808	6.9	90	0.00
14 T	Allyl chloride	50.000	50.488	-1.0	86	0.00
15 T	Acrylonitrile	250.000	268.819	-7.5	92	0.00
16 T	Acetone	250.000	251.753	-0.7	92	0.00
17 T	Carbon Disulfide	50.000	41.633	16.7	73	0.00
18 T	Methyl Acetate	50.000	52.008	-4.0	98	0.00
19 T	Methyl tert-butyl Ether	50.000	54.172	-8.3	94	0.00
20 T	Methylene Chloride	50.000	51.387	-2.8	92	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.255	-0.5	88	0.00
22 T	Diisopropyl ether	50.000	53.468	-6.9	93	0.00
23 T	Vinyl Acetate	250.000	275.807	-10.3	93	0.00
24 P	1,1-Dichloroethane	50.000	51.911	-3.8	93	0.00
25 T	2-Butanone	250.000	268.123	-7.2	93	0.00
26 T	2,2-Dichloropropane	50.000	43.987	12.0	76	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.025	-2.0	90	0.00
28 T	Bromochloromethane	50.000	52.702	-5.4	93	0.00
29 T	Tetrahydrofuran	250.000	266.838	-6.7	93	0.00
30 C	Chloroform	50.000	53.894	-7.8#	94	0.00
31 T	Cyclohexane	50.000	42.625	14.8	77	0.00
32 T	1,1,1-Trichloroethane	50.000	49.062	1.9	89	0.00
33 S	1,2-Dichloroethane-d4	50.000	51.313	-2.6	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	91	0.00
35 S	Dibromofluoromethane	50.000	51.610	-3.2	100	0.00
36 T	1,1-Dichloropropene	50.000	45.585	8.8	85	0.00
37 T	Ethyl Acetate	50.000	51.336	-2.7	94	0.00
38 T	Carbon Tetrachloride	50.000	48.301	3.4	86	0.00
39 T	Methylcyclohexane	50.000	43.197	13.6	78	0.00
40 TM	Benzene	50.000	51.492	-3.0	91	0.00
41 T	Methacrylonitrile	50.000	52.953	-5.9	92	0.00
42 TM	1,2-Dichloroethane	50.000	53.872	-7.7	97	0.00
43 T	Isopropyl Acetate	50.000	54.052	-8.1	95	0.00
44 TM	Trichloroethene	50.000	52.536	-5.1	94	0.00
45 C	1,2-Dichloropropane	50.000	51.405	-2.8#	92	0.00
46 T	Dibromomethane	50.000	50.303	-0.6	94	0.00
47 T	Bromodichloromethane	50.000	49.889	0.2	96	0.00
48 T	Methyl methacrylate	50.000	52.912	-5.8	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
 Data File : VX022753.D
 Acq On : 17 Jun 2021 20:11
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 18 01:19:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 10 12:20:00 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1048.381	-4.8	91	0.00
50 S	Toluene-d8	50.000	49.459	1.1	93	0.00
51 T	4-Methyl-2-Pentanone	250.000	274.283	-9.7	95	0.00
52 CM	Toluene	50.000	50.807	-1.6#	90	0.00
53 T	t-1,3-Dichloropropene	50.000	46.542	6.9	91	0.00
54 T	cis-1,3-Dichloropropene	50.000	47.683	4.6	91	0.00
55 T	1,1,2-Trichloroethane	50.000	53.782	-7.6	95	0.00
56 T	Ethyl methacrylate	50.000	50.141	-0.3	97	0.00
57 T	1,3-Dichloropropane	50.000	53.970	-7.9	93	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	257.618	-3.0	91	0.00
59 T	2-Hexanone	250.000	277.496	-11.0	95	0.00
60 T	Dibromochloromethane	50.000	48.310	3.4	93	0.00
61 T	1,2-Dibromoethane	50.000	53.700	-7.4	92	0.00
62 S	4-Bromofluorobenzene	50.000	50.205	-0.4	97	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	48.526	2.9	88	0.00
65 PM	Chlorobenzene	50.000	51.111	-2.2	94	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.018	-0.0	97	0.00
67 C	Ethyl Benzene	50.000	50.264	-0.5#	89	0.00
68 T	m/p-Xylenes	100.000	102.111	-2.1	89	0.00
69 T	o-Xylene	50.000	52.724	-5.4	92	0.00
70 T	Styrene	50.000	49.186	1.6	93	0.00
71 P	Bromoform	50.000	46.632	6.7	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	91	0.00
73 T	Isopropylbenzene	50.000	51.183	-2.4	91	0.00
74 T	N-ethyl acetate	50.000	54.416	-8.8	95	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	55.782	-11.6	97	0.00
76 T	1,2,3-Trichloropropane	50.000	54.847	-9.7	95	0.00
77 T	Bromobenzene	50.000	53.213	-6.4	96	0.00
78 T	n-propylbenzene	50.000	50.483	-1.0	89	0.00
79 T	2-Chlorotoluene	50.000	50.996	-2.0	92	0.00
80 T	1,3,5-Trimethylbenzene	50.000	51.371	-2.7	89	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	44.620	10.8	86	0.00
82 T	4-Chlorotoluene	50.000	51.037	-2.1	91	0.00
83 T	tert-Butylbenzene	50.000	50.300	-0.6	89	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.945	-3.9	91	0.00
85 T	sec-Butylbenzene	50.000	48.805	2.4	85	0.00
86 T	p-Isopropyltoluene	50.000	49.849	0.3	87	0.00
87 T	1,3-Dichlorobenzene	50.000	51.853	-3.7	93	0.00
88 T	1,4-Dichlorobenzene	50.000	48.837	2.3	88	0.00
89 T	n-Butylbenzene	50.000	47.850	4.3	82	0.00
90 T	Hexachloroethane	50.000	45.288	9.4	91	0.00
91 T	1,2-Dichlorobenzene	50.000	52.297	-4.6	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.684	4.6	97	0.00
93 T	1,2,4-Trichlorobenzene	50.000	49.553	0.9	88	0.00
94 T	Hexachlorobutadiene	50.000	43.668	12.7	78	0.00
95 T	Naphthalene	50.000	49.707	0.6	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061721\
Data File : VX022753.D
Acq On : 17 Jun 2021 20:11
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 18 01:19:45 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061021W.M
Quant Title : SW846 8260
QLast Update : Thu Jun 10 12:20:00 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.261	-6.5	91	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6