

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062421\
 Data File : VX022884.D
 Acq On : 24 Jun 2021 21:41
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 05:41:10 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	50.000	50.453	-0.9	90	0.00
3 P	Chloromethane	50.000	50.443	-0.9	98	0.00
4 C	Vinyl Chloride	50.000	50.752	-1.5#	94	0.00
5 T	Bromomethane	50.000	47.259	5.5	95	0.00
6 T	Chloroethane	50.000	50.365	-0.7	93	0.00
7 T	Trichlorofluoromethane	50.000	50.938	-1.9	95	0.00
8 T	Diethyl Ether	50.000	50.064	-0.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.839	0.3	93	0.00
10 T	Methyl Iodide	50.000	50.626	-1.3	102	0.00
11 T	Tert butyl alcohol	250.000	253.889	-1.6	98	0.00
12 CM	1,1-Dichloroethene	50.000	50.208	-0.4#	95	0.00
13 T	Acrolein	250.000	215.255	13.9	85	0.00
14 T	Allyl chloride	50.000	51.338	-2.7	97	0.00
15 T	Acrylonitrile	250.000	269.707	-7.9	99	0.00
16 T	Acetone	250.000	248.474	0.6	99	0.00
17 T	Carbon Disulfide	50.000	45.959	8.1	96	0.00
18 T	Methyl Acetate	50.000	52.659	-5.3	102	0.00
19 T	Methyl tert-butyl Ether	50.000	52.960	-5.9	98	0.00
20 T	Methylene Chloride	50.000	49.111	1.8	95	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.820	0.4	96	0.00
22 T	Diisopropyl ether	50.000	53.262	-6.5	97	0.00
23 T	Vinyl Acetate	250.000	279.282	-11.7	99	0.00
24 P	1,1-Dichloroethane	50.000	51.950	-3.9	97	0.00
25 T	2-Butanone	250.000	266.793	-6.7	99	0.00
26 T	2,2-Dichloropropane	50.000	43.346	13.3	79	0.00
27 T	cis-1,2-Dichloroethene	50.000	52.442	-4.9	97	0.00
28 T	Bromochloromethane	50.000	50.948	-1.9	97	0.00
29 T	Tetrahydrofuran	250.000	272.872	-9.1	99	0.00
30 C	Chloroform	50.000	51.329	-2.7#	96	0.00
31 T	Cyclohexane	50.000	50.033	-0.1	94	0.00
32 T	1,1,1-Trichloroethane	50.000	54.087	-8.2	99	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.208	1.6	99	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	96	0.00
35 S	Dibromofluoromethane	50.000	49.556	0.9	98	0.00
36 T	1,1-Dichloropropene	50.000	49.744	0.5	97	0.00
37 T	Ethyl Acetate	50.000	53.116	-6.2	102	0.00
38 T	Carbon Tetrachloride	50.000	52.628	-5.3	95	0.00
39 T	Methylcyclohexane	50.000	49.025	2.0	92	0.00
40 TM	Benzene	50.000	51.070	-2.1	97	0.00
41 T	Methacrylonitrile	50.000	52.753	-5.5	103	0.00
42 TM	1,2-Dichloroethane	50.000	51.581	-3.2	95	0.00
43 T	Isopropyl Acetate	50.000	52.794	-5.6	99	0.00
44 TM	Trichloroethene	50.000	49.847	0.3	95	0.00
45 C	1,2-Dichloropropane	50.000	52.273	-4.5#	98	0.00
46 T	Dibromomethane	50.000	52.022	-4.0	101	0.00
47 T	Bromodichloromethane	50.000	47.825	4.3	99	0.00
48 T	Methyl methacrylate	50.000	53.261	-6.5	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062421\
 Data File : VX022884.D
 Acq On : 24 Jun 2021 21:41
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 05:41:10 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1056.424	-5.6	97	0.00
50 S	Toluene-d8	50.000	47.745	4.5	94	0.00
51 T	4-Methyl-2-Pentanone	250.000	270.700	-8.3	98	0.00
52 CM	Toluene	50.000	50.172	-0.3#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	44.812	10.4	93	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.299	7.4	93	0.00
55 T	1,1,2-Trichloroethane	50.000	50.722	-1.4	94	0.00
56 T	Ethyl methacrylate	50.000	47.597	4.8	95	0.00
57 T	1,3-Dichloropropane	50.000	50.653	-1.3	95	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	249.408	0.2	97	0.00
59 T	2-Hexanone	250.000	270.400	-8.2	98	0.00
60 T	Dibromochloromethane	50.000	45.498	9.0	93	0.00
61 T	1,2-Dibromoethane	50.000	50.808	-1.6	95	0.00
62 S	4-Bromofluorobenzene	50.000	47.995	4.0	96	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	48.728	2.5	90	0.00
65 PM	Chlorobenzene	50.000	49.874	0.3	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.550	-9.1	95	0.00
67 C	Ethyl Benzene	50.000	52.012	-4.0#	94	0.00
68 T	m/p-Xylenes	100.000	101.554	-1.6	94	0.00
69 T	o-Xylene	50.000	52.041	-4.1	95	0.00
70 T	Styrene	50.000	53.049	-6.1	96	0.00
71 P	Bromoform	50.000	45.635	8.7	98	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	96	0.00
73 T	Isopropylbenzene	50.000	51.540	-3.1	94	0.00
74 T	N-ethyl acetate	50.000	49.662	0.7	98	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	52.972	-5.9	96	0.00
76 T	1,2,3-Trichloropropane	50.000	53.288	-6.6	97	0.00
77 T	Bromobenzene	50.000	51.321	-2.6	96	0.00
78 T	n-propylbenzene	50.000	52.507	-5.0	94	0.00
79 T	2-Chlorotoluene	50.000	51.535	-3.1	94	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.972	-7.9	97	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	44.363	11.3	90	0.00
82 T	4-Chlorotoluene	50.000	51.720	-3.4	97	0.00
83 T	tert-Butylbenzene	50.000	52.112	-4.2	95	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.341	-6.7	94	0.00
85 T	sec-Butylbenzene	50.000	52.609	-5.2	94	0.00
86 T	p-Isopropyltoluene	50.000	52.246	-4.5	93	0.00
87 T	1,3-Dichlorobenzene	50.000	51.256	-2.5	95	0.00
88 T	1,4-Dichlorobenzene	50.000	48.947	2.1	94	0.00
89 T	n-Butylbenzene	50.000	51.674	-3.3	91	0.00
90 T	Hexachloroethane	50.000	46.816	6.4	97	0.00
91 T	1,2-Dichlorobenzene	50.000	51.331	-2.7	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	46.207	7.6	97	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.343	-4.7	95	0.00
94 T	Hexachlorobutadiene	50.000	48.459	3.1	96	0.00
95 T	Naphthalene	50.000	49.672	0.7	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062421\
Data File : VX022884.D
Acq On : 24 Jun 2021 21:41
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 25 05:41:10 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 23 19:12:26 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.146	-6.3	93	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6