

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062422\
 Data File : VX029808.D
 Acq On : 25 Jun 2022 08:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 09:08:30 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 20 01:31:01 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	50.000	53.165	-6.3	83	0.00
3 P	Chloromethane	50.000	45.995	8.0	80	0.00
4 C	Vinyl Chloride	50.000	53.283	-6.6#	87	0.00
5 T	Bromomethane	50.000	48.736	2.5	89	0.00
6 T	Chloroethane	50.000	39.740	20.5	69	0.00
7 T	Trichlorofluoromethane	50.000	55.136	-10.3	90	0.00
8 T	Diethyl Ether	50.000	53.929	-7.9	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	52.516	-5.0	88	0.00
10 T	Methyl Iodide	50.000	49.520	1.0	84	0.00
11 T	Tert butyl alcohol	250.000	261.343	-4.5	92	0.02
12 CM	1,1-Dichloroethene	50.000	55.293	-10.6#	92	0.00
13 T	Acrolein	250.000	208.036	16.8	74	0.00
14 T	Allyl chloride	50.000	44.984	10.0	74	0.00
15 T	Acrylonitrile	250.000	266.810	-6.7	87	0.00
16 T	Acetone	250.000	254.099	-1.6	90	0.00
17 T	Carbon Disulfide	50.000	52.589	-5.2	87	0.00
18 T	Methyl Acetate	50.000	54.361	-8.7	92	0.00
19 T	Methyl tert-butyl Ether	50.000	52.117	-4.2	86	0.00
20 T	Methylene Chloride	50.000	52.376	-4.8	90	0.00
21 T	trans-1,2-Dichloroethene	50.000	53.889	-7.8	88	0.00
22 T	Diisopropyl ether	50.000	50.937	-1.9	84	0.00
23 T	Vinyl Acetate	250.000	254.306	-1.7	81	0.00
24 P	1,1-Dichloroethane	50.000	52.638	-5.3	87	0.00
25 T	2-Butanone	250.000	252.955	-1.2	84	0.00
26 T	2,2-Dichloropropane	50.000	14.726	70.5#	24	0.00
27 T	cis-1,2-Dichloroethene	50.000	53.239	-6.5	88	0.00
28 T	Bromochloromethane	50.000	48.670	2.7	82	0.00
29 T	Tetrahydrofuran	250.000	253.527	-1.4	83	0.00
30 C	Chloroform	50.000	52.066	-4.1#	86	0.00
31 T	Cyclohexane	50.000	52.084	-4.2	86	0.00
32 T	1,1,1-Trichloroethane	50.000	52.008	-4.0	85	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.710	6.6	78	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	85	0.00
35 S	Dibromofluoromethane	50.000	49.811	0.4	83	0.00
36 T	1,1-Dichloropropene	50.000	52.010	-4.0	86	0.00
37 T	Ethyl Acetate	50.000	51.501	-3.0	82	0.00
38 T	Carbon Tetrachloride	50.000	53.289	-6.6	86	0.00
39 T	Methylcyclohexane	50.000	50.913	-1.8	83	0.00
40 TM	Benzene	50.000	53.198	-6.4	88	0.00
41 T	Methacrylonitrile	50.000	51.906	-3.8	82	0.00
42 TM	1,2-Dichloroethane	50.000	49.841	0.3	84	0.00
43 T	Isopropyl Acetate	50.000	50.910	-1.8	82	0.00
44 TM	Trichloroethene	50.000	53.365	-6.7	89	0.00
45 C	1,2-Dichloropropane	50.000	53.404	-6.8#	90	0.00
46 T	Dibromomethane	50.000	54.083	-8.2	88	0.00
47 T	Bromodichloromethane	50.000	52.487	-5.0	85	0.00
48 T	Methyl methacrylate	50.000	51.482	-3.0	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\X062422\
 Data File : VX029808.D
 Acq On : 25 Jun 2022 08:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 25 09:08:30 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 20 01:31:01 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1009.190	-0.9	85	0.01
50 S	Toluene-d8	50.000	50.246	-0.5	81	0.00
51 T	4-Methyl-2-Pentanone	250.000	254.294	-1.7	83	0.00
52 CM	Toluene	50.000	53.952	-7.9#	87	0.00
53 T	t-1,3-Dichloropropene	50.000	45.157	9.7	69	0.00
54 T	cis-1,3-Dichloropropene	50.000	45.427	9.1	70	0.00
55 T	1,1,2-Trichloroethane	50.000	54.127	-8.3	88	0.00
56 T	Ethyl methacrylate	50.000	55.131	-10.3	86	0.00
57 T	1,3-Dichloropropane	50.000	53.188	-6.4	88	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	238.560	4.6	76	0.00
59 T	2-Hexanone	250.000	256.614	-2.6	82	0.00
60 T	Dibromochloromethane	50.000	55.768	-11.5	88	0.00
61 T	1,2-Dibromoethane	50.000	55.654	-11.3	89	0.00
62 S	4-Bromofluorobenzene	50.000	51.570	-3.1	82	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	84	0.00
64 T	Tetrachloroethene	50.000	55.590	-11.2	92	0.00
65 PM	Chlorobenzene	50.000	54.689	-9.4	89	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	55.696	-11.4	89	0.00
67 C	Ethyl Benzene	50.000	53.962	-7.9#	87	0.00
68 T	m/p-Xylenes	100.000	108.740	-8.7	89	0.00
69 T	o-Xylene	50.000	54.353	-8.7	89	0.00
70 T	Styrene	50.000	55.502	-11.0	87	0.00
71 P	Bromoform	50.000	58.069	-16.1	89	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	84	0.00
73 T	Isopropylbenzene	50.000	52.582	-5.2	87	0.00
74 T	N-ethyl acetate	50.000	51.319	-2.6	82	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.400	-2.8	87	0.00
76 T	1,2,3-Trichloropropane	50.000	50.041	-0.1	82	0.00
77 T	Bromobenzene	50.000	54.372	-8.7	90	0.00
78 T	n-propylbenzene	50.000	52.707	-5.4	86	0.00
79 T	2-Chlorotoluene	50.000	52.170	-4.3	87	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.958	-5.9	87	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	35.768	28.5#	54	0.00
82 T	4-Chlorotoluene	50.000	51.630	-3.3	87	0.00
83 T	tert-Butylbenzene	50.000	53.025	-6.0	88	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.800	-5.6	87	0.00
85 T	sec-Butylbenzene	50.000	52.936	-5.9	86	0.00
86 T	p-Isopropyltoluene	50.000	53.312	-6.6	86	0.00
87 T	1,3-Dichlorobenzene	50.000	54.590	-9.2	90	0.00
88 T	1,4-Dichlorobenzene	50.000	53.902	-7.8	88	0.00
89 T	n-Butylbenzene	50.000	50.924	-1.8	82	0.00
90 T	Hexachloroethane	50.000	56.583	-13.2	86	0.00
91 T	1,2-Dichlorobenzene	50.000	53.914	-7.8	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.967	-1.9	85	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.940	-7.9	86	0.00
94 T	Hexachlorobutadiene	50.000	50.056	-0.1	80	0.00
95 T	Naphthalene	50.000	57.383	-14.8	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062422\
Data File : VX029808.D
Acq On : 25 Jun 2022 08:32
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 55 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 25 09:08:30 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 20 01:31:01 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	54.633	-9.3	89	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6