

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062519\
 Data File : VX010425.D
 Acq On : 25 Jun 2019 09:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 01:27:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061919W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 20 03:31:56 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	-0.01
2 T	Dichlorodifluoromethane	0.348	0.319	8.3	90	0.00
3 P	Chloromethane	0.405	0.359	11.4	88	0.00
4 C	Vinyl Chloride	0.443	0.399	9.9#	91	0.00
5 T	Bromomethane	0.216	0.190	12.0	90	0.00
6 T	Chloroethane	0.262	0.249	5.0	94	0.00
7 T	Trichlorofluoromethane	0.703	0.675	4.0	93	0.00
8 T	Diethyl Ether	0.252	0.249	1.2	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.426	0.408	4.2	95	0.00
10 T	Methyl Iodide	0.608	0.520	14.5	78	0.00
11 T	Tert butyl alcohol	0.123	0.105	14.6	86	0.00
12 CM	1,1-Dichloroethene	0.433	0.396	8.5#	89	0.00
13 T	Acrolein	0.081	0.080	1.2	100	0.00
14 T	Allyl chloride	0.615	0.592	3.7	92	0.00
15 T	Acrylonitrile	0.243	0.231	4.9	91	0.00
16 T	Acetone	0.235	0.241	-2.6	93	0.00
17 T	Carbon Disulfide	1.163	1.044	10.2	88	0.00
18 T	Methyl Acetate	0.468	0.441	5.8	92	0.00
19 T	Methyl tert-butyl Ether	1.363	1.316	3.4	94	0.00
20 T	Methylene Chloride	0.484	0.458	5.4	93	0.00
21 T	trans-1,2-Dichloroethene	0.466	0.436	6.4	92	0.00
22 T	Diisopropyl ether	1.286	1.239	3.7	94	0.00
23 T	Vinyl Acetate	1.111	1.112	-0.1	93	0.00
24 P	1,1-Dichloroethane	0.744	0.707	5.0	92	0.00
25 T	2-Butanone	0.345	0.344	0.3	93	0.00
26 T	2,2-Dichloropropane	0.646	0.636	1.5	96	0.00
27 T	cis-1,2-Dichloroethene	0.539	0.514	4.6	93	-0.01
28 T	Bromochloromethane	0.356	0.329	7.6	91	0.00
29 T	Tetrahydrofuran	0.213	0.201	5.6	90	0.00
30 C	Chloroform	0.800	0.768	4.0#	94	0.00
31 T	Cyclohexane	0.677	0.643	5.0	92	0.00
32 T	1,1,1-Trichloroethane	0.706	0.691	2.1	94	0.00
33 S	1,2-Dichloroethane-d4	0.469	0.454	3.2	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.306	0.311	-1.6	93	0.00
36 T	1,1-Dichloropropene	0.397	0.387	2.5	93	0.00
37 T	Ethyl Acetate	0.409	0.409	0.0	91	0.00
38 T	Carbon Tetrachloride	0.430	0.430	0.0	92	0.00
39 T	Methylcyclohexane	0.522	0.519	0.6	94	0.00
40 TM	Benzene	1.238	1.229	0.7	92	0.00
41 T	Methacrylonitrile	0.224	0.223	0.4	92	0.00
42 TM	1,2-Dichloroethane	0.377	0.381	-1.1	92	0.00
43 T	Isopropyl Acetate	0.676	0.676	0.0	92	0.00
44 TM	Trichloroethene	0.370	0.368	0.5	93	0.00
45 C	1,2-Dichloropropane	0.313	0.309	1.3#	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062519\
 Data File : VX010425.D
 Acq On : 25 Jun 2019 09:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 01:27:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061919W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 20 03:31:56 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.224	0.220	1.8	91	0.00
47 T	Bromodichloromethane	0.411	0.414	-0.7	92	0.00
48 T	Methyl methacrylate	0.314	0.320	-1.9	92	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	87	0.00
50 S	Toluene-d8	1.170	1.169	0.1	91	0.00
51 T	4-Methyl-2-Pentanone	0.433	0.432	0.2	92	0.00
52 CM	Toluene	0.815	0.801	1.7#	91	0.00
53 T	t-1,3-Dichloropropene	0.461	0.465	-0.9	92	0.00
54 T	cis-1,3-Dichloropropene	0.501	0.514	-2.6	93	0.00
55 T	1,1,2-Trichloroethane	0.336	0.338	-0.6	93	0.00
56 T	Ethyl methacrylate	0.509	0.509	0.0	91	0.00
57 T	1,3-Dichloropropane	0.522	0.518	0.8	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.242	0.256	-5.8	95	0.00
59 T	2-Hexanone	0.340	0.341	-0.3	91	0.00
60 T	Dibromochloromethane	0.376	0.381	-1.3	92	0.00
61 T	1,2-Dibromoethane	0.363	0.364	-0.3	92	0.00
62 S	4-Bromofluorobenzene	0.423	0.424	-0.2	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.404	0.391	3.2	93	0.00
65 PM	Chlorobenzene	1.015	1.010	0.5	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.370	0.375	-1.4	92	0.00
67 C	Ethyl Benzene	1.714	1.716	-0.1#	92	0.00
68 T	m/p-Xylenes	0.664	0.671	-1.1	93	0.00
69 T	o-Xylene	0.653	0.651	0.3	93	0.00
70 T	Styrene	1.095	1.117	-2.0	92	0.00
71 P	Bromoform	0.322	0.337	-4.7	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
73 T	Isopropylbenzene	3.389	3.392	-0.1	95	0.00
74 T	N-amyl acetate	1.281	1.283	-0.2	90	0.00
75 P	1,1,2,2-Tetrachloroethane	1.122	1.071	4.5	90	0.00
76 T	1,2,3-Trichloropropane	0.911	0.913	-0.2	93	0.00
77 T	Bromobenzene	0.946	0.922	2.5	93	0.00
78 T	n-propylbenzene	3.725	3.811	-2.3	95	0.00
79 T	2-Chlorotoluene	2.218	2.190	1.3	93	0.00
80 T	1,3,5-Trimethylbenzene	2.794	2.798	-0.1	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.391	0.385	1.5	90	0.00
82 T	4-Chlorotoluene	2.524	2.544	-0.8	93	0.00
83 T	tert-Butylbenzene	2.804	2.829	-0.9	94	0.00
84 T	1,2,4-Trimethylbenzene	2.807	2.837	-1.1	93	0.00
85 T	sec-Butylbenzene	3.293	3.335	-1.3	94	0.00
86 T	p-Isopropyltoluene	3.046	3.141	-3.1	95	0.00
87 T	1,3-Dichlorobenzene	1.652	1.636	1.0	95	0.00
88 T	1,4-Dichlorobenzene	1.682	1.625	3.4	93	0.00
89 T	n-Butylbenzene	2.588	2.736	-5.7	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062519\
 Data File : VX010425.D
 Acq On : 25 Jun 2019 09:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 01:27:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X061919W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 20 03:31:56 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.527	0.550	-4.4	93	0.00
91 T	1,2-Dichlorobenzene	1.642	1.583	3.6	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.242	0.224	7.4	89	0.00
93 T	1,2,4-Trichlorobenzene	1.139	1.162	-2.0	95	0.00
94 T	Hexachlorobutadiene	0.556	0.565	-1.6	95	0.00
95 T	Naphthalene	3.499	3.509	-0.3	92	0.00
96 T	1,2,3-Trichlorobenzene	1.132	1.150	-1.6	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6