

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX062521\
 Data File : VX022938.D
 Acq On : 25 Jun 2021 21:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 03:56:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	50.000	50.922	-1.8	86	0.00
3 P	Chloromethane	50.000	47.200	5.6	87	0.00
4 C	Vinyl Chloride	50.000	49.999	0.0#	88	0.00
5 T	Bromomethane	50.000	54.642	-9.3	105	0.00
6 T	Chloroethane	50.000	49.686	0.6	88	0.00
7 T	Trichlorofluoromethane	50.000	51.340	-2.7	91	0.00
8 T	Diethyl Ether	50.000	50.344	-0.7	91	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.154	-0.3	89	0.00
10 T	Methyl Iodide	50.000	38.936	22.1	72	0.00
11 T	Tert butyl alcohol	250.000	257.988	-3.2	95	0.00
12 CM	1,1-Dichloroethene	50.000	50.188	-0.4#	90	0.00
13 T	Acrolein	250.000	234.048	6.4	88	0.00
14 T	Allyl chloride	50.000	50.475	-1.0	90	0.00
15 T	Acrylonitrile	250.000	278.247	-11.3	97	0.00
16 T	Acetone	250.000	255.680	-2.3	97	0.00
17 T	Carbon Disulfide	50.000	46.521	7.0	93	0.00
18 T	Methyl Acetate	50.000	54.156	-8.3	99	0.00
19 T	Methyl tert-butyl Ether	50.000	53.233	-6.5	93	0.00
20 T	Methylene Chloride	50.000	49.288	1.4	91	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.569	-1.1	92	0.00
22 T	Diisopropyl ether	50.000	52.929	-5.9	92	0.00
23 T	Vinyl Acetate	250.000	282.020	-12.8	95	0.00
24 P	1,1-Dichloroethane	50.000	52.423	-4.8	93	0.00
25 T	2-Butanone	250.000	272.645	-9.1	96	0.00
26 T	2,2-Dichloropropane	50.000	40.858	18.3	70	0.00
27 T	cis-1,2-Dichloroethene	50.000	52.800	-5.6	93	0.00
28 T	Bromochloromethane	50.000	50.921	-1.8	92	0.00
29 T	Tetrahydrofuran	250.000	273.956	-9.6	94	0.00
30 C	Chloroform	50.000	51.723	-3.4#	92	0.00
31 T	Cyclohexane	50.000	50.366	-0.7	90	0.00
32 T	1,1,1-Trichloroethane	50.000	53.927	-7.9	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.829	-1.7	97	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	91	0.00
35 S	Dibromofluoromethane	50.000	51.456	-2.9	96	0.00
36 T	1,1-Dichloropropene	50.000	51.085	-2.2	95	0.00
37 T	Ethyl Acetate	50.000	53.168	-6.3	96	0.00
38 T	Carbon Tetrachloride	50.000	52.810	-5.6	90	0.00
39 T	Methylcyclohexane	50.000	48.425	3.2	86	0.00
40 TM	Benzene	50.000	50.662	-1.3	91	0.00
41 T	Methacrylonitrile	50.000	51.407	-2.8	95	0.00
42 TM	1,2-Dichloroethane	50.000	53.476	-7.0	94	0.00
43 T	Isopropyl Acetate	50.000	53.785	-7.6	95	0.00
44 TM	Trichloroethene	50.000	50.647	-1.3	92	0.00
45 C	1,2-Dichloropropane	50.000	52.900	-5.8#	94	0.00
46 T	Dibromomethane	50.000	51.741	-3.5	95	0.00
47 T	Bromodichloromethane	50.000	48.189	3.6	95	0.00
48 T	Methyl methacrylate	50.000	54.961	-9.9	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062521\
 Data File : VX022938.D
 Acq On : 25 Jun 2021 21:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 03:56:45 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)

49 T	1,4-Dioxane	1000.000	1063.561	-6.4	93	0.00
50 S	Toluene-d8	50.000	49.209	1.6	92	0.00
51 T	4-Methyl-2-Pentanone	250.000	275.340	-10.1	94	0.00
52 CM	Toluene	50.000	50.462	-0.9#	89	0.00
53 T	t-1,3-Dichloropropene	50.000	44.974	10.1	88	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.329	7.3	88	0.00
55 T	1,1,2-Trichloroethane	50.000	51.745	-3.5	91	0.00
56 T	Ethyl methacrylate	50.000	47.132	5.7	89	0.00
57 T	1,3-Dichloropropane	50.000	51.208	-2.4	90	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	244.846	2.1	90	0.00
59 T	2-Hexanone	250.000	277.452	-11.0	95	0.00
60 T	Dibromochloromethane	50.000	46.660	6.7	91	0.00
61 T	1,2-Dibromoethane	50.000	51.423	-2.8	91	0.00
62 S	4-Bromofluorobenzene	50.000	51.516	-3.0	98	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	48.581	2.8	87	0.00
65 PM	Chlorobenzene	50.000	49.371	1.3	91	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.738	-5.5	89	0.00
67 C	Ethyl Benzene	50.000	51.082	-2.2#	90	0.00
68 T	m/p-Xylenes	100.000	101.012	-1.0	90	0.00
69 T	o-Xylene	50.000	50.106	-0.2	89	0.00
70 T	Styrene	50.000	51.331	-2.7	90	0.00
71 P	Bromoform	50.000	45.235	9.5	94	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	93	0.00
73 T	Isopropylbenzene	50.000	50.783	-1.6	90	0.00
74 T	N-ethyl acetate	50.000	48.343	3.3	93	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.064	-2.1	91	0.00
76 T	1,2,3-Trichloropropane	50.000	51.793	-3.6	92	0.00
77 T	Bromobenzene	50.000	49.348	1.3	90	0.00
78 T	n-propylbenzene	50.000	52.076	-4.2	91	0.00
79 T	2-Chlorotoluene	50.000	51.015	-2.0	91	0.00
80 T	1,3,5-Trimethylbenzene	50.000	52.820	-5.6	92	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	41.336	17.3	81	0.00
82 T	4-Chlorotoluene	50.000	51.118	-2.2	94	0.00
83 T	tert-Butylbenzene	50.000	50.331	-0.7	90	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.128	-4.3	90	0.00
85 T	sec-Butylbenzene	50.000	51.667	-3.3	90	0.00
86 T	p-Isopropyltoluene	50.000	52.215	-4.4	91	0.00
87 T	1,3-Dichlorobenzene	50.000	51.623	-3.2	93	0.00
88 T	1,4-Dichlorobenzene	50.000	49.395	1.2	93	0.00
89 T	n-Butylbenzene	50.000	53.541	-7.1	92	0.00
90 T	Hexachloroethane	50.000	45.511	9.0	91	0.00
91 T	1,2-Dichlorobenzene	50.000	50.570	-1.1	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	48.531	2.9	99	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.565	-7.1	95	0.00
94 T	Hexachlorobutadiene	50.000	51.765	-3.5	99	0.00
95 T	Naphthalene	50.000	49.532	0.9	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062521\
Data File : VX022938.D
Acq On : 25 Jun 2021 21:08
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 26 03:56:45 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 23 19:12:26 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	54.727	-9.5	93	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6