

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062521\
 Data File : VX022940.D
 Acq On : 25 Jun 2021 22:42
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 03:57:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	50.000	50.851	-1.7	85	0.00
3 P	Chloromethane	50.000	46.725	6.5	85	0.00
4 C	Vinyl Chloride	50.000	50.539	-1.1#	88	0.00
5 T	Bromomethane	50.000	54.286	-8.6	103	0.00
6 T	Chloroethane	50.000	52.162	-4.3	91	0.00
7 T	Trichlorofluoromethane	50.000	51.948	-3.9	91	0.00
8 T	Diethyl Ether	50.000	52.885	-5.8	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.551	-3.1	90	0.00
10 T	Methyl Iodide	50.000	36.748	26.5#	67	0.00
11 T	Tert butyl alcohol	250.000	248.441	0.6	90	0.00
12 CM	1,1-Dichloroethene	50.000	50.009	-0.0#	89	0.00
13 T	Acrolein	250.000	230.442	7.8	86	0.00
14 T	Allyl chloride	50.000	50.756	-1.5	90	0.00
15 T	Acrylonitrile	250.000	271.572	-8.6	93	0.00
16 T	Acetone	250.000	253.487	-1.4	95	0.00
17 T	Carbon Disulfide	50.000	44.494	11.0	87	0.00
18 T	Methyl Acetate	50.000	53.208	-6.4	97	0.00
19 T	Methyl tert-butyl Ether	50.000	53.115	-6.2	92	0.00
20 T	Methylene Chloride	50.000	50.854	-1.7	92	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.919	-1.8	92	0.00
22 T	Diisopropyl ether	50.000	54.056	-8.1	92	0.00
23 T	Vinyl Acetate	250.000	278.619	-11.4	92	0.00
24 P	1,1-Dichloroethane	50.000	52.318	-4.6	91	0.00
25 T	2-Butanone	250.000	270.719	-8.3	94	0.00
26 T	2,2-Dichloropropane	50.000	37.951	24.1	65	0.00
27 T	cis-1,2-Dichloroethene	50.000	52.920	-5.8	92	0.00
28 T	Bromochloromethane	50.000	51.421	-2.8	92	0.00
29 T	Tetrahydrofuran	250.000	280.471	-12.2	95	0.00
30 C	Chloroform	50.000	52.479	-5.0#	92	0.00
31 T	Cyclohexane	50.000	50.493	-1.0	89	0.00
32 T	1,1,1-Trichloroethane	50.000	53.821	-7.6	92	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.487	-1.0	95	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	90	0.00
35 S	Dibromofluoromethane	50.000	51.756	-3.5	96	0.00
36 T	1,1-Dichloropropene	50.000	49.331	1.3	91	0.00
37 T	Ethyl Acetate	50.000	53.403	-6.8	96	0.00
38 T	Carbon Tetrachloride	50.000	52.959	-5.9	90	0.00
39 T	Methylcyclohexane	50.000	49.864	0.3	88	0.00
40 TM	Benzene	50.000	51.980	-4.0	93	0.00
41 T	Methacrylonitrile	50.000	51.527	-3.1	95	0.00
42 TM	1,2-Dichloroethane	50.000	53.597	-7.2	93	0.00
43 T	Isopropyl Acetate	50.000	52.818	-5.6	93	0.00
44 TM	Trichloroethene	50.000	51.671	-3.3	93	0.00
45 C	1,2-Dichloropropane	50.000	52.757	-5.5#	93	0.00
46 T	Dibromomethane	50.000	52.095	-4.2	95	0.00
47 T	Bromodichloromethane	50.000	48.695	2.6	95	0.00
48 T	Methyl methacrylate	50.000	53.916	-7.8	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062521\
 Data File : VX022940.D
 Acq On : 25 Jun 2021 22:42
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 26 03:57:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 19:12:26 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1066.495	-6.6	92	0.00
50 S	Toluene-d8	50.000	50.469	-0.9	94	0.00
51 T	4-Methyl-2-Pentanone	250.000	276.416	-10.6	94	0.00
52 CM	Toluene	50.000	52.574	-5.1#	92	0.00
53 T	t-1,3-Dichloropropene	50.000	44.218	11.6	86	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.112	7.8	87	0.00
55 T	1,1,2-Trichloroethane	50.000	53.597	-7.2	94	0.00
56 T	Ethyl methacrylate	50.000	49.108	1.8	92	0.00
57 T	1,3-Dichloropropane	50.000	51.858	-3.7	91	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	252.655	-1.1	92	0.00
59 T	2-Hexanone	250.000	279.214	-11.7	95	0.00
60 T	Dibromochloromethane	50.000	47.466	5.1	92	0.00
61 T	1,2-Dibromoethane	50.000	53.237	-6.5	94	0.00
62 S	4-Bromofluorobenzene	50.000	50.887	-1.8	96	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	52.047	-4.1	93	0.00
65 PM	Chlorobenzene	50.000	50.156	-0.3	92	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.062	-4.1	88	0.00
67 C	Ethyl Benzene	50.000	52.102	-4.2#	92	0.00
68 T	m/p-Xylenes	100.000	102.100	-2.1	91	0.00
69 T	o-Xylene	50.000	50.941	-1.9	90	0.00
70 T	Styrene	50.000	52.432	-4.9	92	0.00
71 P	Bromoform	50.000	44.370	11.3	92	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	96	0.00
73 T	Isopropylbenzene	50.000	50.456	-0.9	92	0.00
74 T	N-ethyl acetate	50.000	47.056	5.9	92	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.584	-1.2	92	0.00
76 T	1,2,3-Trichloropropane	50.000	49.918	0.2	91	0.00
77 T	Bromobenzene	50.000	49.220	1.6	92	0.00
78 T	n-propylbenzene	50.000	51.119	-2.2	92	0.00
79 T	2-Chlorotoluene	50.000	50.084	-0.2	92	0.00
80 T	1,3,5-Trimethylbenzene	50.000	51.610	-3.2	93	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	40.212	19.6	81	0.00
82 T	4-Chlorotoluene	50.000	49.838	0.3	94	0.00
83 T	tert-Butylbenzene	50.000	49.690	0.6	91	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.102	-2.2	90	0.00
85 T	sec-Butylbenzene	50.000	51.008	-2.0	92	0.00
86 T	p-Isopropyltoluene	50.000	50.711	-1.4	91	0.00
87 T	1,3-Dichlorobenzene	50.000	49.949	0.1	92	0.00
88 T	1,4-Dichlorobenzene	50.000	48.139	3.7	93	0.00
89 T	n-Butylbenzene	50.000	52.947	-5.9	93	0.00
90 T	Hexachloroethane	50.000	43.842	12.3	90	0.00
91 T	1,2-Dichlorobenzene	50.000	49.681	0.6	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	45.232	9.5	95	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.005	-4.0	95	0.00
94 T	Hexachlorobutadiene	50.000	51.483	-3.0	102	0.00
95 T	Naphthalene	50.000	48.847	2.3	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062521\
Data File : VX022940.D
Acq On : 25 Jun 2021 22:42
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 26 03:57:09 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062321W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 23 19:12:26 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.312	-6.6	94	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6