

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062718\
 Data File : VX002950.D
 Acq On : 27 Jun 2018 21:22
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 05:49:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.497	0.565	-13.7	126	0.00
3 P	Chloromethane	0.521	0.561	-7.7	118	0.00
4 C	Vinyl Chloride	0.565	0.601	-6.4#	115	0.00
5 T	Bromomethane	0.349	0.235	32.7#	91	0.00
6 T	Chloroethane	0.376	0.372	1.1	108	0.00
7 T	Trichlorofluoromethane	0.954	0.952	0.2	101	0.00
8 T	Diethyl Ether	0.347	0.341	1.7	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.553	0.531	4.0	101	0.00
10 T	Methyl Iodide	0.515	0.529	-2.7	104	0.00
11 T	Tert butyl alcohol	0.138	0.130	5.8	95	0.00
12 CM	1,1-Dichloroethene	0.493	0.485	1.6#	104	0.00
13 T	Acrolein	0.082	0.069	15.9	92	0.00
14 T	Allyl chloride	0.972	0.936	3.7	99	0.00
15 T	Acrylonitrile	0.294	0.290	1.4	100	0.00
16 T	Acetone	0.286	0.269	5.9	95	0.00
17 T	Carbon Disulfide	1.314	1.312	0.2	106	0.00
18 T	Methyl Acetate	0.800	0.676	15.5	81	0.00
19 T	Methyl tert-butyl Ether	1.773	1.721	2.9	98	0.00
20 T	Methylene Chloride	0.557	0.533	4.3	99	0.00
21 T	trans-1,2-Dichloroethene	0.537	0.523	2.6	102	0.00
22 T	Diisopropyl ether	1.858	1.848	0.5	101	0.00
23 T	Vinyl Acetate	1.573	1.622	-3.1	104	0.00
24 P	1,1-Dichloroethane	1.010	0.991	1.9	101	0.00
25 T	2-Butanone	0.425	0.427	-0.5	101	0.00
26 T	2,2-Dichloropropane	0.821	0.659	19.7	81	0.00
27 T	cis-1,2-Dichloroethene	0.602	0.601	0.2	103	0.00
28 T	Bromochloromethane	0.483	0.488	-1.0	99	0.00
29 T	Tetrahydrofuran	0.272	0.276	-1.5	102	0.00
30 C	Chloroform	1.036	1.036	0.0	101	0.00
31 T	Cyclohexane	0.867	0.896	-3.3	105	0.00
32 T	1,1,1-Trichloroethane	0.912	0.922	-1.1	101	0.00
33 S	1,2-Dichloroethane-d4	0.691	0.693	-0.3	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.396	0.400	-1.0	102	0.00
36 T	1,1-Dichloropropene	0.548	0.546	0.4	103	0.00
37 T	Ethyl Acetate	0.590	0.601	-1.9	104	0.00
38 T	Carbon Tetrachloride	0.602	0.600	0.3	101	0.00
39 T	Methylcyclohexane	0.639	0.648	-1.4	104	0.00
40 TM	Benzene	1.593	1.597	-0.3	102	0.00
41 T	Methacrylonitrile	0.340	0.341	-0.3	101	0.00
42 TM	1,2-Dichloroethane	0.644	0.621	3.6	99	0.00
43 T	Isopropyl Acetate	0.990	0.970	2.0	100	0.00
44 TM	Trichloroethene	0.475	0.465	2.1	102	0.00
45 C	1,2-Dichloropropane	0.423	0.420	0.7#	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX062718\
 Data File : VX002950.D
 Acq On : 27 Jun 2018 21:22
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 05:49:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.293	0.288	1.7	99	0.00
47 T	Bromodichloromethane	0.542	0.546	-0.7	99	0.00
48 T	Methyl methacrylate	0.510	0.508	0.4	98	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	96	0.00
50 S	Toluene-d8	1.446	1.459	-0.9	101	0.00
51 T	4-Methyl-2-Pentanone	0.619	0.637	-2.9	101	0.00
52 CM	Toluene	1.021	1.046	-2.4#	102	0.00
53 T	t-1,3-Dichloropropene	0.614	0.623	-1.5	97	0.00
54 T	cis-1,3-Dichloropropene	0.591	0.579	2.0	95	0.00
55 T	1,1,2-Trichloroethane	0.419	0.419	0.0	101	0.00
56 T	Ethyl methacrylate	0.613	0.642	-4.7	103	0.00
57 T	1,3-Dichloropropane	0.689	0.687	0.3	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.296	0.302	-2.0	98	0.00
59 T	2-Hexanone	0.471	0.487	-3.4	100	0.00
60 T	Dibromochloromethane	0.441	0.450	-2.0	98	0.00
61 T	1,2-Dibromoethane	0.440	0.445	-1.1	101	0.00
62 S	4-Bromofluorobenzene	0.558	0.567	-1.6	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.556	0.547	1.6	101	0.00
65 PM	Chlorobenzene	1.270	1.228	3.3	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.461	0.455	1.3	99	0.00
67 C	Ethyl Benzene	2.098	2.122	-1.1#	101	0.00
68 T	m/p-Xylenes	0.809	0.823	-1.7	101	0.00
69 T	o-Xylene	0.787	0.804	-2.2	102	0.00
70 T	Styrene	1.279	1.343	-5.0	102	0.00
71 P	Bromoform	0.363	0.364	-0.3	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	3.364	3.431	-2.0	101	0.00
74 T	N-amyl acetate	1.646	1.573	4.4	100	0.00
75 P	1,1,2,2-Tetrachloroethane	1.036	1.006	2.9	101	0.00
76 T	1,2,3-Trichloropropane	0.906	0.902	0.4	101	0.00
77 T	Bromobenzene	0.958	0.938	2.1	100	0.00
78 T	n-propylbenzene	3.829	3.892	-1.6	100	0.00
79 T	2-Chlorotoluene	2.318	2.308	0.4	100	0.00
80 T	1,3,5-Trimethylbenzene	2.833	2.885	-1.8	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.267	0.265	0.7	92	0.00
82 T	4-Chlorotoluene	2.744	2.715	1.1	99	0.00
83 T	tert-Butylbenzene	2.792	2.846	-1.9	101	0.00
84 T	1,2,4-Trimethylbenzene	2.935	2.981	-1.6	100	0.00
85 T	sec-Butylbenzene	3.387	3.444	-1.7	100	0.00
86 T	p-Isopropyltoluene	3.045	3.107	-2.0	98	0.00
87 T	1,3-Dichlorobenzene	1.749	1.716	1.9	99	0.00
88 T	1,4-Dichlorobenzene	1.800	1.733	3.7	100	0.00
89 T	n-Butylbenzene	2.650	2.633	0.6	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062718\
Data File : VX002950.D
Acq On : 27 Jun 2018 21:22
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 28 05:49:03 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 14:38:05 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.453	0.455	-0.4	97	0.00
91 T	1,2-Dichlorobenzene	1.766	1.719	2.7	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.233	0.235	-0.9	98	0.00
93 T	1,2,4-Trichlorobenzene	1.285	1.265	1.6	98	0.00
94 T	Hexachlorobutadiene	0.641	0.625	2.5	97	0.00
95 T	Naphthalene	3.423	3.545	-3.6	100	0.00
96 T	1,2,3-Trichlorobenzene	1.284	1.280	0.3	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5