

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX062722\
 Data File : VX029827.D
 Acq On : 27 Jun 2022 19:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 10:16:04 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062722W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 27 15:32:24 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	50.000	54.870	-9.7	94	0.00
3 P	Chloromethane	50.000	52.865	-5.7	97	0.00
4 C	Vinyl Chloride	50.000	53.959	-7.9#	98	0.00
5 T	Bromomethane	50.000	67.419	-34.8#	126	0.00
6 T	Chloroethane	50.000	45.346	9.3	84	0.00
7 T	Trichlorofluoromethane	50.000	54.198	-8.4	100	0.00
8 T	Diethyl Ether	50.000	51.999	-4.0	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	52.871	-5.7	101	0.00
10 T	Methyl Iodide	50.000	55.930	-11.9	97	0.00
11 T	Tert butyl alcohol	250.000	267.601	-7.0	99	0.00
12 CM	1,1-Dichloroethene	50.000	53.439	-6.9#	100	0.00
13 T	Acrolein	250.000	241.822	3.3	97	0.00
14 T	Allyl chloride	50.000	53.924	-7.8	98	0.00
15 T	Acrylonitrile	250.000	263.898	-5.6	99	0.00
16 T	Acetone	250.000	250.810	-0.3	98	0.00
17 T	Carbon Disulfide	50.000	54.419	-8.8	97	0.00
18 T	Methyl Acetate	50.000	50.241	-0.5	100	0.00
19 T	Methyl tert-butyl Ether	50.000	53.350	-6.7	101	0.00
20 T	Methylene Chloride	50.000	50.517	-1.0	99	0.00
21 T	trans-1,2-Dichloroethene	50.000	52.972	-5.9	98	0.00
22 T	Diisopropyl ether	50.000	53.456	-6.9	100	0.00
23 T	Vinyl Acetate	250.000	273.864	-9.5	99	0.00
24 P	1,1-Dichloroethane	50.000	53.368	-6.7	100	0.00
25 T	2-Butanone	250.000	260.253	-4.1	98	0.00
26 T	2,2-Dichloropropane	50.000	51.347	-2.7	95	0.00
27 T	cis-1,2-Dichloroethene	50.000	52.346	-4.7	100	0.00
28 T	Bromochloromethane	50.000	47.060	5.9	96	0.00
29 T	Tetrahydrofuran	250.000	267.008	-6.8	99	0.00
30 C	Chloroform	50.000	53.835	-7.7#	101	0.00
31 T	Cyclohexane	50.000	54.625	-9.3	98	0.00
32 T	1,1,1-Trichloroethane	50.000	54.111	-8.2	99	0.00
33 S	1,2-Dichloroethane-d4	50.000	52.172	-4.3	100	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	96	0.00
35 S	Dibromofluoromethane	50.000	50.075	-0.2	97	0.00
36 T	1,1-Dichloropropene	50.000	52.083	-4.2	100	0.00
37 T	Ethyl Acetate	50.000	52.358	-4.7	98	0.00
38 T	Carbon Tetrachloride	50.000	51.189	-2.4	96	0.00
39 T	Methylcyclohexane	50.000	53.694	-7.4	99	0.00
40 TM	Benzene	50.000	54.961	-9.9	105	0.00
41 T	Methacrylonitrile	50.000	50.366	-0.7	99	0.00
42 TM	1,2-Dichloroethane	50.000	51.366	-2.7	100	0.00
43 T	Isopropyl Acetate	50.000	52.778	-5.6	100	0.00
44 TM	Trichloroethene	50.000	49.810	0.4	101	0.00
45 C	1,2-Dichloropropane	50.000	51.420	-2.8#	103	0.00
46 T	Dibromomethane	50.000	53.466	-6.9	105	0.00
47 T	Bromodichloromethane	50.000	52.826	-5.7	100	0.00
48 T	Methyl methacrylate	50.000	52.500	-5.0	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062722\
 Data File : VX029827.D
 Acq On : 27 Jun 2022 19:37
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 28 10:16:04 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062722W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 27 15:32:24 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	994.892	0.5	100	0.00
50 S	Toluene-d8	50.000	50.590	-1.2	97	0.00
51 T	4-Methyl-2-Pentanone	250.000	263.031	-5.2	101	0.00
52 CM	Toluene	50.000	53.493	-7.0#	103	0.00
53 T	t-1,3-Dichloropropene	50.000	55.044	-10.1	100	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.662	-7.3	100	0.00
55 T	1,1,2-Trichloroethane	50.000	53.635	-7.3	105	0.00
56 T	Ethyl methacrylate	50.000	54.334	-8.7	102	0.00
57 T	1,3-Dichloropropane	50.000	52.860	-5.7	100	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	253.018	-1.2	96	0.00
59 T	2-Hexanone	250.000	263.760	-5.5	99	0.00
60 T	Dibromochloromethane	50.000	52.974	-5.9	100	0.00
61 T	1,2-Dibromoethane	50.000	54.830	-9.7	102	0.00
62 S	4-Bromofluorobenzene	50.000	50.786	-1.6	97	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	93	0.00
64 T	Tetrachloroethene	50.000	52.183	-4.4	98	0.00
65 PM	Chlorobenzene	50.000	53.392	-6.8	104	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.260	-8.5	101	0.00
67 C	Ethyl Benzene	50.000	54.573	-9.1#	101	0.00
68 T	m/p-Xylenes	100.000	108.102	-8.1	101	0.00
69 T	o-Xylene	50.000	54.785	-9.6	105	0.00
70 T	Styrene	50.000	54.006	-8.0	102	0.00
71 P	Bromoform	50.000	55.928	-11.9	100	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	98	0.00
73 T	Isopropylbenzene	50.000	49.467	1.1	97	0.00
74 T	N-ethyl acetate	50.000	51.005	-2.0	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.126	1.7	100	0.00
76 T	1,2,3-Trichloropropane	50.000	51.189	-2.4	102	0.00
77 T	Bromobenzene	50.000	49.286	1.4	101	0.00
78 T	n-propylbenzene	50.000	50.068	-0.1	95	0.00
79 T	2-Chlorotoluene	50.000	50.443	-0.9	101	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.519	-1.0	101	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	53.440	-6.9	99	0.00
82 T	4-Chlorotoluene	50.000	50.302	-0.6	100	0.00
83 T	tert-Butylbenzene	50.000	50.829	-1.7	100	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.555	-1.1	100	0.00
85 T	sec-Butylbenzene	50.000	53.440	-6.9	104	0.00
86 T	p-Isopropyltoluene	50.000	52.546	-5.1	100	0.00
87 T	1,3-Dichlorobenzene	50.000	50.985	-2.0	102	0.00
88 T	1,4-Dichlorobenzene	50.000	50.287	-0.6	101	0.00
89 T	n-Butylbenzene	50.000	53.077	-6.2	100	0.00
90 T	Hexachloroethane	50.000	56.584	-13.2	102	0.00
91 T	1,2-Dichlorobenzene	50.000	49.913	0.2	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.322	-4.6	102	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.466	-0.9	100	0.00
94 T	Hexachlorobutadiene	50.000	47.816	4.4	97	0.00
95 T	Naphthalene	50.000	51.860	-3.7	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062722\
Data File : VX029827.D
Acq On : 27 Jun 2022 19:37
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 28 10:16:04 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062722W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 27 15:32:24 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	50.631	-1.3	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6