

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\X062822\
 Data File : VX029835.D
 Acq On : 28 Jun 2022 17:29
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX062822

Quant Time: Jun 29 05:58:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062822W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 05:54:51 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	107	0.00
2 T	Dichlorodifluoromethane	50.000	57.653	-15.3	112	0.00
3 P	Chloromethane	50.000	50.809	-1.6	101	0.00
4 C	Vinyl Chloride	50.000	52.866	-5.7#	104	0.00
5 T	Bromomethane	50.000	46.640	6.7	99	0.00
6 T	Chloroethane	50.000	53.893	-7.8	109	0.00
7 T	Trichlorofluoromethane	50.000	53.484	-7.0	108	0.00
8 T	Diethyl Ether	50.000	49.296	1.4	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	52.174	-4.3	109	0.00
10 T	Methyl Iodide	50.000	48.190	3.6	99	0.00
11 T	Tert butyl alcohol	250.000	236.575	5.4	97	-0.01
12 CM	1,1-Dichloroethene	50.000	50.663	-1.3#	105	0.00
13 T	Acrolein	250.000	247.810	0.9	100	0.00
14 T	Allyl chloride	50.000	51.036	-2.1	104	0.00
15 T	Acrylonitrile	250.000	248.688	0.5	101	0.00
16 T	Acetone	250.000	248.303	0.7	103	0.00
17 T	Carbon Disulfide	50.000	52.271	-4.5	106	0.00
18 T	Methyl Acetate	50.000	48.282	3.4	100	0.00
19 T	Methyl tert-butyl Ether	50.000	50.710	-1.4	101	0.00
20 T	Methylene Chloride	50.000	46.546	6.9	102	0.00
21 T	trans-1,2-Dichloroethene	50.000	50.363	-0.7	105	0.00
22 T	Diisopropyl ether	50.000	50.994	-2.0	102	0.00
23 T	Vinyl Acetate	250.000	258.969	-3.6	101	0.00
24 P	1,1-Dichloroethane	50.000	50.844	-1.7	103	0.00
25 T	2-Butanone	250.000	247.747	0.9	100	0.00
26 T	2,2-Dichloropropane	50.000	56.956	-13.9	115	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.250	-2.5	105	0.00
28 T	Bromochloromethane	50.000	48.875	2.3	100	0.00
29 T	Tetrahydrofuran	250.000	250.490	-0.2	100	0.00
30 C	Chloroform	50.000	50.679	-1.4#	102	-0.01
31 T	Cyclohexane	50.000	53.298	-6.6	109	0.00
32 T	1,1,1-Trichloroethane	50.000	51.764	-3.5	106	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.841	6.3	94	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	104	0.00
35 S	Dibromofluoromethane	50.000	48.929	2.1	98	0.00
36 T	1,1-Dichloropropene	50.000	52.447	-4.9	106	0.00
37 T	Ethyl Acetate	50.000	50.551	-1.1	99	0.00
38 T	Carbon Tetrachloride	50.000	55.216	-10.4	109	-0.01
39 T	Methylcyclohexane	50.000	57.569	-15.1	113	0.00
40 TM	Benzene	50.000	52.218	-4.4	104	0.00
41 T	Methacrylonitrile	50.000	52.413	-4.8	101	0.00
42 TM	1,2-Dichloroethane	50.000	52.274	-4.5	101	0.00
43 T	Isopropyl Acetate	50.000	51.439	-2.9	100	0.00
44 TM	Trichloroethene	50.000	49.378	1.2	106	0.00
45 C	1,2-Dichloropropane	50.000	50.499	-1.0#	100	0.00
46 T	Dibromomethane	50.000	51.208	-2.4	100	0.00
47 T	Bromodichloromethane	50.000	52.542	-5.1	101	0.00
48 T	Methyl methacrylate	50.000	52.295	-4.6	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062822\
 Data File : VX029835.D
 Acq On : 28 Jun 2022 17:29
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX062822

Quant Time: Jun 29 05:58:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062822W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 05:54:51 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1008.502	-0.9	98	0.00
50 S	Toluene-d8	50.000	50.961	-1.9	100	0.00
51 T	4-Methyl-2-Pentanone	250.000	255.193	-2.1	98	0.00
52 CM	Toluene	50.000	54.475	-9.0#	106	0.00
53 T	t-1,3-Dichloropropene	50.000	55.539	-11.1	104	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.737	-9.5	104	0.00
55 T	1,1,2-Trichloroethane	50.000	50.615	-1.2	100	0.00
56 T	Ethyl methacrylate	50.000	52.674	-5.3	100	0.00
57 T	1,3-Dichloropropane	50.000	51.068	-2.1	101	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	243.710	2.5	95	0.00
59 T	2-Hexanone	250.000	259.769	-3.9	100	0.00
60 T	Dibromochloromethane	50.000	53.285	-6.6	102	0.00
61 T	1,2-Dibromoethane	50.000	51.912	-3.8	103	0.00
62 S	4-Bromofluorobenzene	50.000	52.575	-5.2	101	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	103	0.00
64 T	Tetrachloroethene	50.000	53.084	-6.2	111	0.00
65 PM	Chlorobenzene	50.000	51.864	-3.7	105	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.789	-5.6	101	0.00
67 C	Ethyl Benzene	50.000	52.924	-5.8#	105	0.00
68 T	m/p-Xylenes	100.000	107.725	-7.7	107	0.00
69 T	o-Xylene	50.000	52.297	-4.6	104	0.00
70 T	Styrene	50.000	53.497	-7.0	105	0.00
71 P	Bromoform	50.000	55.998	-12.0	102	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	109	0.00
73 T	Isopropylbenzene	50.000	50.031	-0.1	108	0.00
74 T	N-ethyl acetate	50.000	49.798	0.4	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	46.742	6.5	100	0.00
76 T	1,2,3-Trichloropropane	50.000	49.481	1.0	102	0.00
77 T	Bromobenzene	50.000	48.337	3.3	103	0.00
78 T	n-propylbenzene	50.000	51.871	-3.7	109	0.00
79 T	2-Chlorotoluene	50.000	50.166	-0.3	107	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.264	-0.5	107	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	55.610	-11.2	105	0.00
82 T	4-Chlorotoluene	50.000	49.803	0.4	107	0.00
83 T	tert-Butylbenzene	50.000	50.344	-0.7	107	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.111	-2.2	108	0.00
85 T	sec-Butylbenzene	50.000	53.222	-6.4	112	0.00
86 T	p-Isopropyltoluene	50.000	53.965	-7.9	112	0.00
87 T	1,3-Dichlorobenzene	50.000	49.911	0.2	109	0.00
88 T	1,4-Dichlorobenzene	50.000	49.574	0.9	109	0.00
89 T	n-Butylbenzene	50.000	58.112	-16.2	122	0.00
90 T	Hexachloroethane	50.000	56.594	-13.2	118	0.00
91 T	1,2-Dichlorobenzene	50.000	51.215	-2.4	109	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	55.908	-11.8	118	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.523	-5.0	113	0.00
94 T	Hexachlorobutadiene	50.000	52.479	-5.0	117	0.00
95 T	Naphthalene	50.000	52.490	-5.0	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX062822\
Data File : VX029835.D
Acq On : 28 Jun 2022 17:29
Operator : JC/MD
Sample : VSTDICV050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ICVVX062822

Quant Time: Jun 29 05:58:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X062822W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 05:54:51 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.029	-2.1	108	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6