

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062918\
 Data File : VX003022.D
 Acq On : 29 Jun 2018 12:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 15:10:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	109	0.00
2 T	Dichlorodifluoromethane	0.497	0.532	-7.0	132	0.00
3 P	Chloromethane	0.521	0.500	4.0	118	0.00
4 C	Vinyl Chloride	0.565	0.557	1.4#	119	0.00
5 T	Bromomethane	0.349	0.280	19.8	122	0.00
6 T	Chloroethane	0.376	0.354	5.9	114	0.00
7 T	Trichlorofluoromethane	0.954	0.895	6.2	106	0.00
8 T	Diethyl Ether	0.347	0.315	9.2	104	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.553	0.515	6.9	109	0.00
10 T	Methyl Iodide	0.515	0.510	1.0	112	0.00
11 T	Tert butyl alcohol	0.138	0.115	16.7	93	-0.01
12 CM	1,1-Dichloroethene	0.493	0.459	6.9#	109	0.00
13 T	Acrolein	0.082	0.067	18.3	100	0.00
14 T	Allyl chloride	0.972	0.906	6.8	107	0.00
15 T	Acrylonitrile	0.294	0.262	10.9	100	0.00
16 T	Acetone	0.286	0.296	-3.5	116	0.00
17 T	Carbon Disulfide	1.314	1.269	3.4	115	0.00
18 T	Methyl Acetate	0.800	0.632	21.0#	84	0.00
19 T	Methyl tert-butyl Ether	1.773	1.618	8.7	103	0.00
20 T	Methylene Chloride	0.557	0.500	10.2	104	0.00
21 T	trans-1,2-Dichloroethene	0.537	0.486	9.5	106	0.00
22 T	Diisopropyl ether	1.858	1.693	8.9	103	0.00
23 T	Vinyl Acetate	1.573	1.503	4.5	108	0.00
24 P	1,1-Dichloroethane	1.010	0.919	9.0	104	0.00
25 T	2-Butanone	0.425	0.412	3.1	108	0.00
26 T	2,2-Dichloropropane	0.821	0.796	3.0	110	0.00
27 T	cis-1,2-Dichloroethene	0.602	0.567	5.8	108	0.00
28 T	Bromochloromethane	0.483	0.476	1.4	107	0.00
29 T	Tetrahydrofuran	0.272	0.248	8.8	103	0.00
30 C	Chloroform	1.036	0.972	6.2#	106	0.00
31 T	Cyclohexane	0.867	0.826	4.7	108	0.00
32 T	1,1,1-Trichloroethane	0.912	0.864	5.3	106	0.00
33 S	1,2-Dichloroethane-d4	0.691	0.665	3.8	109	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	106	0.00
35 S	Dibromofluoromethane	0.396	0.414	-4.5	113	0.00
36 T	1,1-Dichloropropene	0.548	0.544	0.7	110	0.00
37 T	Ethyl Acetate	0.590	0.575	2.5	106	0.00
38 T	Carbon Tetrachloride	0.602	0.590	2.0	107	0.00
39 T	Methylcyclohexane	0.639	0.624	2.3	107	0.00
40 TM	Benzene	1.593	1.568	1.6	107	0.00
41 T	Methacrylonitrile	0.340	0.327	3.8	103	0.00
42 TM	1,2-Dichloroethane	0.644	0.595	7.6	102	0.00
43 T	Isopropyl Acetate	0.990	0.947	4.3	105	0.00
44 TM	Trichloroethene	0.475	0.467	1.7	109	0.00
45 C	1,2-Dichloropropane	0.423	0.400	5.4#	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX062918\
 Data File : VX003022.D
 Acq On : 29 Jun 2018 12:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 15:10:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.293	0.279	4.8	103	0.00
47 T	Bromodichloromethane	0.542	0.544	-0.4	106	0.00
48 T	Methyl methacrylate	0.510	0.490	3.9	101	0.00
49 T	1,4-Dioxane	0.010	0.009	10.0	98	0.00
50 S	Toluene-d8	1.446	1.491	-3.1	110	0.00
51 T	4-Methyl-2-Pentanone	0.619	0.598	3.4	101	0.00
52 CM	Toluene	1.021	1.015	0.6#	106	0.00
53 T	t-1,3-Dichloropropene	0.614	0.638	-3.9	106	0.00
54 T	cis-1,3-Dichloropropene	0.591	0.601	-1.7	105	0.00
55 T	1,1,2-Trichloroethane	0.419	0.412	1.7	106	0.00
56 T	Ethyl methacrylate	0.613	0.624	-1.8	107	0.00
57 T	1,3-Dichloropropane	0.689	0.672	2.5	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.296	0.290	2.0	101	0.00
59 T	2-Hexanone	0.471	0.471	0.0	104	0.00
60 T	Dibromochloromethane	0.441	0.446	-1.1	103	0.00
61 T	1,2-Dibromoethane	0.440	0.440	0.0	107	0.00
62 S	4-Bromofluorobenzene	0.558	0.585	-4.8	112	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.556	0.538	3.2	105	0.00
65 PM	Chlorobenzene	1.270	1.221	3.9	106	0.00
66 T	1,1,1,2-Tetrachloroethane	0.461	0.452	2.0	105	0.00
67 C	Ethyl Benzene	2.098	2.081	0.8#	105	0.00
68 T	m/p-Xylenes	0.809	0.814	-0.6	106	0.00
69 T	o-Xylene	0.787	0.788	-0.1	105	0.00
70 T	Styrene	1.279	1.319	-3.1	107	0.00
71 P	Bromoform	0.363	0.366	-0.8	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.364	3.309	1.6	104	0.00
74 T	N-amyl acetate	1.646	1.540	6.4	105	0.00
75 P	1,1,2,2-Tetrachloroethane	1.036	0.996	3.9	107	0.00
76 T	1,2,3-Trichloropropane	0.906	0.871	3.9	104	0.00
77 T	Bromobenzene	0.958	0.926	3.3	105	0.00
78 T	n-propylbenzene	3.829	3.774	1.4	103	0.00
79 T	2-Chlorotoluene	2.318	2.242	3.3	104	0.00
80 T	1,3,5-Trimethylbenzene	2.833	2.776	2.0	102	0.00
81 T	trans-1,4-Dichloro-2-butene	0.267	0.275	-3.0	102	0.00
82 T	4-Chlorotoluene	2.744	2.666	2.8	104	0.00
83 T	tert-Butylbenzene	2.792	2.725	2.4	103	0.00
84 T	1,2,4-Trimethylbenzene	2.935	2.869	2.2	103	0.00
85 T	sec-Butylbenzene	3.387	3.231	4.6	100	0.00
86 T	p-Isopropyltoluene	3.045	2.965	2.6	100	0.00
87 T	1,3-Dichlorobenzene	1.749	1.695	3.1	104	0.00
88 T	1,4-Dichlorobenzene	1.800	1.720	4.4	105	0.00
89 T	n-Butylbenzene	2.650	2.609	1.5	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062918\
Data File : VX003022.D
Acq On : 29 Jun 2018 12:00
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 29 15:10:45 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 14:38:05 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.453	0.411	9.3	94	0.00
91 T	1,2-Dichlorobenzene	1.766	1.693	4.1	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.233	0.217	6.9	97	0.00
93 T	1,2,4-Trichlorobenzene	1.285	1.258	2.1	104	0.00
94 T	Hexachlorobutadiene	0.641	0.637	0.6	105	0.00
95 T	Naphthalene	3.423	3.478	-1.6	104	0.00
96 T	1,2,3-Trichlorobenzene	1.284	1.248	2.8	102	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6