

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062918\
 Data File : VX003044.D
 Acq On : 29 Jun 2018 22:30
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 30 03:07:54 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	100	0.00
2 T	Dichlorodifluoromethane	0.497	0.545	-9.7	125	0.00
3 P	Chloromethane	0.521	0.545	-4.6	118	0.00
4 C	Vinyl Chloride	0.565	0.596	-5.5#	117	0.00
5 T	Bromomethane	0.349	0.272	22.1#	109	0.00
6 T	Chloroethane	0.376	0.372	1.1	111	0.00
7 T	Trichlorofluoromethane	0.954	0.935	2.0	102	0.00
8 T	Diethyl Ether	0.347	0.333	4.0	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.553	0.524	5.2	102	0.00
10 T	Methyl Iodide	0.515	0.539	-4.7	109	0.00
11 T	Tert butyl alcohol	0.138	0.132	4.3	99	0.00
12 CM	1,1-Dichloroethene	0.493	0.482	2.2#	106	0.00
13 T	Acrolein	0.082	0.070	14.6	96	0.00
14 T	Allyl chloride	0.972	0.926	4.7	100	0.00
15 T	Acrylonitrile	0.294	0.299	-1.7	105	0.00
16 T	Acetone	0.286	0.272	4.9	98	0.00
17 T	Carbon Disulfide	1.314	1.302	0.9	109	0.00
18 T	Methyl Acetate	0.800	0.723	9.6	89	0.00
19 T	Methyl tert-butyl Ether	1.773	1.690	4.7	99	0.00
20 T	Methylene Chloride	0.557	0.536	3.8	103	0.00
21 T	trans-1,2-Dichloroethene	0.537	0.510	5.0	102	0.00
22 T	Diisopropyl ether	1.858	1.849	0.5	104	0.00
23 T	Vinyl Acetate	1.573	1.621	-3.1	107	0.00
24 P	1,1-Dichloroethane	1.010	0.983	2.7	103	0.00
25 T	2-Butanone	0.425	0.444	-4.5	107	0.00
26 T	2,2-Dichloropropane	0.821	0.606	26.2#	77	0.00
27 T	cis-1,2-Dichloroethene	0.602	0.606	-0.7	106	0.00
28 T	Bromochloromethane	0.483	0.479	0.8	99	0.00
29 T	Tetrahydrofuran	0.272	0.288	-5.9	110	0.00
30 C	Chloroform	1.036	1.046	-1.0#	105	0.00
31 T	Cyclohexane	0.867	0.863	0.5	104	0.00
32 T	1,1,1-Trichloroethane	0.912	0.930	-2.0	105	0.00
33 S	1,2-Dichloroethane-d4	0.691	0.682	1.3	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.396	0.414	-4.5	106	0.00
36 T	1,1-Dichloropropene	0.548	0.552	-0.7	105	0.00
37 T	Ethyl Acetate	0.590	0.633	-7.3	110	0.00
38 T	Carbon Tetrachloride	0.602	0.615	-2.2	104	0.00
39 T	Methylcyclohexane	0.639	0.607	5.0	98	0.00
40 TM	Benzene	1.593	1.635	-2.6	105	0.00
41 T	Methacrylonitrile	0.340	0.356	-4.7	106	0.00
42 TM	1,2-Dichloroethane	0.644	0.626	2.8	101	0.00
43 T	Isopropyl Acetate	0.990	0.991	-0.1	103	0.00
44 TM	Trichloroethene	0.475	0.482	-1.5	106	0.00
45 C	1,2-Dichloropropane	0.423	0.432	-2.1#	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX062918\
 Data File : VX003044.D
 Acq On : 29 Jun 2018 22:30
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 30 03:07:54 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.293	0.295	-0.7	102	0.00
47 T	Bromodichloromethane	0.542	0.569	-5.0	104	0.00
48 T	Methyl methacrylate	0.510	0.524	-2.7	102	0.00
49 T	1,4-Dioxane	0.010	0.011	-10.0	109	0.00
50 S	Toluene-d8	1.446	1.465	-1.3	102	0.00
51 T	4-Methyl-2-Pentanone	0.619	0.660	-6.6	105	0.00
52 CM	Toluene	1.021	1.050	-2.8#	103	0.00
53 T	t-1,3-Dichloropropene	0.614	0.628	-2.3	98	0.00
54 T	cis-1,3-Dichloropropene	0.591	0.581	1.7	96	0.00
55 T	1,1,2-Trichloroethane	0.419	0.435	-3.8	106	0.00
56 T	Ethyl methacrylate	0.613	0.653	-6.5	106	0.00
57 T	1,3-Dichloropropane	0.689	0.707	-2.6	104	0.00
58 T	2-Chloroethyl Vinyl ether	0.296	0.310	-4.7	102	0.00
59 T	2-Hexanone	0.471	0.505	-7.2	104	0.00
60 T	Dibromochloromethane	0.441	0.472	-7.0	103	0.00
61 T	1,2-Dibromoethane	0.440	0.459	-4.3	105	0.00
62 S	4-Bromofluorobenzene	0.558	0.563	-0.9	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.556	0.559	-0.5	103	0.00
65 PM	Chlorobenzene	1.270	1.257	1.0	103	0.00
66 T	1,1,1,2-Tetrachloroethane	0.461	0.476	-3.3	104	0.00
67 C	Ethyl Benzene	2.098	2.130	-1.5#	102	0.00
68 T	m/p-Xylenes	0.809	0.833	-3.0	102	0.00
69 T	o-Xylene	0.787	0.809	-2.8	102	0.00
70 T	Styrene	1.279	1.362	-6.5	104	0.00
71 P	Bromoform	0.363	0.388	-6.9	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.364	3.443	-2.3	100	0.00
74 T	N-amyl acetate	1.646	1.633	0.8	103	0.00
75 P	1,1,2,2-Tetrachloroethane	1.036	1.065	-2.8	106	0.00
76 T	1,2,3-Trichloropropane	0.906	0.936	-3.3	103	0.00
77 T	Bromobenzene	0.958	0.963	-0.5	101	0.00
78 T	n-propylbenzene	3.829	3.886	-1.5	99	0.00
79 T	2-Chlorotoluene	2.318	2.340	-0.9	101	0.00
80 T	1,3,5-Trimethylbenzene	2.833	2.889	-2.0	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.267	0.268	-0.4	92	0.00
82 T	4-Chlorotoluene	2.744	2.761	-0.6	99	0.00
83 T	tert-Butylbenzene	2.792	2.822	-1.1	99	0.00
84 T	1,2,4-Trimethylbenzene	2.935	3.004	-2.4	100	0.00
85 T	sec-Butylbenzene	3.387	3.356	0.9	96	0.00
86 T	p-Isopropyltoluene	3.045	3.042	0.1	95	0.00
87 T	1,3-Dichlorobenzene	1.749	1.746	0.2	100	0.00
88 T	1,4-Dichlorobenzene	1.800	1.762	2.1	100	0.00
89 T	n-Butylbenzene	2.650	2.523	4.8	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX062918\
Data File : VX003044.D
Acq On : 29 Jun 2018 22:30
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 30 03:07:54 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 14:38:05 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.453	0.446	1.5	94	0.00
91 T	1,2-Dichlorobenzene	1.766	1.772	-0.3	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.233	0.244	-4.7	101	0.00
93 T	1,2,4-Trichlorobenzene	1.285	1.271	1.1	97	0.00
94 T	Hexachlorobutadiene	0.641	0.617	3.7	94	0.00
95 T	Naphthalene	3.423	3.688	-7.7	102	0.00
96 T	1,2,3-Trichlorobenzene	1.284	1.286	-0.2	98	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6