

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX062918\
 Data File : VX003028.D
 Acq On : 29 Jun 2018 14:58
 Operator : JC/MD
 Sample : J3711-04
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 QNWP8-TRIP-BLANK

Quant Time: Jun 29 15:47:58 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 25 14:38:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	270208	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	377368	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	347510	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	193530	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	175314	46.94	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.88%	
35) Dibromofluoromethane	5.51	113	142040	47.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.06%	
50) Toluene-d8	8.72	98	524830	48.09	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.18%	
62) 4-Bromofluorobenzene	11.14	95	184359	43.80	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.60%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX062918\
Data File : VX003028.D
Acq On : 29 Jun 2018 14:58
Operator : JC/MD
Sample : J3711-04
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
QNWP8-TRIP-BLANK

Quant Time: Jun 29 15:47:58 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X062518W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 25 14:38:05 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 833

Delta R.T. -0.00 min

Lab File: VX003028.D

Acq: 29 Jun 2018 14:58

Instrument :

MSVOA_X

ClientSampleId :


QNWP8-TRIP-BLANK

Tot Ion:168 Resp: 270208

Ion Ratio Lower Upper




168 100

99 50.6 39.3 58.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 46.94 ug/l

RT: 6.07 min Scan# 900

Delta R.T. 0.01 min

Lab File: VX003028.D


Acq: 29 Jun 2018 14:58

Tgt Ion: 65 Resp: 175314

Ion Ratio Lower Upper



65 100


67 52.3 0.0 102.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.87 min Scan# 1030
 Delta R.T. -0.00 min
 Lab File: VX003028.D
 Acq: 29 Jun 2018 14:58

Instrument :
 MSVOA_X
 ClientSampleId :
 QNWP8-TRIP-BLANK

Tot Ion:114 Resp: 377368
 Ion Ratio Lower Upper
 114 100
 63 20.7 0.0 41.4
 88 15.1 0.0 30.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX
 Ion 87.90 (87.60 to 88.60): VX






#35
 Dibromofluoromethane
 Concen: 47.53 ug/l
 RT: 5.51 min Scan# 807
 Delta R.T. 0.00 min
 Lab File: VX003028.D
 Acq: 29 Jun 2018 14:58

Tgt Ion:113 Resp: 142040
 Ion Ratio Lower Upper
 113 100
 111 103.3 81.4 122.0
 192 24.7 19.1 28.7



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.09 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. 0.00 min

Lab File: VX003028.D

Acq: 29 Jun 2018 14:58

Instrument :

MSVOA_X

ClientSampleId :


QNWP8-TRIP-BLANK

Tot Ion: 98 Resp: 524830

Ion Ratio Lower Upper

98 100

100 64.0 50.9 76.3



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX

8.72



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 43.80 ug/l

RT: 11.14 min Scan# 1731

Delta R.T. 0.00 min

Lab File: VX003028.D

Acq: 29 Jun 2018 14:58


Tgt Ion: 95 Resp: 184359

Ion Ratio Lower Upper

95 100

174 96.7 0.0 187.4

176 93.7 0.0 181.0



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V

11.14

200000


150000


100000

50000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. -0.00 min
Lab File: VX003028.D
Acq: 29 Jun 2018 14:58

Instrument :
MSVOA_X
ClientSampleId :
QNWP8-TRIP-BLANK

Tot Ion:117 Resp: 347510
Ion Ratio Lower Upper
117 100
82 52.8 45.0 67.4
119 32.2 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.09 min Scan# 1886
Delta R.T. -0.00 min
Lab File: VX003028.D
Acq: 29 Jun 2018 14:58

Tgt Ion:152 Resp: 193530
Ion Ratio Lower Upper
152 100
115 54.4 40.1 120.2
150 154.7 0.0 347.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

