

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX070220\  
 Data File : VX017142.D  
 Acq On : 02 Jul 2020 12:53  
 Operator : JC/SP  
 Sample : VX0702WBL02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0702WBL02

Quant Time: Jul 03 01:07:14 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X062920W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jun 29 17:10:38 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.63  | 168  | 208821   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.83  | 114  | 346589   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.10 | 117  | 352974   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.06 | 152  | 174991   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.03   | 65  | 138623   | 53.85 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 107.70% |      |
| 35) Dibromofluoromethane    | 5.46   | 113 | 115687   | 52.77 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 105.54% |      |
| 50) Toluene-d8              | 8.70   | 98  | 418071   | 51.57 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.14% |      |
| 62) 4-Bromofluorobenzene    | 11.12  | 95  | 170404   | 53.77 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 107.54% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX070220\  
Data File : VX017142.D  
Acq On : 02 Jul 2020 12:53  
Operator : JC/SP  
Sample : VX0702WBL02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0702WBL02

Quant Time: Jul 03 01:07:14 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X062920W.M  
Quant Title : SW846 8260  
QLast Update : Mon Jun 29 17:10:38 2020  
Response via : Initial Calibration

