

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
 Data File : VX042189.D
 Acq On : 04 Jul 2024 02:04
 Operator : JC/MD
 Sample : P3087-17ME
 Misc : 4.63g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4BR2ME

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Quant Time: Jul 04 05:17:50 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 04 05:08:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	252900	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	223138	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	108617	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.374	65	55245	37.530	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.060%		
7) Chloroethane-d5	1.648	69	34955m	37.714	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	75.420%		
11) 1,1-Dichloroethene-d2	2.282	65	22837	35.448	ug/L	-0.01
Spiked Amount 50.000	Range 60 - 125		Recovery =	70.900%		
21) 2-Butanone-d5	4.489	46	80963	76.322	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	76.320%		
24) Chloroform-d	5.056	84	112565	38.032	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	76.060%		
26) 1,2-Dichloroethane-d4	5.952	65	72425	41.457	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.920%		
32) Benzene-d6	5.964	84	244441	42.382	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	84.760%		
36) 1,2-Dichloropropane-d6	7.306	67	74909	43.157	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	86.320%		
41) Toluene-d8	8.647	98	218668	40.684	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	81.360%		
43) trans-1,3-Dichloroprop...	8.952	79	26189	34.911	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	69.820%		
47) 2-Hexanone-d5	9.391	63	65545	83.193	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	83.190%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	104449	40.704	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	81.400%		
66) 1,2-Dichlorobenzene-d4	12.317	152	90571	42.931	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	85.860%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
Data File : VX042189.D
Acq On : 04 Jul 2024 02:04
Operator : JC/MD
Sample : P3087-17ME
Misc : 4.63g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
A4BR2ME

Quant Time: Jul 04 05:17:50 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 04 05:08:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

