

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
 Data File : VX042188.D
 Acq On : 04 Jul 2024 01:40
 Operator : JC/MD
 Sample : P3087-16ME
 Misc : 4.83g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4BR1ME

Quant Time: Jul 04 05:17:34 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 04 05:08:27 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	251791	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	224065	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	106625	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	56088	38.270	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	76.540%		
7) Chloroethane-d5	1.648	69	35300m	38.254	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	76.500%		
11) 1,1-Dichloroethene-d2	2.282	65	23368	36.432	ug/L	-0.01
Spiked Amount 50.000	Range 60 - 125		Recovery =	72.860%		
21) 2-Butanone-d5	4.489	46	83045	78.629	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	78.630%		
24) Chloroform-d	5.056	84	113468	38.506	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	77.020%		
26) 1,2-Dichloroethane-d4	5.952	65	72283	41.558	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	83.120%		
32) Benzene-d6	5.964	84	247647	42.760	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.520%		
36) 1,2-Dichloropropane-d6	7.306	67	75994	43.601	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	87.200%		
41) Toluene-d8	8.647	98	221684	41.075	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	82.140%		
43) trans-1,3-Dichloroprop...	8.952	79	26905	35.717	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	71.440%		
47) 2-Hexanone-d5	9.391	63	66074	83.517	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	83.520%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	103351	40.109	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	80.220%		
66) 1,2-Dichlorobenzene-d4	12.323	152	91639	44.249	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.500%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
Data File : VX042188.D
Acq On : 04 Jul 2024 01:40
Operator : JC/MD
Sample : P3087-16ME
Misc : 4.83g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
A4BR1ME

Quant Time: Jul 04 05:17:34 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 04 05:08:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

