

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
 Data File : VX042193.D
 Acq On : 04 Jul 2024 03:36
 Operator : JC/MD
 Sample : P3087-22ME
 Misc : 4.39g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 A4CY9ME

Quant Time: Jul 04 05:18:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 04 05:08:27 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
 Supervised By :Semsettin Yesilyurt 07/05/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	249659	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	220685	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	106507	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.374	65	54243	37.327	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.660%
7) Chloroethane-d5	1.648	69	34302m	37.490	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	74.980%
11) 1,1-Dichloroethene-d2	2.282	65	22765	35.794	ug/L	-0.01
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.580%
21) 2-Butanone-d5	4.489	46	85965	82.089	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	82.090%
24) Chloroform-d	5.056	84	113032	38.685	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	77.380%
26) 1,2-Dichloroethane-d4	5.952	65	74436	43.162	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.320%
32) Benzene-d6	5.964	84	244834	42.922	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.840%
36) 1,2-Dichloropropane-d6	7.306	67	76466	44.544	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.080%
41) Toluene-d8	8.647	98	214012	40.260	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.520%
43) trans-1,3-Dichloroprop...	8.952	79	26169	35.272	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.540%
47) 2-Hexanone-d5	9.391	63	67139	86.163	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.160%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	104878	41.325	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.660%
66) 1,2-Dichlorobenzene-d4	12.323	152	88788	42.920	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.840%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070424\
Data File : VX042193.D
Acq On : 04 Jul 2024 03:36
Operator : JC/MD
Sample : P3087-22ME
Misc : 4.39g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
A4CY9ME

Quant Time: Jul 04 05:18:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML070324WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 04 05:08:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/05/2024
Supervised By :Semsettin Yesilyurt 07/05/2024

