

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX070618\
 Data File : VX003212.D
 Acq On : 06 Jul 2018 13:25
 Operator : JC/MD
 Sample : J3884-01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 SPDES-1

Quant Time: Jul 06 13:52:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X061818W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Jun 18 15:18:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.03	128	51572	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.87	114	268536	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.12	117	243554	30.00	ug/l	0.00

System Monitoring Compounds

27) 1,2-Dichloroethane-d4	6.07	65	112073	28.46	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	94.87%
60) 4-Bromofluorobenzene	11.14	95	107009	26.60	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	88.67%
63) Toluene-d8	8.72	98	304884	28.66	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	95.53%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX070618\
Data File : VX003212.D
Acq On : 06 Jul 2018 13:25
Operator : JC/MD
Sample : J3884-01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
SPDES-1

Quant Time: Jul 06 13:52:03 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X061818W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Jun 18 15:18:02 2018
Response via : Initial Calibration

