

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX070720\
 Data File : VX017219.D
 Acq On : 07 Jul 2020 21:33
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 08 03:36:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062920W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 29 17:10:38 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.484	0.462	4.5	94	0.00
3 P	Chloromethane	0.586	0.480	18.1	83	0.00
4 C	Vinyl Chloride	0.543	0.485	10.7#	90	0.00
5 T	Bromomethane	0.287	0.247	13.9	85	0.00
6 T	Chloroethane	0.321	0.312	2.8	99	0.00
7 T	Trichlorofluoromethane	0.803	0.867	-8.0	109	0.00
8 T	Diethyl Ether	0.293	0.287	2.0	103	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.482	0.500	-3.7	102	0.00
10 T	Methyl Iodide	0.621	0.463	25.4#	69	0.00
11 T	Tert butyl alcohol	0.118	0.119	-0.8	99	0.00
12 CM	1,1-Dichloroethene	0.495	0.484	2.2#	98	0.00
13 T	Acrolein	0.070	0.092	-31.4#	130	0.00
14 T	Allyl chloride	0.914	0.853	6.7	94	0.00
15 T	Acrylonitrile	0.283	0.286	-1.1	99	0.00
16 T	Acetone	0.231	0.236	-2.2	102	0.00
17 T	Carbon Disulfide	1.515	1.294	14.6	89	0.00
18 T	Methyl Acetate	0.602	0.644	-7.0	106	0.00
19 T	Methyl tert-butyl Ether	1.660	1.763	-6.2	104	0.00
20 T	Methylene Chloride	0.589	0.561	4.8	98	0.00
21 T	trans-1,2-Dichloroethene	0.549	0.548	0.2	100	0.00
22 T	Diisopropyl ether	1.692	1.723	-1.8	98	0.00
23 T	Vinyl Acetate	1.454	1.513	-4.1	97	0.00
24 P	1,1-Dichloroethane	0.963	0.980	-1.8	100	0.00
25 T	2-Butanone	0.384	0.388	-1.0	97	0.00
26 T	2,2-Dichloropropane	0.855	0.786	8.1	92	0.00
27 T	cis-1,2-Dichloroethene	0.622	0.604	2.9	97	0.00
28 T	Bromochloromethane	0.468	0.392	16.2	84	0.00
29 T	Tetrahydrofuran	0.254	0.251	1.2	94	0.00
30 C	Chloroform	0.987	1.033	-4.7#	103	0.00
31 T	Cyclohexane	0.832	0.788	5.3	91	0.00
32 T	1,1,1-Trichloroethane	0.909	0.944	-3.9	103	0.00
33 S	1,2-Dichloroethane-d4	0.616	0.603	2.1	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
35 S	Dibromofluoromethane	0.316	0.330	-4.4	101	0.00
36 T	1,1-Dichloropropene	0.473	0.488	-3.2	97	0.00
37 T	Ethyl Acetate	0.479	0.507	-5.8	95	0.00
38 T	Carbon Tetrachloride	0.520	0.586	-12.7	105	0.00
39 T	Methylcyclohexane	0.526	0.529	-0.6	92	0.00
40 TM	Benzene	1.388	1.445	-4.1	98	0.00
41 T	Methacrylonitrile	0.270	0.282	-4.4	97	0.00
42 TM	1,2-Dichloroethane	0.502	0.554	-10.4	104	0.00
43 T	Isopropyl Acetate	0.797	0.822	-3.1	96	0.00
44 TM	Trichloroethene	0.418	0.424	-1.4	99	0.00
45 C	1,2-Dichloropropane	0.357	0.376	-5.3#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX070720\
 Data File : VX017219.D
 Acq On : 07 Jul 2020 21:33
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 08 03:36:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062920W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 29 17:10:38 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.243	0.264	-8.6	102	0.00
47 T	Bromodichloromethane	0.502	0.561	-11.8	103	0.00
48 T	Methyl methacrylate	0.379	0.409	-7.9	95	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	97	0.00
50 S	Toluene-d8	1.170	1.172	-0.2	99	0.00
51 T	4-Methyl-2-Pentanone	0.475	0.521	-9.7	98	0.00
52 CM	Toluene	0.867	0.925	-6.7#	99	0.00
53 T	t-1,3-Dichloropropene	0.554	0.600	-8.3	100	0.00
54 T	cis-1,3-Dichloropropene	0.593	0.622	-4.9	96	0.00
55 T	1,1,2-Trichloroethane	0.354	0.388	-9.6	103	0.00
56 T	Ethyl methacrylate	0.504	0.563	-11.7	98	0.00
57 T	1,3-Dichloropropane	0.599	0.638	-6.5	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.251	0.265	-5.6	90	0.00
59 T	2-Hexanone	0.347	0.394	-13.5	100	0.00
60 T	Dibromochloromethane	0.411	0.475	-15.6	107	0.00
61 T	1,2-Dibromoethane	0.381	0.422	-10.8	103	0.00
62 S	4-Bromofluorobenzene	0.457	0.477	-4.4	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.404	0.423	-4.7	99	0.00
65 PM	Chlorobenzene	1.032	1.084	-5.0	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.398	0.443	-11.3	105	0.00
67 C	Ethyl Benzene	1.723	1.881	-9.2#	99	0.00
68 T	m/p-Xylenes	0.662	0.728	-10.0	99	0.00
69 T	o-Xylene	0.630	0.691	-9.7	99	0.00
70 T	Styrene	1.072	1.230	-14.7	100	0.00
71 P	Bromoform	0.315	0.390	-23.8#	109	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00
73 T	Isopropylbenzene	3.275	3.234	1.3	100	0.00
74 T	N-amyl acetate	1.397	1.372	1.8	96	0.00
75 P	1,1,2,2-Tetrachloroethane	1.030	1.015	1.5	105	0.00
76 T	1,2,3-Trichloropropane	0.983	0.981	0.2	102	0.00
77 T	Bromobenzene	0.900	0.912	-1.3	107	0.00
78 T	n-propylbenzene	3.704	3.701	0.1	101	0.00
79 T	2-Chlorotoluene	2.241	2.258	-0.8	103	0.00
80 T	1,3,5-Trimethylbenzene	2.717	2.812	-3.5	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.380	0.365	3.9	96	0.00
82 T	4-Chlorotoluene	2.679	2.710	-1.2	104	0.00
83 T	tert-Butylbenzene	2.667	2.777	-4.1	104	0.00
84 T	1,2,4-Trimethylbenzene	2.756	2.898	-5.2	104	0.00
85 T	sec-Butylbenzene	3.135	3.179	-1.4	102	0.00
86 T	p-Isopropyltoluene	2.918	3.079	-5.5	103	0.00
87 T	1,3-Dichlorobenzene	1.635	1.637	-0.1	110	0.00
88 T	1,4-Dichlorobenzene	1.675	1.650	1.5	108	0.00
89 T	n-Butylbenzene	2.606	2.546	2.3	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX070720\
Data File : VX017219.D
Acq On : 07 Jul 2020 21:33
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jul 08 03:36:25 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062920W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 29 17:10:38 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.575	0.586	-1.9	105	0.00
91 T	1,2-Dichlorobenzene	1.528	1.541	-0.9	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.246	0.237	3.7	105	0.00
93 T	1,2,4-Trichlorobenzene	1.043	1.043	0.0	106	0.00
94 T	Hexachlorobutadiene	0.422	0.387	8.3	102	0.00
95 T	Naphthalene	3.171	3.348	-5.6	104	0.00
96 T	1,2,3-Trichlorobenzene	1.009	1.030	-2.1	107	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6