

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_X\DATA\VX070819\  
 Data File : VX010687.D  
 Acq On : 08 Jul 2019 11:55  
 Operator : JC/SP  
 Sample : K3664-07  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 FL-TB-2019-2

Quant Time: Jul 09 01:25:31 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X061919W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jun 20 03:31:56 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.65  | 168  | 247136   | 50.00 | ug/l  | -0.01    |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 382309   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 351002   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 159789   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.06   | 65  | 124220   | 53.61 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 107.22% |      |
| 35) Dibromofluoromethane    | 5.49   | 113 | 120063   | 51.33 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 102.66% |      |
| 50) Toluene-d8              | 8.71   | 98  | 455479   | 50.90 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 101.80% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 153826   | 47.61 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 95.22%  |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA\_X\DATA\VX070819\  
Data File : VX010687.D  
Acq On : 08 Jul 2019 11:55  
Operator : JC/SP  
Sample : K3664-07  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
FL-TB-2019-2

Quant Time: Jul 09 01:25:31 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X061919W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jun 20 03:31:56 2019  
Response via : Initial Calibration

