

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX070820\
 Data File : VX017245.D
 Acq On : 08 Jul 2020 10:59
 Operator : JC/SP
 Sample : VX0708WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0708WBL01

Quant Time: Jul 08 15:52:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X062920W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 29 17:10:38 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	260962	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.83	114	424665	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	429336	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.06	152	213234	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.03	65	166767	51.84	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.68%	
35) Dibromofluoromethane	5.46	113	142941	53.21	ug/l	0.00
Spiked Amount	50.000		Recovery	=	106.42%	
50) Toluene-d8	8.70	98	509860	51.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.66%	
62) 4-Bromofluorobenzene	11.12	95	202097	52.05	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.10%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX070820\
Data File : VX017245.D
Acq On : 08 Jul 2020 10:59
Operator : JC/SP
Sample : VX0708WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampled :
VX0708WBL01

Quant Time: Jul 08 15:52:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X062920W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 29 17:10:38 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.63 min Scan# 745

Delta R.T. -0.01 min

Lab File: VX017245.D

Acq: 08 Jul 2020 10:59

Instrument :

MSVOA_X

ClientSampleId :


VX0708WBL01

Tot Ion:168 Resp: 260962

Ion Ratio Lower Upper




168 100

99 54.5 42.6 64.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 51.837 ug/l

RT: 6.03 min Scan# 811

Delta R.T. -0.00 min

Lab File: VX017245.D


Acq: 08 Jul 2020 10:59

Tgt Ion: 65 Resp: 166767

Ion Ratio Lower Upper



65 100


67 52.0 0.0 103.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.83 min Scan# 942

Delta R.T. -0.00 min

Lab File: VX017245.D

Acq: 08 Jul 2020 10:59

Instrument :

MSVOA_X

ClientSampleId :

VX0708WBL01


Tot Ion:114 Resp: 424665

Ion Ratio Lower Upper

114 100

63 19.4 0.0 41.4




88 16.0 0.0 32.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 53.211 ug/l

RT: 5.46 min Scan# 718

Delta R.T. -0.00 min

Lab File: VX017245.D

Acq: 08 Jul 2020 10:59


Tgt Ion:113 Resp: 142941

Ion Ratio Lower Upper

113 100

111 101.8 81.9 122.9



192 21.7 16.7 25.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.328 ug/l

RT: 8.70 min Scan# 1248

Delta R.T. -0.00 min

Lab File: VX017245.D

Acq: 08 Jul 2020 10:59

Instrument :

MSVOA_X

ClientSampleId :


VX0708WBL01

Tot Ion: 98 Resp: 509860

Ion Ratio Lower Upper




98 100

100 66.7 53.8 80.6



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



#62

4-Bromofluorobenzene

Concen: 52.045 ug/l

RT: 11.12 min Scan# 1646

Delta R.T. -0.00 min

Lab File: VX017245.D

Acq: 08 Jul 2020 10:59


Tgt Ion: 95 Resp: 202097

Ion Ratio Lower Upper

95 100

174 87.6 0.0 164.0



176 81.5 0.0 157.6




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.10 min Scan# 1478
Delta R.T. -0.00 min
Lab File: VX017245.D
Acq: 08 Jul 2020 10:59

Instrument :
MSVOA_X
ClientSampleId :
VX0708WBL01

Tot Ion:117 Resp: 429336
Ion Ratio Lower Upper
117 100
82 51.4 42.6 63.8
119 33.0 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.06 min Scan# 1800
Delta R.T. -0.00 min
Lab File: VX017245.D
Acq: 08 Jul 2020 10:59

Tgt Ion:152 Resp: 213234
Ion Ratio Lower Upper
152 100
115 57.8 40.9 122.7
150 155.9 0.0 351.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

