

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070822\
 Data File : VX029975.D
 Acq On : 08 Jul 2022 16:05
 Operator : JC/MD
 Sample : N3621-02
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 TT-047-IDWGW-20220706

Quant Time: Jul 09 02:19:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X070822W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Sat Jul 09 02:10:54 2022
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By : John Carlone 07/11/2022
 Supervised By : Mahesh Dadoda 07/11/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	4.904	128	32321	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	6.769	114	181385	30.000	ug/l	0.00
57) Chlorobenzene-d5	10.055	117	156928	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	5.958	65	76619	29.072	ug/l	0.00
Spiked Amount 30.000	Range 91 - 110		Recovery =	96.900%		
60) 4-Bromofluorobenzene	11.085	95	82589	27.926	ug/l	0.00
Spiked Amount 30.000	Range 63 - 112		Recovery =	93.100%		
63) Toluene-d8	8.653	98	254963	29.963	ug/l	0.00
Spiked Amount 30.000	Range 91 - 112		Recovery =	99.867%		
Target Compounds						
						Qvalue
21) 1,1-Dichloroethane	3.605	63	3172m	0.733	ug/l	
37) Trichloroethene	7.135	130	3170	1.189	ug/l	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070822\
Data File : VX029975.D
Acq On : 08 Jul 2022 16:05
Operator : JC/MD
Sample : N3621-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
TT-047-IDWGW-20220706

Quant Time: Jul 09 02:19:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X070822W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Sat Jul 09 02:10:54 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 07/11/2022
Supervised By :Mahesh Dadoda 07/11/2022

