

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX071218\
 Data File : VX003356.D
 Acq On : 12 Jul 2018 17:22
 Operator : JC/MD
 Sample : J3945-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 2-AVE-16

Quant Time: Jul 12 19:13:10 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X071218W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Thu Jul 12 13:28:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.03	128	61879	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.87	114	307918	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.12	117	260430	30.00	ug/l	0.00

System Monitoring Compounds

27) 1,2-Dichloroethane-d4	6.07	65	124177	29.38	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	97.93%
60) 4-Bromofluorobenzene	11.14	95	112162	26.80	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	89.33%
63) Toluene-d8	8.72	98	349454	30.35	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	101.17%

Target Compounds

					Ovalue
15) Acetone	2.45	58	5150	8.353	ug/l 78
22) cis-1,2-Dichloroethene	4.60	96	47265	10.710	ug/l # 72
25) Chloroform	5.22	83	12027	1.721	ug/l 92
37) Trichloroethene	7.21	130	13715	3.469	ug/l 97
61) Tetrachloroethene	9.34	164	49814	12.497	ug/l 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX071218\
Data File : VX003356.D
Acq On : 12 Jul 2018 17:22
Operator : JC/MD
Sample : J3945-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
2-AVE-16

Quant Time: Jul 12 19:13:10 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X071218W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Thu Jul 12 13:28:20 2018
Response via : Initial Calibration

